7xx Fields

Chapter Summary

7xx 700 710 711 720 730	Introduction 7:2 Added Entry–Personal Name 7:3 Added Entry–Corporate Name 7:9 Added Entry–Meeting Name 7:14 Added Entry–Uncontrolled Name 7:18 Added Entry–Uniform Title 7:20
740	Added Entry–Uncontrolled Related/Analytical Title 7:24
752	Added Entry–Hierarchical Place Name 7:27
753 754	System Details Access to Computer Files 7:29
754 76x-78x	Added Entry–Taxonomic Identification 7:30 Linking Entry Fields–Introduction 7:31
760	Main Series Entry 7:40
762	Subseries Entry 7:42
765	Original Language Entry 7:44
767	Translation Entry 7:46
770	Supplement/Special Issue Entry 7:48
772	Supplement Parent Entry 7:50
773	Host Item Entry 7:52
774	Constituent Unit Entry 7:54
775	Other Edition Entry 7:56
776	Additional Physical Form Entry 7:58
777	Issued With Entry 7:60
780	Preceding Entry 7:62
785	Succeeding Entry 7:66
786	Data Source Entry 7:70
787	Nonspecific Relationship Entry 7:72
790	Local Added Entry–Personal Name 7:74
791	Local Added Entry–Corporate Name 7:79
792 702	Local Added Entry–Meeting Name 7:84
793 796	Local Added Entry–Uniform Title 7:88 Local Added Entry–Personal Name 7:91
790 797	Local Added Entry–Corporate Name 7:97
798	Local Added Entry–Meeting Name 7:102
799	Local Added Entry–Uniform Title 7:102

7xx Introduction

7xx fields	Use fields 700–730 to provide additional access to a bibliographic record from names and/or titles having various relationships to the item you are cataloging. Added entries are made for persons, corporate bodies and meetings having some form of responsibility for the creation of the work. This includes intellectual and publishing responsibilities.
	Use fields 700–730 also for added entries for other titles under authority control related to the work for which the record is made (e.g., other editions). Added entries are assigned to records for persons, corporate bodies, meetings and titles which are not given access through subject or series entries.
	Use field 740 (Added Entry–Uncontrolled Related/Analytical Title) for a title not under authority control for a part of the item being cataloged or a related item.
	Use fields 752–754 to provide access to an item through other aspects of its content or description.
	Use fields 76x–78x for linking entries for related items. These fields identify the relationship between bibliographic items.
	Use fields 790–793 for added entries not supported by the other cataloging rules.
Current cataloging	If you are inputting current cataloging, construct entries according to <i>Anglo-American Cataloguing Rules</i> , second edition (AACR2) and Library of Congress (LC) practice. Search the OCLC Authority File to verify forms of entry.
	Use current LC-AACR2 or AACR2-compatible forms of names and uniform titles. If the current LC-AACR2 or AACR2-compatible form is unknown, construct the heading according to AACR2 1998 rev. and the <i>Library of Congress Rule Interpretations</i> (LCRIs).
Retrospective cataloging	If you are inputting retrospective cataloging, search the OCLC Authority File to verify forms of entry.
	Use current LC-AACR2 or AACR2-compatible forms of names and uniform titles. If the current LC-AACR2 or AACR2-compatible form is unknown, you may enter the pre-AACR2 form, but you are encouraged to construct the heading according to AACR2 and the LCRIs.
	See section 2.2, "Transcribing Pre-AACR2 Copy," for more information.

Inp	ut Standards	
Rec	uired if applicable/Required if applicable	
1st	Indicator Type of personal name entry element	
0	Forename	
1	Surname	
3	Family name	
2nc	Indicator Type of added entry	
Ø	No information provided	
2	Analytical entry	
Sul	ofields (R=Repeatable NR=Nonrepeatable)	Input Standards
‡a	Personal name (NR)	Mandatory/Mandatory
‡b	Numeration (NR)	Required if applicable/Required if applicable
‡c	Titles and other words associated with a name (R)	Required if applicable/Required if applicable
‡d	Dates associated with a name (NR)	Required if applicable/Required if applicable
‡e	Relator term (R)	Optional/Optional
‡f	Date of work (NR)	Required if applicable/Required if applicable
‡g	Miscellaneous information (NR)	Required if applicable/Required if applicable
‡h	Medium (NR)	Do not use/Do not use
‡j	Attribution qualifier (R)	Optional/Optional
‡k	Form subheading (R)	Required if applicable/Required if applicable
‡l	Language of a work (NR)	Required if applicable/Required if applicable
‡m	Medium of performance for music (R)	Required if applicable/Required if applicable
‡n	Number of part/section of a work (R)	Required if applicable/Required if applicable
‡0	Arranged statement for music (NR)	Required if applicable/Required if applicable
‡p	Name of part/section of a work (R)	Required if applicable/Required if applicable
‡q	Fuller form of name (NR)	Required if applicable/Required if applicable
‡r	Key for music (NR)	Required if applicable/Required if applicable
‡s	Version (NR)	Required if applicable/Required if applicable
‡t	Title of a work (NR)	Required if applicable/Required if applicable
‡u	Affiliation (NR)	Optional/Optional
‡x	International Standard Serial Number (NR)	Optional/Optional
‡ 3	Materials specified (NR)	Optional/Optional
‡ 4	Relator code (R)	Optional/Optional
‡ 5	Institution to which field applies (NR)	Required if applicable/Required if applicable

Definition

A personal name used as an added entry. Added entries are assigned according to various cataloging rules to give access to the bibliographic record from personal name headings which may not be more appropriately assigned as field 600 (Subject Added Entry–Personal Name) or field 800 (Series Added Entry–Personal Name). Use for the following types of personal names:

- Names of persons capable of authorship
- Phrases having the structure of forenames or surnames. Use this type of entry if a phrase characterizes an author and is the only clue to the author's identity
- Names of families

1st Indicator	Type of personal name entry element. The form of name. These values could be used to facilitate card filing arrangements. However, OCLC does not differentiate among forms of name for sorting cards.
	AACR2 prescribes that you not use names of families as main or added entries (field 100, field 700 and field 800). You may, however, use names of families as subject entries (field 600).
	Use also for current cataloging of archival collections cataloged according to <i>Describing Archives: A Content Standard</i> .
	0 Forename. Use for the following types of names:
	• Names structured as forenames (direct order)
	700 0 Father Divine.
	• Names that consist of initials in direct order
	700 0 R. M. B.
	Characterizing phrases in direct order
	700 0 Author of Allons au ciel.
	• If a forename/surname status is in doubt, treat the name as a forename
	700 0 Ram Gopal.
	1 Surname. Use for the following types of names:
	Names (real or pseudonyms) having any inverted order
	700 1 Chiang, Kai-shek.
	Names known to be surnames but lacking forenames
	700 1 Stendhal.
	 Names consisting of multiple entry elements that include articles or prepositions (e.g., De, La or Van)
	700 1 De la Mare, Walter
	• Names of persons known under sobriquets and nicknames that have the structure of surnames
	7001 Other, A. N.
	3 Family name. Use for the name of a family, clan, dynasty, house or other such group. The name may be constructed in direct or inverted order.
	700 3 Norfolk, Dukes of
2nd Indicator	Type of added entry. The type of added entry. The values distinguish between no information provided and an analytical entry. These indicators could be used to facilitate card filing arrangements. However, OCLC does not differentiate among types of added entries for sorting cards.

	b No information provided. Either the added entry is not for an analytic or no information is provided as to whether the added entry is for an analytic.
	 Gershkoff, Ira. The Boston driver's handbook : ‡b the big dig edition / ‡c Ira Gershkoff and Richard Trachtman. Rev. ed. of: Wild in the streets, c1982. Gershkoff, Ira. ‡t Wild in the streets.
	2 Analytical entry. The item contains the work that is represented by the added entry.
	 Bouma, Jelle. Marcus Iunius Nypsus : <i>th</i> Fluminis varatio, Limitis repositio : introduction, text, translation, and commentary / <i>tc</i> Jelle Bouma. Nypsus, Marcus Iunius. <i>t</i> Fluminis varatio. <i>tf</i> 1993. Nypsus, Marcus Iunius. <i>t</i> Limitis repositio. <i>tf</i> 1993.
Subfields	
‡a Personal name	A surname and/or forename; abbreviations, initials, letters, numbers or phrases used in place of a name; or a family name. Use subfield ‡c for parenthetical qualifying terms associated with the name. Use subfield ‡q for fuller forms of a name added as a qualifier. Enter a period after initials. Enter one space between initials.
	700 12 Ravel, Maurice, ‡d 1875-1937. ‡t Histoires naturelles. ‡p Grillon.
tb Numeration	A Roman numeral alone or a Roman numeral and a subsequent part of a forename. Use only in a forename heading (i.e., entries with 1st indicator value θ).
	700 0 Alexander ‡b VIII, ‡c Pope, ‡d 1610-1691.
	700 0 Gustaf ‡b II Adolf, ‡c King of Sweden, ‡d 1594-1632.
‡c Titles and other words associated with	Titles and other words associated with a name. These include qualifying information such as:
a name	• A Roman numeral used with a surname
	700 1 Evans, Montgomery, ‡c II.
	• Initials of an academic degree or denoting membership in an organization, e.g., F.L.A.
	700 1 Smith, John T., ‡ c B.A., M. Phil.
	• Terms of address, e.g., Mrs.
	700 1 Beach, H. H. A., ‡c Mrs., ‡d 1867-1944.
	• Titles designating rank, office or nobility, e.g., Sir
	700 0 Elizabeta, ‡c Empress, consort of Alexander I, Emperor of Russia, ‡d d. 1826.
	• Other words or phrases associated with a name, e.g., clockmaker or Saint
	700 0 Vivekananda, ‡c Swami, ‡d 1863-1902.
	700 0 Walther, ‡c von der Vogelweide, ‡d 12th cent.

	If the heading is a surname followed directly by a prefix without intervening forenames or forename initials, the prefix is contained in subfield <i>‡c</i> to prevent its being processed as a forename in searching.
	700 1 Walle-Lissnijder, ‡c van de.
	If a heading consists of a surname with a title or associated words, enter the title following the surname and preceding any other element of the heading. Use subfield ‡q for fuller forms of names in parentheses.
	700 1 Gatti de Gamond, ‡c Madame ‡q (Zoé Charlotte)
	Multiple adjacent titles or words associated with a name are contained in a single subfield ‡c. Repeat subfield ‡c only when words associated with a name are separated by subelements contained in other subfields.
	700 0 Charles Edward, ‡c Prince, grandson of James II, King of England, ‡d 1720-1788.
	Use for other parenthetical additions to a name.
	700 0 Spagna ‡c (Artist) ‡d ca. 1450-1528.
‡d Dates associated with a name	Birth, death or flourished dates used with a name. A qualifier used with the date (e.g., <i>b.</i> , <i>d.</i> , <i>ca.</i> , <i>fl.</i> , <i>cent.</i> or ?) is also contained in subfield ‡d.
	700 12 Hazlitt, William, ‡d 1778-1830. ‡t On the fear of death. ‡l French & English.
	700 0 Walther, ‡c von der Vogelweide, ‡d 12th cent.
	The print program provides any necessary additional spaces after the hyphen.
	700 1 Smith, John, ‡d 1924- ‡e defendant.
	Prints as:
	Smith, John 1924- defendant.
‡e Relator term	A designation of function that describes the relationship between a name and a work (e.g. collector, comp., defendant, ed., ill., joint author or tr.). Put multiple relator terms in separate subfields.
	700 1 Hecht, Ben, ‡d 1893-1964, ‡e direction, ‡e production.
	Relator codes, which also specify a relationship of the person to the work, are contained in subfield ‡ 4.
‡f Date of work	The date of publication used with a title of a work in a name/title heading. A date added parenthetically to a title to distinguish between identical titles entered under the same name is not entered in a separate subfield, except for scores or sound recordings. For music, see subfield ‡n.
	700 12 Freud, Sigmund, ‡d 1856-1939. ‡t Selections. ‡f 1978
‡g Miscellaneous information	Data not identified in another subfield. Unlikely to be used in field 700.
‡h Medium	Do not use.

700 Added Entry–Personal Name (R) (cont.)

‡j Attribution qualifier	Attribution information when the responsibility is unknown, uncertain, fictitious or pseudonymous. Use for qualifiers that follow the name of a known artist for the work. Do not use subfield ‡j for headings formulated according to AACR2.
	7000 E.S., ‡ c Meister, ‡ d 15 cent., ‡ j Follower of
<pre>‡k Form subheading</pre>	A form subheading. Use in the name or title portion. For example, Selections.
	700 12 Bizet, Georges, ‡d 1838-1875. ‡t Carmen. ‡k Selections.
‡I Language of a work	The name of the language or the term representing the language (e.g., Polyglot) of a work.
	700 12 Hemingway, Ernest, ‡d 1899-1961. ‡t Old man and the sea. ‡l Spanish.
‡m Medium of performance for music	Terms designating the medium of performance used in a uniform title for a work in a name/title field. Enter multiple adjacent elements in a single medium statement in the same subfield ‡m. Repeat subfield ‡m only when medium of performance statements are separated by subelements contained in other subfields.
	700 12 Kouguell, Arkadie, ‡d 1896- ‡t Berceuse, ‡m violin, piano.
‡n Number of part/ section of a work	The number designation for a part/section of a work used with a title in a name/title field. Numbering is an indication of sequencing in any form (e.g., Book two, Part 1 or Supplement A). For music, use the opus, serial or thematic index number or a date used as a number in subfield ‡n. Enter multiple numberings for a part/section separated by a comma (usually alternative numberings) in a single subfield ‡n. Enter multiple numberings for a part/section separated by a period (usually numberings of subparts) in separate subfield ‡n's.
	700 12 Schubert, Franz, ‡d 1797-1828. ‡t Impromptus, ‡m piano, ‡n D. 935. ‡n No. 2.
to Arranged	The abbreviation arr. used for a uniform title in a name/title field.
statement for music	700 12 Bernstein, Leonard, ‡d 1918- ‡t Chichester Psalms; ‡o arr.
<pre>‡p Name of part/</pre>	A name designation of a part/section of a work in a name/title field.
section of a work	700 12 Praetorius, Hieronymus, ‡d 1560-1629. ‡t Opus musicum. ‡p Cantiones sacrae. ‡p O vos omnes.
‡q Fuller form of name	A more complete form or part of the name than is in subfield ‡a. Enter unused forenames or surnames if the name is necessary to resolve conflicts.
	 700 1 Tolkien, J. R. R. ‡q (John Ronald Reuel), ‡d 1892-1973. ‡t Lord of the rings. ‡n 2, ‡p Two towers. [Part/section is both numbered and named.]
‡r Key for music	A statement of key in which the music is written used in a uniform title for a work in a name/title field.
	700 12 Beethoven, Ludwig van, ‡d 1770-1827. ‡t Symphonies, ‡n no. 1, op. 21, ‡r C major.
‡s Version	The version, edition, etc., information used with a title of a work in a name/title field.
	700 12 Jeppesen, Knud, ‡d 1892- ‡t Te deum Danicum. ‡s Libretto.

700 Added Entry–Personal Name (R) (cont.)

t Title of a work	A uniform title, a title page title of a work or a series title used in a name/title field.
	700 1 Gide, André, ‡d 1869-1951. ‡t Prometheus misbound.
‡u Affiliation	The affiliation or address of the name in subfield ‡a.
	700 1 Brown, B. F. ‡u Chemistry Dept., American University.
‡x International Standard Serial Number	The International Standard Serial Number (ISSN) for a serial title given in the title portion of a name/title field. The ISSN is an agency-assigned data element.
‡3 Materials specified	The part of the described materials to which the field applies.
‡4 Relator code	A three-character code that indicates the relationship of a name to a work. See <i>MARC Code Lists for Relators, Sources, Descriptive Conventions</i> (http://www.loc.gov/marc/relators/relahome.html). Put multiple relator codes in separate subfields.
	700 1 Galway, James. ‡ 4 prf ‡ 4 cnd
	Relator terms, which also specify a relationship of a person to a work, are contained in subfield ‡e.
‡5 Institution to which field applies	A code of the institution or organization that holds the copy to which the field applies. Use for notes that do not apply to the universal description of the item. See <i>MARC Code List for Organizations</i> (http://www.loc.gov/marc/organizations/ orgshome.html) or <i>Symbols and Interlibrary Loan Policies in Canad</i> a (http://www.nlc-bnc.ca/6/16/s16-202-e.html).
	700 1 Kissinger, Henry, ‡d 1923- ‡5 DLC
Printing	Field 700 prints as a heading and tracing. Subfields $\pm u$, $\pm x$, ± 3 , ± 4 and ± 5 do not print. In the tracing paragraph, the print program supplies consecutive Roman numerals for added entry tracings.

Inp	ut Standards	
Req	uired if applicable/Required if applicable	
1st	Indicator Type of corporate name entry element	
0	Inverted name	
1	Jurisdiction name	
2	Name in direct order	
2nd	Indicator Type of added entry	
Ø	No information provided	
2	Analytical entry	
Sub	fields (R=Repeatable NR=Nonrepeatable)	Input Standards
‡a	Corporate name or jurisdiction name as entry element (NR)	Mandatory/Mandatory
‡b	Subordinate unit (R)	Required if applicable/Required if applicable
‡c	Location of meeting (NR)	Required if applicable/Required if applicable
‡d	Date of meeting or treaty signing (R)	Required if applicable/Required if applicable
‡e	Relator term (R)	Optional/Optional
‡f	Date of work (NR)	Required if applicable / Required if applicable
‡g	Miscellaneous information (NR)	Required if applicable/Required if applicable
‡h	Medium (NR)	Do not use/Do not use
‡k	Form subheading (R)	Required if applicable/Required if applicable
‡l	Language of a work (NR)	Required if applicable /Required if applicable
‡m	Medium of performance for music (R)	Required if applicable/Required if applicable
‡n	Number of part/section/meeting (R)	Required if applicable/Required if applicable
‡o	Arranged statement for music (NR)	Required if applicable/Required if applicable
‡p	Name of part/section of a work (R)	Required if applicable/Required if applicable
‡r	Key for music (NR)	Required if applicable/Required if applicable
‡s	Version (NR)	Required if applicable/Required if applicable
‡t	Title of a work (NR)	Required if applicable/Required if applicable
‡u	Affiliation (NR)	Optional/Optional
‡x	International Standard Serial Number (NR)	Optional/Optional
‡ 3	Materials specified (NR)	Optional/Optional
‡ 4	Relator code (R)	Optional/Optional
<u></u> ‡5	Institution to which field applies (NR)	Required if applicable/Required if applicable

Definition

. . .

A corporate name used as an added entry heading. An added entry heading is assigned according to various cataloging rules to give access to the bibliographic record from corporate name headings which may **not** be more appropriate assigned as field 610 (Subject Added Entry–Corporate Name) or field 810 (Series Added Entry–Corporate Name). Corporate names are the names of agencies, associations, businesses, firms, governments, institutions, nonprofit enterprises, performing groups, etc. Use for the following types of corporate names:

- Organized bodies entered directly under their own names
- Organized bodies entered under names of political jurisdictions
- Political jurisdictions standing alone
- Special corporate names, such as names of abbeys, cathedrals, churches, denominations, monasteries, missions, musical groups, parishes, priories, programs, studies and vessels (e.g., Catholic Church, Dire Straits (Musical

group), Monasterio Las Descalzas (Lima, Peru), New York Philharmonic or Writers' Program) • Names of conferences, conventions, exhibitions, expeditions, festivals and meetings entered indirectly, that is, under the name of a corporate body (e.g., Labour Party (Great Britain). Conference) 1st Indicator **Type of corporate name entry element.** The form of name. These values could be used to facilitate card filing arrangements. However, OCLC does not differentiate among forms of name for sorting cards. **0** Inverted name. Pre-AACR2 headings in inverted order. 710 0 Penny (J.C.) Co. [Pre-AACR2.] **1** Jurisdiction name. Jurisdictions may be ecclesiastical entities or the jurisdiction name under which you enter a corporate name, a city section or a title of a work (e.g., France or New York (N.Y.)). Corporate names containing a name of a jurisdiction as an integral part of the name or qualified by a jurisdiction name are identified by 1st indicator value 2. 710 1 Pennsylvania. ±b State Board of Examiners of Nursing Home Administrators. **2** Name in direct order. Corporate names entered in direct order. These headings may also have a parenthetical qualifier or may be an acronym or initialism. 710 2 WGBH (Television station : Boston, Mass.) 2nd Indicator **Type of added entry.** The type of added entry. The values distinguish between no information provided and an analytical entry. These indicators could be used to facilitate card filing arrangements. However, OCLC does not differentiate among types of added entries for sorting cards. **b** No information provided. Either the added entry is not for an analytic or no information is provided as to whether the added entry is for an analytic. 100 1 Gotshaw, F. Marco. 245 10 Journeyman's guide to the National Electrical Code / ±c Furman Marco Gotshaw. 710 2 National Fire Protection Association. ±t National electrical code (1993)**2** Analytical entry. The item contains the work that is represented by the added entry. 100 1 Fernandez, Perfecto V. 245 10 Primer on labor law, 1982-92 / ±b Perfecto V. Fernandez. Includes text of the Philippines labor relations law. 500 710 12 Philippines. ‡t Labor code of the Philippines. ‡n Book 5, ‡p Labor relations. **‡**f 1981. Subfields Name of a corporate body or the first entity when subordinate units are present; a ta Corporate name or iurisdiction name as jurisdiction name under which a corporate body, city section or title of a work is

710 2 Pennsylvania State University.

entered; or a jurisdiction name that is also an ecclesiastical entity.

entry element

	Enternment that and information invitation names on datas (athen then
	Enter parenthetical qualifying information, jurisdiction names or dates (other than the date of a meeting) in parenthesis in subfield ‡a.
	710 2 Friedrich Witte (Firm)
	710 2 New Orleans Rhythm Kings (1922-1925)
	Enter one space between an initial and a noninitial. Do not enter a space between initials.
	710 2 F & H Denby.
	710 2 W.H. Ross Foundation for the Study of Prevention of Blindness.
tb Subordinate unit	Corporate names or corporate subheadings that follow the name of the highest hierarchical unit (subfield ‡a). Enter each subordinate unit in a separate subfield ‡b.
	710 2 University of London. ‡b School of Pharmacy.
	Enter a date, number or place that follows a corporate name and is separated from the name by a comma in the same subfield.
	710 1 United States. ‡b Army. ‡b Corps, IV.
	Enter parenthetical qualifying information associated with the subordinate unit also in subfield ‡ b.
	710 1 United States. ‡ b President (1953-1961 : Eisenhower)
‡c Location of meeting	Place name or a name of an institution where a meeting was held. Use a single subfield <i>‡c</i> for multiple adjacent locations.
	 710 2 International Labour Organisation. \$\$ European Regional Conference \$\$ n (2nd : \$\$ d 1968 : \$\$ Geneva, Switzerland)
‡d Date of meeting or	The date a meeting was held or date a treaty was signed.
treaty signing	710 1 Algeria. ‡t Treaties, etc. ‡d 1682 Apr. 20.
te Relator term	A designation of function that describes the relationship between a name and a work (e.g., defendants). Put multiple relator terms in separate subfields.
	710 2 Eastman Kodak Company, ‡e defendant-appellant.
	Relator codes, which also specify a relationship of a corporate body to a work, are contained in subfield ‡4.
‡f Date of work	The date of publication used with a title of a work in a name/title field.
	710 22 Catholic Church. ‡t Mass, 33rd Sunday of ordinary time (Chant). ‡f 1979.
	A date added parenthetically to a title to distinguish between identical titles entered under the same name is not entered in a separate subfield. Scores or sound recordings are an exception to this rule. See subfield ‡n.
	791 1 France. ‡t Constitution (1946)
‡g Miscellaneous information	Data not identified in other subfields. Use for subelements that are not more appropriately contained in subfields $\pm c$, $\pm d$ or $\pm n$.
	710 1 Algeria. ‡t Treaties, etc. ‡g England and Wales, ‡d 1682 Apr. 20.

710 Added Entry–Corporate Name (R) (cont.)

‡h Medium	Do not use.	
‡k Form subheading	Standardized phrases added to a heading to gather records for certain kinds of materials. Form subheadings include: <i>Manuscript</i> ; <i>Protocols</i> , etc.; <i>Selections</i> .	
	710 22 Catholic Church. <i>tb</i> Pope (1958-1963 : John XXIII). <i>tb</i> Mater et magistra. <i>tl</i> French. <i>tk</i> Selections. <i>tf</i> 1963.	
‡I Language of a work	The name of the language or the term representing the language (e.g., Polyglot) of a work.	
	710 2 Orthodox Eastern Church. ‡t Akathistos hymnos. ‡l Spanish & Greek.	
‡m Medium of performance for music	Terms designating the medium of performance used in a uniform title for a work in a name/title heading. Unlikely to be used in field 710.	
‡n Number of part/ section/meeting	The number of a meeting that is entered under a corporate name. Use also for a number designation for a part/section of a work used with a title in a name/title field. Numbering is an indication of sequencing in any form (e.g., Book two, Part 1 or Supplement A). For music, use the opus, serial or thematic index number or a date used as a number in subfield \ddagger n.	
	710 12 Philippines. ‡t Labor Code of the Philippines. ‡n Book 5, ‡p Labor Relations.[Part/section is both numbered and named.]	
	Enter multiple numberings for a part/section separated by a comma (usually alternative numberings) in a single subfield ‡n. Enter multiple numberings for a part/section separated by a period (usually numberings of subparts) in separate subfield ‡n's	
	710 2 Montevergine (Abbey). ‡b Biblioteca. ‡k Manuscript. ‡n Scaffale XXIII, 171.	
to Arranged statement for music	The abbreviation <i>arr</i> . used in a uniform title for a work in a name/title field. Unlikely to be used in field 710.	
<pre>‡p Name of part/ section of a work</pre>	A name designation of a part/section of a work. Use also for a name designation following the form subdivision <i>Manuscript</i> .	
	 710 1 Ecuador. ‡t Plan Nacional de Desarrollo, 1980-1984. ‡n Parte 1, ‡p Grandes objetivos nacionales. ‡l English. [Part/section is both numbered and named.] 	
‡r Key for music	The statement of key in which the music is written used in a uniform title for a work in a name/title field. Unlikely to be used in field 710.	
‡s Version	The version, edition, etc., information used with a title of a work in a name/title field.	
‡t Title of a work	A uniform title, title page title of a work or series title used in a name/title field.	
	710 1 Brookfield (Conn.). ‡t Charter.	
‡u Affiliation	The affiliation or address of the name in subfield ‡a.	
	710 2 Industrial Environmental Research Laboratory. ‡u Research Triangle Park, N.C.	

‡x International Standard Serial Number	The International Standard Serial Number (ISSN) for a serial title given in the title portion of a name/title field. The ISSN is an agency-assigned data element. The print program provides <i>ISSN</i> before the number in printed series statements.
	The ISSN does not print in the series tracing or added entry.
‡3 Materials specified	The part of the described materials to which the field applies.
‡4 Relator code	A three-character code that indicates the relationship of a name to a work. More than one relator code may be used if the corporate name has more than one function. Put multiple relator codes in separate subfields. The code is given after the name portion in name/title fields. See <i>MARC Code Lists for Relators, Sources, Descriptive Conventions</i> (http://www.loc.gov/marc/relators/relahome.html).
	710 2 J.H. Bufford & Co. ‡ 4 pop
	Relator terms, which also specify a relationship of a corporate body to a work, are contained in subfield ‡e.
‡5 Institution to which field applies	A code of the institution or organization that holds the copy to which the field applies. Use for notes that do not apply to the universal description of the item. See <i>MARC Code List for Organizations</i> (http://www.loc.gov/marc/organizations/ orgshome.html) or <i>Symbols and Interlibrary Loan Policies in Canada</i> (http://www.nlc-bnc.ca/6/16/s16-202-e.html).
	710 2 Bridgewater Library, ‡e former owner. ‡5 NjP
Printing	Field 710 prints as a heading and tracing. Subfields $\pm u$, $\pm x$, ± 3 , ± 4 and ± 5 do not print. In the tracing paragraph, the print program supplies consecutive Roman numerals for added entry tracings.

Input Standards			
-	uired if applicable/Requ	uired if applicable	
		eeting name entry element	
0	Inverted name	5 ,	
1	Jurisdiction name		
2	Name in direct order		
2nc	Indicator Type of a		
ø	No information provi	-	
2	Analytical entry		
	ofields (R=Repeatable	NR=Nonrepeatable)	Input Standards
±a		sdiction name as entry element (NR)	Mandatory/Mandatory
±c	Location of meeting		Required if applicable/Required if applicable
; ‡d	Date of meeting (NR		Required if applicable/Required if applicable
; ‡e	Subordinate unit (R)	-	Required if applicable/Required if applicable
±f	Date of a work (NR)		Required if applicable/Required if applicable
‡g	Miscellaneous inforn	nation (NR)	Required if applicable/Required if applicable
±h	Medium (NR)		Do not use/Do not use
‡j	Relator term (R)		Optional/Optional
‡k	Form subheading (R)	Required if applicable/Required if applicable
‡l			Required if applicable /Required if applicable
‡n			Required if applicable/Required if applicable
‡p	Name of part/section of a work (R)		Required if applicable/Required if applicable
‡q			Optional. Pre-AACR2 only/Optional. Pre- AACR2 only
‡s	Version (NR)		Required if applicable/Required if applicable
‡t	Title of a work (NR)		Required if applicable/Required if applicable
‡u	Affiliation (NR)		Optional/Optional
‡x	International Standa	rd Serial Number (NR)	Optional/Optional
‡ 3	Materials specified (NR)	Optional/Optional
‡ 4	Relator code (R)		Optional/Optional
‡ 5	Institution to which fi	eld applies (NR)	Required if applicable/Required if applicable
		 conference or meeting name headings wh assigned as field 611 (Subject Added Entry- Added Entry-Meeting Name). Conference athletic contests, conferences, exhibitions scientific expeditions. If you enter a conference or meeting name 	ve access to the bibliographic record from ich may not be more appropriately ry–Meeting Name) or field 811 (Series e or meeting names are the names of , expositions, festivals, meetings and
1st Indicator		711. Type of meeting name entry element. T	The form of name. These values could be

cator Type of meeting name entry element. The form of name. These values could be used to facilitate card filing arrangements. However, OCLC does **not** differentiate among forms of name for sorting cards.

0 Inverted name. Pre-AACR2 headings in inverted order.

711 0 Smith (David Nichol) Memorial Seminar.

	1 Jurisdiction name. Pre-AACR2 headings for a conference name entered under ecclesiastical entities or the jurisdiction names under which you enter a corporate name, a city section or a title of a work.	
	711 1 Chicago. ‡q Cartography Conference.	
	2 Name in direct order. Conference names entered in direct order. These headings may also have a parenthetical qualifier or may be an acronym or initialism.	
	711 2 Van Cliburn International Piano Competition.	
2nd Indicator	Type of added entry. The type of added entry. The values distinguish between no information provided and an analytical entry. These indicators could be used to facilitate card filing arrangements. However, OCLC does not differentiate among types of added entries for sorting cards.	
	b No information provided. Either the added entry is not for an analytic or no information is provided as to whether the added entry is for an analytic.	
	 245 00 Neoplatonism and gnosticism / ‡c Richard T. Wallis, editor, Jay Bregman, associate editor. 500 Papers presented at the 6th international conference of the International Society for Neoplatonic Studies, entitled International Conference on Neoplatonism and Gnosticism, held at University of 	
	Oklahoma, Mar. 18-21, 1984. 711 2 International Conference on Neoplatonism and Gnosticism ‡d (1984 : ‡c University of Oklahoma)	
	2 Analytical entry. The item contains the work that is represented by the added entry.	
	 245 00 International bilateral dialogues : \$\$\pm b\$ 1965-1991 : list of commissions, meetings, themes, and reports / \$\$\pm c\$ compiled by G``unther Gassman. Report / Fifth Forum on Bilateral Conversations. 711 22 Forum on Bilateral Conversations \$\$\pm n\$ (5th : \$\$\pm d\$ 1990 : \$\$\pm c\$ Budapest, Hungary). \$\$\pm t\$ Report. \$\$\pm f\$ 1991. 	
Subfields		
‡a Meeting name or jurisdiction name as	Name of a meeting or a jurisdiction name under which a meeting is entered. Enter parenthetical qualifying information in subfield ‡a.	
entry element	711 2 Theatertreffen Berlin (Festival)	
‡c Location of meeting	Place name or a name of an institution where a meeting was held. Use a single subfield ‡c for multiple adjacent locations.	
	711 2 Conference on Philosophy and Its History ‡d (1983 : ‡c University of Lancaster)	
	711 2 Symposium on Antinucleon-Nucleon Interactions ‡d (1974 : ‡c Liblice, Czechoslovakia, and Prague, Czechoslovakia)	
td Date of meeting	The date a meeting was held.	
	711 2 Asian Games ‡n (9th : ‡d 1982 : ‡c Delhi, India)	

711 Added Entry–Meeting Name (R) (cont.)

‡e Subordinate unit	A name of a subordinate unit entered under a meeting name.		
	 711 2 Olympic Games ‡n (21st : ‡d 1976 : ‡c Montreal, Quebec). ‡e Organizing Committee. ‡e Arts and Culture Program. ‡e Visual Arts Section. 		
‡f Date of a work	The date of publication used with a title of a work in a name/title field. Do not use subfield ‡ f for dates added parenthetically to a meeting to distinguish between identical names.		
	711 22 International Symposium on Standardization of Hemotological Methods‡d (1968 : ‡c Milan, Italy). ‡t Proceedings. ‡f 1970.		
‡g Miscellaneous	Data not identified in other subfields.		
information	 711 2 National Conference on Physical Measurement of the Disabled, ‡n 2nd, ‡c Mayo Clinic ‡d 1981, ‡g Projected, not held. 		
‡h Medium	Do not use.		
‡j Relator term	Describes the relationship between a name and a work.		
	711 22 Forum on Bilateral Conversations \$\pm n\$ (5th : \$\pm d\$ 1930 : \$\pm c\$ Budapest, Hungary), \$\pm j\$ sponsor. \$\pm t\$ Report. \$\pm f\$ 1991.		
‡k Form subheading	A form subheading used with a title of a work in a name/title field. The term <i>Selections</i> is a form subheading used with meeting names.		
	711 2 Council of Trent, ‡n 2nd, ‡d (1545-1563). ‡t Canones et decreta. ‡l English. ‡k Selections. ‡f 1962.		
‡I Language of a work	The name of the language or the term representing the language (e.g., Polyglot) of a work.		
	 711 22 Conferencia General del Episcopado Latinamericano ‡n (3rd : ‡d 1979 : ‡c Pueblo, Mexico). ‡t Evangelización en el presente y en El futuro de América Latina. ‡l English. 		
‡n Number of part/ section/meeting	The number of a meeting. Also the number designation for a part/section of a work. Numbering is an indication of sequencing in any form (e.g., Book two, Part 1 or Supplement A).		
	711 2 Pan American Games ‡n (6th : ‡d 1971 : ‡c Cali, Columbia)		
<pre>‡p Name of part/</pre>	A name designation of a part/section of a work in a name/title field.		
section of a work	 711 2 Conference on the Limitation of Armament ‡d (1921-1922 : ‡c Washington, D.C.). ‡t Washington Kaigi Keika. ‡n 1. ‡p Gunbi seigen ni kansuru mondai. [Part/section is both numbered and named.] 		
‡q Name of meeting following jurisdiction name entry element	The meeting name entered under a jurisdiction name contained in subfield ‡a. Pre-AACR2 headings only.		
‡s Version	The version, edition, etc., information added to a title of a work in a name/title field. Unlikely to be used in field 711.		
t Title of a work	A uniform title, a title page title of a work or a series title used in a name/title field.		
	711 2 Symposium on Physical Activity and the Heart ‡d (1964 : ‡c Helsinki, Finland). ‡t Proceedings.		

‡u Affiliation	The affiliation or address of the name in subfield ‡a.		
‡x International Standard Serial Number	The International Standard Serial Number (ISSN) for a serial title given in the title portion of a name/title field. The ISSN is an agency-assigned data element.		
‡3 Materials specified	The part of the described materials to which the field applies.		
‡4 Relator code	A three-character code that indicates the relationship of a name to a work. The code is given after the name portion in name/title fields. Put multiple relator terms in separate subfields. See <i>MARC Code Lists for Relators, Sources, Descriptive</i> <i>Conventions</i> (http://www.loc.gov/marc/relators/relahome.html).		
	711 2 Festivals Debussy. ‡e Grand orchestre. ‡4 prf		
‡5 Institution to which field applies	A code of the institution or organization that holds the copy to which the field applies. Use for notes that do not apply to the universal description of the item. See <i>MARC Code List for Organizations</i> (http://www.loc.gov/marc/organizations/ orgshome.html) or <i>Symbols and Interlibrary Loan Policies in Canad</i> a (http://www.nlc-bnc.ca/6/16/s16-202-e.html).		
	711 2 International Conference on Cataloguing Principles, ‡d (1961 : ‡c Paris, France). ‡e Organizing Committee. ‡5 NjP		
Printing	Field 711 prints as a heading and tracing. Subfields $\pm u$, $\pm x$, ± 3 , ± 4 and ± 5 do not print. In the tracing paragraph, the print program supplies consecutive Roman numerals for added entry tracings.		

Input StandardsOptional/Optional1st Indicator Type of nabUndefined1Personal2Other2nd Indicator UndefinedbUndefinedSubfields (R=Repeatable I‡aName (NR)‡eRelator term (R)	NR=Nonrepeatable) Input Standards Mandatory/Mandatory Optional	
±4 Relator code (R)	Optional/Optional	
Definition	A name associated with a work when the name is not controlled in an authority file or list. Use also for names that have not been formulated according to cataloging rules. The names may be of any type (e.g., personal, corporate, meeting). Record the parts of names consisting of several parts in whatever order is desired. Repeat field 720 for multiple names.	
	Use field 720 when one of the other access fields (e.g., the 1xx or 7xx fields) cannot be used because the level of control and/or structure of the name does not meet the requirements of the other access fields. Do not use field 720 for uncontrolled names intended to provide subject access. Use field 653 instead.	
1st Indicator	Type of name. A value that indicates whether the name is personal, not personal or the type is not known.	
	b Undefined. The type of name is not known or not specified.	
	1 Personal. The name is known to be personal.	
	2 Other. The name is known to be other than personal.	
2nd Indicator	Undefined. The 2nd indicator position is undefined and contains a blank (b).	
	b Undefined	
Subfields		
‡a Name	An uncontrolled name. There are no requirements for the style, formulation or structure of name, whether it consists of one part or several. Record parts in direct or inverted order. A single occurrence of subfield ‡a contains all the parts of the name. Repeat field 720 for multiple names.	
	720 U.S. Energy Information Administration, Coal Statistics Division.	
	720 1 Blacklock, Joseph.	
‡e Relator term	A designation of function that describes the relationship between a name and a work (e.g., collector, comp., ed., ill., joint author, tr.). Put multiple relator terms in separate subfields.	
	720 Vonderrohe, Robert, 1934- ‡e editor	
	720 1 Theodore K. Hepburn, ‡e inventor	
	720 2 CAPCON Library Network, ‡e author	

‡4 Relator code	A code that specifies the relationship between a name and a work. Use more than one relator code if the name entity has more that one function. The code is given after the name portion in name/title fields. Put multiple relator codes in separate subfields. See <i>MARC Code Lists for Relators, Sources, Descriptive Conventions</i> (http://www.loc.gov/marc/relators/relahome.html).
Printing	Field 720 does not print.

Input Standards			
Required if applicable/Required if applicable			
1st Indicator Nonfiling characters			
0 No nonfiling characters			
1-9 Number of nonfiling characters present			
2nd Indicator Type of added entry			
b No information provided			
2 Analytical entry			
Subfields (R=Repeatable NR=Nonrepeatable)	Input Standards		
‡a Uniform title (NR)	Mandatory/Mandatory		
‡d Date of treaty signing (R)	Required if applicable/Required if applicable		
‡f Date of a work (NR)	Required if applicable/Required if applicable		
‡g Miscellaneous information (NR)	Required if applicable/Required if applicable		
‡h Medium (NR)	Do not use/Do not use		
‡k Form subheading (R)	Required if applicable/Required if applicable		
‡I Language of a work (NR)	Required if applicable/Required if applicable		
‡m Medium of performance for music (R)	Required if applicable/Required if applicable		
‡n Number of part/section of a work (R)	Required if applicable/Required if applicable		
‡o Arranged statement for music (NR)	Required if applicable/Required if applicable		
‡p Name of part/section of a work (R)	Required if applicable/Required if applicable		
‡r Key for music (NR)	Required if applicable/Required if applicable		
‡s Version (NR)	Required if applicable/Required if applicable		
t Title of a work (NR)	Optional/Optional		
‡x International Standard Serial Number (NR)	Optional/Optional		
#3 Materials specified (NR)	Optional/Optional		
^{‡5} Institution to which field applies (NR)	Required if applicable/Required if applicable		

Definition

A uniform title used as an added entry. An added entry is assigned according to various cataloging rules to give access to the bibliographic record from headings which may not be more appropriately assigned as field 630 (Subject Added Entry–Uniform Title) or field 830 (Series Added Entry–Uniform Title) fields. Use for the following types of uniform titles:

- Anonymous works
- Composite manuscripts or manuscript groups
- Concordats
- Names of journals and newspapers
- Radio and television programs
- Motion pictures and videorecordings
- Treaties and inter-governmental agreements

Serials Use field 730 for a title added entry that cannot be generated by any other field. In addition to using field 730 for uniform titles used to collocate records, field 730 may be used in AACR2 cataloging for serials uniform titles. Use field 730 to differentiate items published under an identical title proper in **some** cases, as outlined in the *CONSER Standard Record Guidelines* (http://www.loc.gov/catdir/cpso/conserdoc.pdf). The uniform title consists of the title proper followed by a

	qualifier enclosed in parentheses. The qualifier is usually the place of publication, distribution or name of the issuing body.		
	If the place qualifier changes (e.g., either the name of the place changes or the place of publication changes), do not change the uniform title. Continue to use the existing record. Enter the appropriate information in a note.		
	If the issuing-body qualifier changes (e.g., either the name of the body changes or that body ceases to be associated with the work), create a new record with a new uniform title. See the <i>Library of Congress Rule Interpretation</i> 25.5B (http://www.loc.gov/catdir/cpso/currlcri.html) for guidelines about choice of qualifier.		
1st Indicator	Nonfiling characters. The number of character positions associated with a definite or indefinite article (e.g., <i>An</i> or <i>The</i>) at the beginning of a title and that are disregarded in sorting and filing processes.		
	Current practice is to enter the title without articles and use 1st indicator value 0 .		
	0 No nonfiling characters. No initial article character positions are disregarded. Use value θ if the title does not begin with an article.		
	730 0 Collection africaine.		
	Diacritical marks or special characters at the beginning of a series statement field that does not begin with an initial article are not counted as nonfiling characters.		
	730 0 Ökonomische Studien.		
	1-9 Number of nonfiling characters present. A field begins with a definite or indefinite article that is disregarded in sorting and filing processes. Enter the number of characters in the article, plus spaces, punctuation, diacritical marks and special characters that precede the first significant word.		
	Any diacritical mark or special character associated with the first filing character is not included in the count of nonfiling characters.		
2nd Indicator	Type of added entry. The values distinguish between no information provided and an analytical entry. These indicators could be used to facilitate card filing arrangements. However, OCLC does not differentiate among types of added entries for sorting cards.		
	b No information provided. Either the added entry is not for an analytic or no information is provided as to whether the added entry is for an analytic.		
	 245 00 Chemical pricing patters : \$\$ comparisons of annual high and low prices for 1,250 key chemicals and related process materials for the years of 1952 500 At head of title: Oil, paint and drug reporter. 730 0 Oil, paint and drug reporter. 		
	2 Analytical entry. The item contains the work that is represented by the added entry.		
	 100 1 Barwise, Jon. 245 14 The language of first-order logic : <i>‡</i>b including the Macintosh program Tarski's world 4.0 / <i>‡</i>c Jon Barwise and John Etchemendy. 730 02 Tarski's world. 		

7:21

Subfields			
‡a Uniform title	The uniform title. Enter parenthetical information added to make a title distinctive in subfield ‡a. Use subfield ‡d to record the date of signing added to a uniform title for a treaty.		
	730 0 60 minutes (Television program)		
	730 0 Star is born (Motion picture : 1937)		
td Date of treaty	The date of signing for a treaty or other intergovernmental agreement.		
signing	730 02 Bonn Convention ‡d (1952). ‡f 1980.		
‡f Date of a work	The date of publication used with a title of a work.		
	730 0 Bible. ‡l Latin. ‡s Vulgate. ‡f 1454?		
‡g Miscellaneous	Data not identified in other subfields.		
information	730 0 Bible. ‡g Manuscripts, Latin. ‡p N.T. ‡p Gospels (Lindisfarne gospels)		
th Medium	Do not use.		
‡k Form subheading	Standardized phrases added to a heading to gather records for certain kinds of materials. Form subheadings include: <i>Manuscript</i> ; <i>Protocols, etc.</i> ; <i>Selections</i> .		
	730 02 Talmud. ‡ l English. ‡ k Selections.		
‡I Language of a work	The name of the language or the term representing the language (e.g., Polyglot) of a work.		
	730 02 Treaty on the Non-proliferation of Nuclear Weapons ‡d (1968). ‡l Spanish. ‡f 1977.		
‡m Medium of	Terms designating the medium of performance.		
performance for music	730 0 Concertos, ‡m violin, string orchestra, ‡r D major. [Uniform title heading is used for a work of unknown authorship.]		
‡n Number of part/ section of a work	The number designation for a part/section of a work. Numbering is defined as an indication of sequencing in any form (e.g., Book two, Part 1 or Supplement A). Separate multiple numberings with a comma.		
	730 0 Economics library selections. ‡n Series 1, ‡p New books in economics.		
to Arranged	The abbreviation <i>arr</i> . used in a uniform title field.		
statement for music	730 02 God save the king; ‡o arr. ‡f 1982.		
<pre>‡p Name of part/</pre>	A name designation of a part/section of a work.		
section of a work	 730 0 American Convention on Human Rights ‡d (1969). ‡n Part 2, ‡p Means of Protection. ‡l Spanish. ‡f 1979. 		
ta Kaufaanaa ja	[Part/section is both numbered and named.]		
‡r Key for music	The statement of key in which the music is written.		
to Versier	730 0 Concertos, ‡m violin, string orchestra, ‡r D major.		
‡s Version	The versions, edition, etc., information.		
	730 0 Bible. ‡p N.T. ‡p Luke. ‡l Greek. ‡s Codex Sinaiticus.		
‡t Title of a work	The title page title of a work. Unlikely to be used in field 730.		

<pre>‡x International Standard Serial</pre>	The International Standard Serial Number (ISSN) for a serial title given in the title portion of a name/title field. The ISSN is an agency-assigned data element.	
Number	The print program provides <i>ISSN</i> before the number in printed series statements. The ISSN does not print in the series tracing or added entry.	
‡3 Materials specified	The part of the described materials to which the field applies.	
‡5 Institution to which field applies	A code of the institution or organization that holds the copy to which the field applies. Use for notes that do not apply to the universal description of the item. Se <i>MARC Code List for Organizations</i> (http://www.loc.gov/marc/organizations/ orgshome.html) or <i>Symbols and Interlibrary Loan Policies in Canada</i> (http://www.nlc-bnc.ca/6/16/s16-202-e.html).	
	730 0 Index librorum prohibitorum. ‡f 1570. ‡5 [MARC organization code]	
Printing	Field 730 prints as a heading and tracing. Subfields $\pm x$, ± 3 , ± 4 and ± 5 do not print. In the tracing paragraph, the print program supplies consecutive Roman numerals for added entry tracings.	

740 Added Entry–Uncontrolled Related/Analytical Title (R)

Inp	ut Standards		
Req	uired if applicable/Opti	onal	
1st	Indicator Nonfiling	characters	
0	No nonfiling charact	ers	
1-9	Number of nonfiling	characters present	
2nd	Indicator Type of a	added entry	
Ø	No information provi	ded	
0	Alternative entry		
1	Secondary entry/Ad	ded entry printed on LC cards	
2	Analytical entry		
3	Added entry not prin	ted on LC cards	
Sub	ofields (R=Repeatable	NR=Nonrepeatable)	Input Standards
‡a	Uncontrolled related	/analytical title (NR)	Mandatory/Mandatory
‡h	Medium (NR)		Do not use/Do not use
‡n	Number of part/sect	ion of a work (R)	Required if applicable/Required if applicable
‡p	Name of part/section	n of a work (R)	Required if applicable/Required if applicable
‡ 5	Institution to which f	ield applies (NR)	Required if applicable/Required if applicable
		bibliographic record. Use f normally be entered under collections lacking a collec subsequent to the first title	not controlled through an authority file or another field 740 for the title portion of a related work that would a name/title heading in catalog entry form. In records for tive title, use field 740 also for titles recorded in field 245 form Title (R) for uniform title added entries for related
		works and for analytical tit	les. Use field 246 for variant forms of the title recorded in e first title in field 245 for collections lacking a collective
1st Indicator			e number of character positions associated with a definite <i>n</i> or <i>The</i>) at the beginning of a title and that are filing processes.
		Current practice is to enter	the title without articles and use 1st indicator value 0 .
		-	s. No initial article character positions are disregarded. oes not begin with an article.
		740 0 Collection at	ricaine.
			cial characters at the beginning of a series statement field an initial article are not counted as nonfiling characters.
		740 0 Ökonomisch	e Studien.
		indefinite article that is number of characters in and special characters th	characters present. A field begins with a definite or disregarded in sorting and filing processes. Enter the the article, plus spaces, punctuation, diacritical marks hat precede the first significant word. special character associated with the first filing character
		-	ount of nonfiling characters.

2nd Indicator	 Type of added entry. The values distinguish between no information provided and an analytical entry. These indicators could be used to facilitate card filing arrangements. However, OCLC does not differentiate among types of added entries for sorting cards. b No information provided. Either the added entry is not for an analytic or no information is provided as to whether the added entry is for an analytic. 		
	740 0 Healing our culture, healing ourselves.		
	0 Alternative entry. Obsolete. Do not use.		
	1 Secondary entry/Added entry printed on LC cards. Obsolete. Do not use.		
	2 Analytical entry. The item contains the work that is represented by the added entry.		
	 100 1 Chekhov, Anton Pavlovich, ‡d 1860-1904 245 14 The cherry orchard ; ‡b Uncle Vanya /‡c Anton Chekhov. 740 02 Uncle Vanya. 		
	3 Added entry not printed on LC cards. Obsolete. Do not use.		
Subfields			
‡a Uncontrolled related/analytical title	The uncontrolled related/analytical title. Enter parenthetical explanatory data which may appear as part of the title in subfield ‡a.		
	 245 10 Techniques and concepts of high-energy physics / ‡c edited by Thomas Ferbel. 505 00 ‡t Quark models / ‡r J. Rosner ‡t Introduction to gauge theories of the strong, weak, and electromagnetic interactions / ‡r C. Quigg ‡t Deep inelastic leptonnucleon scattering / ‡r D.H. Perkins ‡t Jet phenomena / ‡r M. Jacob ‡t An accelerator design study / ‡r R.R. Wilson ‡t Lectures in accelerator theory / ‡r M. Month. 740 02 Deep inelastic leptonnucleon scattering. 740 02 Jet phenomena. 740 02 Accelerator design study. 740 02 Lectures in accelerator theory. 		
‡h Medium	Do not use.		
‡n Number of part/ section of a work	The number designation for a part/section of a work. Numbering is defined as an indication of sequencing in any form (e.g., Book two, Part 1 or Supplement A). Separate multiple numberings with a comma.		
	740 02 Economics library selections. ‡n Series 1, ‡p New books in economics.		
tp Name of part/	A name designation of a part/section of a work.		
section of a work	740 02 Dissolution of the family unit. ‡p Divorce, separation, and annulment.		
‡5 Institution to which field applies	A code of the institution or organization that holds the copy to which the field applies. Use for notes that do not apply to the universal description of the item. See <i>MARC Code List for Organizations</i> (http://www.loc.gov/marc/organizations/ orgshome.html) or <i>Symbols and Interlibrary Loan Policies in Canad</i> a (http://www.nlc-bnc.ca/6/16/s16-202-e.html).		
	740 02 Index librorum prohibitorum. ‡ 5 [MARC organization code]		

Printing

Field 740 prints as a heading and tracing. Subfield $\ddagger5$ does **not** print. In the tracing paragraph, the title traced differently prints as the last 7xx tracing. The print program supplies consecutive Roman numerals and the word *Title:* before the title tracing. Do **not** enter *Title:* in field 740.

752 Added Entry–Hierarchical Place Name (R)

Input Standards						
Optional/Optional						
1st Indicator Undefined						
b Undefined						
2nd Indicator Undefine	ed					
b Undefined						
Subfields (R=Repeatable	NR=Nonrepeatable)	Input Standards				
‡a Country or larger er	ntity (NR)	Required if applicable/Required if applicable				
tb First-order political	urisdiction (NR)	Required if applicable/Required if applicable				
tc Intermediate politica	al jurisdiction (NR)	Optional/Optional				
‡d City (NR)		Required if applicable/Required if applicable				
‡f City subsection (R)		Required if applicable/Required if applicable				
‡g Other nonjurisdictio	nal geographic region and feature (R)	Required if applicable/Required if applicable				
th Extraterrestrial area	ı (R)	Required if applicable/Required if applicable				
2 Source of heading	or term (NR)	Required if applicable/Required if applicable				
Definition		e. Use field 752 to relate a hierarchical form e.g., the name of the community served by a or printing of a rare book).				
1st Indicator	Undefined. The 1st indicator position is undefined and contains a blank (b).					
	b Undefined					
2nd Indicator	Undefined. The 2nd indicator position is undefined and contains a blank (b).					
	b Undefined					
Subfields						
ta Country or larger	The name of the country.					

ta Country or larger	The name	of the country.
entity	752	Canada ‡d Toronto.
tb First-order political	The name	of the state, province or territory.
jurisdiction	752	France ‡ b Doubs.
‡c Intermediate	The name	of the country, region or islands area.
political jurisdiction	752	England ‡b Greater Manchester ‡c Manchester.
‡d City	The name	of the city.
	245 04 752	The Miami Herald United States ‡b Florida ‡c Dade ‡d Miami.
‡f City subsection	The name streets.	of a smaller unit within a populated place, e.g. neighborhoods, parks, or
	752	United States ‡b California ‡c Los Angeles (County) ‡d Los Angeles ‡f Little Tokyo. ‡2 tgn
‡g Other nonjurisdictional geographic region and	islands, m	of a terrestrial nonjurisdictional geographic entity, e.g., rivers, lakes, ountains, etc. Subfield ‡g may be repeated for hierarchies when multiple given, retaining the order higherst to lowest.
feature	752	Africa ‡ b Nile River ‡ c Sixth Cataract. ‡ 2 tgn

‡h Extraterrestrial area	The name of any extraterrestrial entity or space and includes solar systems, galaxies, star systems, and planets, as well as geographic features of individual planets, etc. Subfield ‡h may be repeated for hierarchies when multiple levels are given, retaining the order highest to lowest.			
	752 Mars ‡ b Valles Marineris. ‡ 2 MARC code for Gazetteer of Planetary Nomenclature.			
‡2 Source of heading or term	The code identifying the source of the heading or term. See the <i>MARC Code Lists for Relators, Sources, Descriptive Conventions</i> (http://www.loc.gov/marc/relators/relahome.html).			
Printing	Field 752 prints as a heading and a tracing. It prints in uppercase and lowercase as entered or as determined by your profile for 7xx fields. The print program supplies a dash () between data in each subfield and a period at the end of the added entry or tracing, unless final punctuation (. ! ?) is present. The heading sorts into the same receiving catalog as field 710 (Added Entry–Corporate Name). Multiple tracings print in order of appearance in the record. In the tracing position, the print program supplies <i>Place:</i> after the appropriate Roman numeral.			
	752 United States ‡ b Ohio ‡ d Dublin.			
	Prints as a heading:			
	United StatesOhioDublin.			
	Prints as a tracing (with appropriate Roman numeral):			
	IV. Place: United StatesOhioDublin.			

753 System Details Access to Computer Files (R)

Input Standards				
Optional/Optional				
1st Indicator Undefined				
b Undefined				
2nd Indicator Undefined b Undefined				
b Undefined Subfields (R=Repeatable N	IR=Nonrepeatable)	Input Standards		
ta Make and model of m		Required if applicable/Required if applicable		
‡b Programming language	· · · ·	Required if applicable/Required if applicable		
‡c Operating system (NF	()	Required if applicable/Required if applicable		
Definition	ion The type of machine, programming language and/or operating system used with computer files and accompanying material. Use field 753 to provide access to the bibliographic record which would otherwise not be possible and to facilitate the capability of selecting and arranging records for production of printed indexes.			
1st Indicator	Undefined. The 1st indicator po	osition is undefined and contains a blank (b).		
	b Undefined			
2nd Indicator	Undefined. The 2nd indicator position is undefined and contains a blank (b).			
Subfields				
ta Make and model of	The make and model of the mac	thine on which the computer file operates.		
machine	753 IBM PC			
‡b Programming language	The name of the programming language associated with the data comprising the computer (e.g., Pascal).			
	753 Compaq ‡b Basic ‡c DOS 3.2			
‡c Operating system	The name of the operating system.			
	753 Apple II ‡c DOS 3.3			
Printing	Field 753 prints as a heading and a tracing. It prints in uppercase and lowercase as entered or as determined by your profile for 7xx fields. The print program supplies a dash () between data in each subfield and a period at the end of the added entry or tracing, unless final punctuation (. ! ?) is present. The heading sorts into the same receiving catalog as field 710 (Added Entry–Corporate Name). Multiple tracings print in order of appearance in the record.			
	753 IBM PC ‡c DOS 3.3			
	Prints as a heading:			
	IBM PCDOS 3.3.			
	Prints as a tracing (with app	ropriate Roman numeral):		
	IV. IBM PCDOS 3.3.			

754 Added Entry–Taxonomic Identification (R)

Input Standards							
Optional/Optional							
1st Indicator Undefined							
b Undefined	b Undefined						
2nd Indicator Undefined	d						
b Undefined							
Subfields (R=Repeatable	NR=Nonrepeatable	Input Standards					
‡a Taxonomic name (R)	Mandatory/Mandatory					
‡c Taxonomic category	(R)	Optional/Optional					
‡d Common or alternati	ve name (R)	Optional/Optional					
‡x Nonpublic note (R)		Optional/Optional					
‡z Public note (R)		Optional/Optional					
±2 Source of taxonomic	identification (N	Mandatory/Mandatory					
Definition	Taxonomic id	entification information associated with the item.					
1st Indicator	Undefined. T	e 1st indicator position is undefined and contains a blank (Ø).					
	b Undefined						
2nd Indicator	Undefined. T	e 2nd indicator position is undefined and contains a blank (Ø).					
	b Undefined						
Subfields							
‡a Taxonomic name	The taxonomic name conforms to the syntax controls of the taxonomic classification system identified in subfield ‡2. Repeat subfield ‡a for each taxonomic name associated with the item. Precede subfield ‡a by subfield ‡c, which indicates the taxonomic hierarchical category to which the name belongs. Each combination is input in repeatable ‡c and ‡a subfields in taxonomic hierarchical order.						
‡c Taxonomic category	The taxonomic category to which the name in subfield ‡a belongs. The terms used in this subfield are specified by the thesaurus identified in subfield ‡2. Subfield ‡c always precedes the data with which it is associated.						
‡d Common or alternative name	The common or alternative name to which the name in subfield ‡a belongs. Subfield ‡d may refer to one or multiple occurrences of subfield ‡a.						
‡x Nonpublic note	A note pertaining to the taxonomic identification of the item that is in a form not adequate for public display.						
‡z Public note	A note pertaining to the taxonomic identification of the item that is in a form adequate for public display.						
‡2 Source of taxonomic identification	The name or MARC code that identifies the source list from which the taxonomic identification was assigned. For the MARC code, see <i>MARC Code Lists for Relators, Sources, Descriptive Conventions</i> (http://www.loc.gov/marc/relators/relahome.html).						
	‡a Ro	ntae (kingdom) ‡a Spermatophyta (phylum) ‡a Angiospermae (class) Dicotyledoneae (subclass) ‡a Rosales (order) ‡a Rosaceae (family) ‡a a (genus) ‡a setigera (species) ‡a tomentosa (variety). ‡2 [Code for nan David Benson's Plant Classification]					
Printing	Field 754 doe	not print.					

76x–78x fields					
	760 Main Series Entry (R)				
	762	Subseries Entry (R)			
	765	Original Language Entry (R)			
	767	Translation Entry (R)			
	770	Supplement/Special Issue Entry (R)			
	772	Supplement Parent Entry (R)			
	773	Host Item Entry (R)			
	774	Constituent Unit Entry (R)			
	775	Other Edition Entry (R)			
	776	Additional Physical Form Entry (R)			
	777	Issued With Entry (R)			
	780	Preceding Entry (R)			
	785	Succeeding Entry (R)			
	786	Data Source Entry (R)			
	787	Nonspecific Relationship Entry (R)			
Definition	A linking entry describes separately cataloged publications that are related to the item you are cataloging. These fields allow the establishment of bibliographic connections among materials with diverse relationships.				
	Linking entry fields do not take the place of added entry fields and do not generate tracings. Use the 4xx or 8xx series fields or field 730, for example, for added entries. Most linking entries are made for serials.				
	Each of the linking entry fields specifies a different bibliographic relationship between the target item described by the record and a related item. These relationships fall into the following groups:				
	• Related items that assist the user in continuing to search, but are not physically required to obtain the target item (e.g., former entries for serials or translations of the target item)				
	• Related items that have to be obtained physically in order to use the target item (e.g., the host item for a component part such as a journal issue containing a specific article)				
	• Related items that are constituent units of a larger whole (e.g., the individual photographs contained in a visual material collection)				
	linkin recorc	nking entry fields generate a note in the record in which they appear. Use the g entry fields also to provide machine linkage between the bibliographic l for the target item and the bibliographic record for a related item, if the d item is covered by a separate record.			
Terms used in linking entry fields	descri	et item. A bibliographic item that is the principal or primary unit for the ption of which the record was constructed. The target item is the item to which ta in <i>Type</i> and <i>BLvl</i> apply. The title of the target item is in the field 245.			

	Related item . A bibliographic item that has either a chronological, horizontal, or vertical relationship with a target item, and for which the linking entry field is created.
	Host item. A bibliographic item that either physically contains (as in the case of the component part), or bibliographically includes, (as in the case of a constituent unit), the subpart that is the target item for the record. For example: if a record describes a journal article, the host is the journal; if a record describes one digital item in a set, the host is the set.
	Component part . A bibliographic item that is physically part of another bibliographic item such that the retrieval of the part is dependent on the physical identification and location of the host item (e.g., a chapter in a book or an article in a journal).
	Constituent unit. A bibliographic item that is part of another item. The constituent unit is physically separate from the item of which it is considered a part
	Chronological relationship . The relationship in time between bibliographic items (e.g., the relation of a serial to its predecessors and successors).
	Horizontal relationship. The relationship between versions of a bibliographic item in different languages, format, media, etc.
	Vertical relationship. The hierarchical relationship of the whole to its parts and the parts to the whole (e.g., a journal article to the journal or a subseries to a main entry series).
Construction of linking	If a separate record for the related publication exists, use that record as the source of data for the linking entry.
entries	The first choice for identification is the uniform title. If available, use the entire uniform title (e.g., title and qualifier) to identify the related publication. If the uniform title is unavailable, use the main entry and title proper. For example, if OCLC record number 6597310 has the following uniform title:
	130 0 Monthly digest of statistics (Zimbabwe. Central Statistical Office)
	It would be linked to the related publication in field 780.
	780 00 ‡t Monthly digest of statistics (Zimbabwe. Central Statistical Office) ‡w (OCoLC)6597310
	Some records may not have uniform titles or main entries/titles because the Library of Congress used the key title and International Standard Serial Number for linking fields prior to AACR2.
Pre-AACR2 serials	You must differentiate pre-AACR2 serials that have the same title proper, but no distinguishing uniform title. Use the following types of information (listed in order of preference) to differentiate among pre-AACR2 serials:
	 Name of edition (subfield \$\pm b) Language (subfield \$\pm e) Country (subfield \$\pm f) Other qualifying information (subfield \$\pm c)

Subfields	Use the following subfields in the linking entry fields. See the description of each field for the valid subfields. You are unlikely to use subfields \pm ,					
‡a Main entry heading	The main entry heading data (without subfield codes) from field 100, field 110 or field 111 in the related record. Individual components of the name are not recorded in a separate subfield ‡a as they would be in a 1xx field. Use subfield ‡t for the uniform title data from field 130 in the related record.					
	773 0 ‡7 c2bc ‡a Massachusetts. Commission on Consumer Affairs. ‡t Records					
	780 00 ‡a American Hospital Association. ‡t Bulletin of the American Hospital Association ‡w (OCoLC)1777831					
	785 01 ‡a Southeastern College Art Conference. ‡t SECAC newsletter ‡w (OCoLC)4973820					
tb Edition	The name of the edition from field 250 of the related record. Subfield <i>‡</i> b is not used when linking to AACR2 serial records.					
	 100 1 Mellor, Alec. 245 10 Strange masonic stories 775 0 ‡t Wall Street journal ‡b Southwest ed. 					
<pre>‡c Qualifying information</pre>	Data needed to distinguish between two titles. Generally, the cataloger supplies this parenthetical information. Subfield <i>c</i> is generally not used in AACR2 records.					
	775 0 ‡ t IFDC report ‡ c (Spanish edition) ‡ x 0149-5852 [<i>Pre-AACR2.</i>]					
	776 1 <i>c</i> Original <i>w</i> (DLC) 24020326 [<i>Pre-AACR2</i> . The item in hand is a reproduction. Field 776 gives information as to the original record.]					
	785 00 ‡t American spectator ‡c (Bloomington, 1977) [<i>Pre-AACR2.</i>]					
td Place, publisher and date of	Publication information from subfields ‡a, ‡b and ‡c of field 260 of the related record. Subfield ‡d is generally not used when linking to serial records.					
publication	 773 0 ‡7 p1am ‡a Hamilton, Milton W. (Milton Wheaton), 1901- ‡t Sir William Johnson and the Indians of New York. ‡d [Albany] : University of the State of New York, State Education Dept., Office of State History, 1967 ‡w (DLC) 68066801 [Host item is identified by author, title and record number.] 					
‡e Language code	The language code from <i>Lang</i> of the related record. Subfield ‡e is generally not used.					
	 130 0 Cuba economic news. ‡l Spanish 245 10 Cuba noticias económicas. 580 Issued also in English: Cuba economic news. 775 1 ‡t Cuba economic news ‡x 0590-2932 ‡e eng ‡w (OCoLC)2259984 					
‡f Country code	The language code from <i>Ctry</i> of the related record. Subfield <i>‡</i> f is generally not used.					

‡g Relationship information	Data that indicates the specific piece or pieces of the related item (e.g., dates or volumes).			
	772 1 ‡t Aval ‡g [1982-]			
	773 0 ‡ t Horizon ‡ g Vol. 17, no. 98 (Feb. 1948), p. 78-159 [Host item is identified by title.]			
	 245 00 Communist. 260 New York; ‡b Greenwood Reprint Corp., ‡c 1968. 580 Reprint of a periodical published weekly in Chicago by the National Organization Committee of the Communist Party. 775 1 ‡t Communist ‡g 1919 			
	 245 04 The drug, the nurse, the patient 580 Vols. for 1962-<1966> include alternate biennial revisions of: Current drug handbook, ISSN 0070-1939, also issued separately. 730 02 Current drug handbook. 777 1 ‡t Current drug handbook ‡g 1962- ‡x 0070-1939 ‡w (DLC) 58006390 ‡w (OCoLC)1565622 [Record is for the target item.] 			
	780 05 ‡a American Society of International Law. ‡t Proceedings ‡g 1971			
	785 10 ‡t Learning in New York (University of the State of New York) ‡g 1983 ‡w (OCoLC)10120612			
th Physical description	The physical description of the related item. Subfield ‡ h is generally not used.			
‡i Display text	Text intended to be displayed preceding the other data contained in the field. Use when the 2nd indicator value is 8, except in fields 780 and 785. Subfield ‡i is generally not used when the relationship is adequately expressed via the tag and indicators.			
	 774 08 ‡i Component item: ‡o NYDA.1955.001.00024R ‡n [AVERY image] ‡t Map of Blithewood and Hudson River : No. 1 [and] No. 2. ‡m Pencil drawing on paper ‡h 25 x 19.8 cm. (9 3/4 x 7 3/4 in.). ‡n A.J. Davis no. 2-2. 			
	775 1 ‡ t Petroleum engineer. ‡ b Petro/chem engineer edition [<i>Pre-AACR2.</i>]			
	775 1 ‡ t Petroleum engineer. ‡ b Pipeline engineer edition [<i>Pre-AACR2.</i>]			
‡j Period of content	The beginning, and if appropriate, the ending date(s) of the content of the related item. Use the following eight-character format: <i>yyyymmdd</i> .			
	Enter time in the following eight-character format: <i>hhmmss.f</i> (hour, minute, second and decimal fraction of the second, including the decimal point). Use the 24-hour clock (00–23). Use subfield \ddagger j for the basis on which the source time period of content information was determined.			
‡k Series data for related item	The series entry from the 4xx or the 8xx field of the related record. Subfield ‡k is generally not used.			

76x-78x Linking Entry Fields–Introduction (cont.)

‡m Material-specific details	Material specific information (e.g., for maps, the mathematical data information relating to the related item). Subfield $\pm m$ is generally not used.				
‡n Note	A note about the related item. Subfield ‡n is generally not used.				
‡o Other item identifier	Numbers, codes, etc., used to identify an item when these identifiers are not appropriate for one of the more specific subfields (e.g., subfield <i>‡</i> z). Item or accession numbers are examples. Subfield <i>‡</i> o is generally not used.				
<pre>‡p Abbreviated title</pre>	The abbreviated title from field 210 of the related record. Subfield ‡p is generally not used.				
	 773 0 ‡t Entomologists' monthly magazine ‡p ENTOMOL MON MAG ‡d Wallingford : Gem Publishing Company ‡x 0013-8908 ‡y FNMMA 				
‡r Report number	The report number from field 088 of the related record.				
	780 02 ‡t Commercial software applications for paratransit ‡r DOT-l-84-51 ‡w (OCoLC)11733307				
ts Uniform title	The title from field 240 of the related record.				
	780 00 Antigua. ‡s Laws, etc. (Laws of Antigua). ‡t Laws of Antigua ‡w (OCoLC)1775724				
	785 00 Brookings Institution. ‡s Annual report (1990) ‡w (DLC)sn 91026621 ‡w (OCoLC)24297729				
‡t Title	Title information from subfields $\ddagger a, \ddagger f, \ddagger g, \ddagger k, \ddagger n$ and $\ddagger p$ of field 245 or field 130 of the related record. Do not include initial articles and final punctuation.				
	 110 1 United States. <i>‡b</i> Geological Survey. 245 10 Quality of surface waters of the United States. 760 0 United States. Geological Survey. <i>‡t</i> Water supply papers 				
	 110 1 United States. ‡b Geological Survey. 245 10 Geological Survey water-supply paper. 762 0 ‡t Quality of surface waters of the United States 762 0 ‡t Evaporation control research [Serial being described is a main series record.] 				
	 110 2 Maryland Academy of Sciences. 245 10 Maryland Academy of Sciences bulletin. 772 0 ‡t Transactions of the Maryland Academy of Sciences ‡x 0096-4069 ‡g Feb. 1921 				
	 773 0 ‡t Gilbert H. Grosvenor Collection of Photographs of the Alexander Graham Bell family 				
	[Host item is identified by title.]				
	 245 0 0 Empire State report weekly. 580 Companion publication to: Empire State report (1982). 787 1 ‡t Empire State report (1982) ‡x 0747-0711 ‡w (DLC) 84647292 ‡w (OCoLC)8541622 				
	[Record is for title being cataloged. A link is provided to the related title.]				
	245 04 The Post boy. ‡n Numb. 2436, from Thursday December 21 to Saturday December 23, 1710.				

772 1	‡ 7 unas ‡ t	Post boy (London,	England)	‡w ((OCoLC)	1234567
			()	0		()	

- 245 10 136th Street, southeastern section of the Bronx [‡]h [graphic].
- 774 0 ‡o NYDA.1993.010.00130. ‡n [DIAPimage] ‡t Map of area with highlighted street
- 774 0 ‡o NYDA.1993.010.00131. ‡n [DIAPimage] ‡t View of Mill Brook Houses from one of the houses ‡d 89/05
- 774 0 ‡o NYDA.1993.010.00132. ‡n [DIAPimage] ‡t View SE from Mill Brook Houses on rooftop on Cypress Ave. Between 136th St. and 137th St., ‡d 93/05

- 245 00 Current drug handbook.
- 580 Alternate biennial revisions for 1962/64-<1966/68> also included in: The Drug, the nurse, the patient.
- 777 1 ‡t Drug, the nurse, the patient ‡w (DLC) 66015620 ‡w (OCoLC)3995456 ‡g 1962/64-<1966/68>

[Related record.]

- 245 00 Journal of education for librarianship.
- 580 Continues the association's Newsletter, its Directory and the Report of its meeting.
- 780 10 Association of American Library Schools. ‡t Directory
- 780 10 Association of American Library Schools. ‡t Newsletter
- 780 10 Association of American Library Schools. Meeting. ‡t Report
- 245 00 Army, Navy, Air Force register.
- 580 Merged with: Army, Navy, Air Force journal, to form...
- 785 17 ‡t Army, Navy, Air Force journal
- 130 0 Empire State report (1982)
- 580 Complemented by: Empire State report weekly
- 787 1 ‡t Empire State report weekly ‡x 0745-8622 ‡w (DLC) 84647299 ‡w (OCoLC)9403759

[Record is for the related title. A link is provided to the record being cataloged.]

The STRN from field 027 of the related record.

‡u Standard Technical Report Number

‡v Source contribution

‡w Record control number

A brief statement identifying the information contributed by a source to a data set.

786 0 ‡a United States. Defense Mapping Agency. ‡t Reno, NV-CA west digital terrain elevation data ‡v Data for reformatting to DEM format

The system control number of the related record preceded by the MARC code, enclosed in parentheses, for the agency to which the control number applies. See *MARC Code List for Organizations* (http://www.loc.gov/marc/organizations/ orgshome.html).

Instructions for inputting the LCCN (from field 010 of the related record):

The LCCN in subfield \ddagger w of a linking entry field corresponds to that in field 010 subfield \ddagger a of the related record. The form input in subfield \ddagger w is not the one used in

[[]Record is for a larger bibliographic unit. The 774 fields give entries for the constituent units.]

field 010. Instead, it is, approximately, the machine-readable form of the LCCN. Also, there are differences in how the post-2000 and pre-2001 formats of LCCN are recorded in subfield ‡w.

Post-2000 LCCN format:

- 1. Always input *DLC* enclosed within parentheses.
- 2. Input two leading blank spaces between the symbol *(DLC)* and the year information, if the LCCN has no prefix. If the LCCN has a two-character prefix, input no blank spaces between the prefix and the year numbers.
- 3. Input the four-digit year information.
- 4. Do not input a hyphen.
- 5. Input the six-digit number. Input leading zeros where necessary.
 - 776 1 ‡t ESAIM. Control, optimisation and calculus of variations ‡x 1292-8119 ‡w (DLC) 2001203401 ‡w (OCoLC)45723846
 - 780 00 ‡t Greater Niles Center news ‡w (DLC)sn2001061303 ‡w (OCoLC)45762825
 - 785 00 Public Utilities Commission of Nevada. ‡t Biennial report ‡w (DLC) 2001202263 ‡w (OCoLC)42671476
 - 785 00 ‡t Freedom watch (Toronto, Ont.) ‡w (DLC)cn2001390000 ‡w (OCoLC)45400852

Pre-2001 LCCN format:

- 1. Always input DLC enclosed within parentheses.
- 2. Input three leading blank spaces between the symbol *(DLC)* and the year numbers if the LCCN has no prefix. If the LCCN has a prefix of fewer than three characters, leave the appropriate number of blank spaces following the prefix.
- 3. Input the two-digit year information.
- 4. Do not input a hyphen.
- 5. Input the six-digit number. Input leading zeros where necessary.
- 6. Do **not** input trailing blank following the number. (If trailing blank is input, the OCLC system removes it.)
- 7. Do not input alphabetic identifiers and/or revision dates.
 - 780 00 ‡t Journal of neurosurgery ‡w (DLC)med47001541
 - 780 00 ‡t Review of existential psychology & psychiatry ‡w (DLC)sf 77000170
 - 780 00 ‡t Techniques of biochemical and biophysical morphology ‡w (DLC) 72000153
 - 785 00 ‡t Bread and other bakery products. ‡x 0575-7967 ‡w (DLC)ce 84079118 ‡w (CaOONL)840791186E

Instructions for inputting the OCLC control number:

- 1. Input OCoLC enclosed within parentheses.
- 2. Input the OCLC control number of the related record. Leave no spaces between the symbol *(OCoLC)* and the control number.
 - 780 00 ‡t Institute report (Letterman Army Institute of Research) ‡w (OCoLC)3067999

‡x International Standard Serial	The International Standard Serial Number (ISSN) for a continuing resource title from field 022 of the related record.		
Number	 245 00 Finance & development. 767 1 #t Finance & development. German. Finanzierung & Entwicklung #x 0250-7439 767 1 #t Finance & development. Spanish. Finanzas y desarrollo #x 0250-7447 		
	 245 00 Journal of cellular biochemistry. 770 0 ‡t Journal of cellular biochemistry. Supplement ‡x 0733-1959 [Record is for the parent title. The link gives the entry of the supplement.] 		
	772 0 ‡a World agricultural situation (Washington, D.C. : 1970) ‡x 0084-1358 ‡w (DLC)sf 81008035		
	775 1 ‡a Hospital practice (Office ed.) ‡x 8750-2836		
	 245 04 The Americas. 530 Also available on microfilm from University Microfilms. 776 1 ‡t Americas ‡x 0003-1615 ‡w (OCoLC)8370205 		
	 245 04 Mythlore 580 Includes alternate issues of: Mythprint. 730 02 Mythprint. 777 1 ‡t Mythprint ‡x 0146-9347 		
	780 01 ‡t Journal of abnormal and social psychology ‡x 0096-851X		
	785 00 ‡t Aging & human development ‡x 0002-0974		
‡y CODEN designation	The CODEN designation from field 030 of the related record.		
‡z International Standard Book	The International Standard Book Number (ISBN) from field 020 of the related record.		
Number	776 1 ‡c Original ‡z 0415059615 ‡w (DLC) 91040570 ‡w (OCoLC)24973658		
‡3 Materials specified	The part of the described materials to which the field applies.		
‡7 Control subfield	Up to four one-character codes that indicate special characteristics of the linked entry. Because the definition of the codes in subfield $\ddagger 7$ are dependent on the character position in which they occur, the coding of any character position mandates that each preceding character position contains a code. Succeeding character positions need not be used. For example, if position 0 and 1 are not applicable, but position 2 is, then position 0 and 1 contain code n.		
	 245 14 The Foundling hospital for wit : \$\$\$ intended for the reception and preservation of such 772 1 \$\$\$7 plas \$\$\$ a Silence, Timothy. \$\$\$ Foundling hospital for wit \$\$\$\$ w(DLC) \$\$\$5014367\$ 		
	 773 0 ‡7 p1am ‡a Desio, Ardito, 1897- ‡t Geographical features of the Karakorum. ‡d Milano : ISMEO, 1991 [Host item is identified by author and title.] 		

- /0 Type of main entry heading. A one-character code that indicates the type of name in subfield ‡a. Use code *n* if there is no subfield ‡a. Use one of the following:
 - p Personal name
 - c Corporate name
 - m Meeting name
 - u Uniform title
 - n Not applicable
- /1 Form of name. A one-character code that indicates the form of the name in subfield ‡a.

—If θ is p, use one of the following:

- 0 Forename
- 1 Surname
- 3 Family name
- —If 0 is c or m, use one of the following:
 - 0 Inverted name
 - 1 Jurisdiction name
 - 2 Name in direct order
- —If 0 is u or n, use the following:
 - n Not applicable
- /2 Type of record. A one-character code that indicates the type of record for the related item. Use the *Type* code in the record for the related item
- /3 Bibliographic level. A one-character code that indicates the bibliographic level of the related item. Use the *BLvl* in the record for the related item.

Except for fields 773, 780, and 785, the 76x–78x fields do **not** print. Enter indicator values, however, as if they do. If an intelligible note can be provided from the linking entry field, use 1st indicator value θ . If an intelligible note cannot be provided, use 1st indicator value I.

Fields 773, 780 and 785 print as notes. Subfield ‡i prints as input. Subfield ‡o does **not** print. The program supplies display constants according to the indicator values. Do **not** enter display constants such as *In:*, *Continues:* or *Absorbed by:* in these fields. See fields 773, 780 and 785 for more information.

If you want to provide notes for nonprinting linking entry fields, use field 500 or field 580. If you use fields 500 or 580 to provide a note, use 1st indicator value I in the linking entry field.

Printing

Inp	ut Standards	
Opt	ional/Optional	
1st	Indicator Note controller	
0	Display note	
1	Do not display note	
2nc	d Indicator Display constant controller	
Ø	Main series	
8	No display constant generated	
Su	bfields (R=Repeatable NR=Nonrepeatable)	Input Standards
‡a	Main entry heading (NR)	Required if applicable/Required if applicable
‡b	Edition (NR)	Required if applicable/Required if applicable
‡c	Qualifying information (NR)	Required if applicable Pre-AACR2 only/
		Required if applicable Pre-AACR2 only
‡d	Place, publisher and date of publication (NR)	Optional/Optional
‡g	Relationship information (R)	Required if applicable/Required if applicable
‡h	Physical description (NR)	Required if applicable/Required if applicable
‡i	Display text (NR)	Optional/Optional
‡m	Material-specific details (NR)	Required if applicable/Required if applicable
‡n	Note (R)	Required if applicable/Required if applicable
‡o	Other item identifier (R)	Optional/Optional
‡s	Uniform title (NR)	Required if applicable/Required if applicable
‡t	Title (NR)	Required if applicable/Required if applicable
‡w	Record control number (R)	Required if applicable/Required if applicable
‡x	International Standard Serial Number (NR)	Required if applicable/Required if applicable
‡y	CODEN designation (NR)	Optional/Optional
‡ 7	Control subfield (NR)	Optional/Optional

Defin	ition
-------	-------

Information about a related main series when the target item in the vertical relationship is a subseries. Use field 760 *in addition* to any other series information. Use separate 760 fields for each main series. See "76x-78x Linking Entry Fields–Introduction" for more information.

- **1st Indicator**Note controller. A value that specifies whether or not a display note is to be
generated from the field. These values could be used to control printing. However,
field 760 does not print. Nevertheless, you should enter the values as if it does.
 - **0 Display note.** A note is generated from the data in the linking entry field or from the related record. Use to indicate that field 580 (Linking Entry Complexity Note) is **not** present.
 - **1 Do not display note.** A note is **not** generated from the data in the linking entry field or from the related record. Use 1st indicator value *I* when the display constant associated with the linking field does **not** adequately describe the relationship. Use field 580 (Linking Entry Complexity Note) for the note.

2nd Indicator Display constant controller. A value that controls the generation of a display constant preceding the data in the linking entry field.

b Main series. A value that generates the display constant *Main series:* or *Subseries of:*.

8 No display constant generated. A value that specifies that a display constant is not generated. Use subfield ‡i when special introductory text is needed.
 Printing Field 760 does not print. Do not enter *Main series:* or *Subseries of:* in field 760.

Inp	ut Standards				
Opt	Optional/Optional				
1st	Indicator Note controller				
0	Display note				
1	Do not display note				
2nc	Indicator Display constant controller				
Ø	Has subseries				
8	No display constant generated				
Sub	ofields (R=Repeatable NR=Nonrepeatable)	Input Standards			
‡a	Main entry heading (NR)	Required if applicable/Required if applicable			
‡b	Edition (NR)	Required if applicable/Required if applicable			
‡c	Qualifying information (NR)	Required if applicable Pre-AACR2 only/			
		Required if applicable Pre-AACR2 only			
‡d	Place, publisher and date of publication (NR)	Optional/Optional			
‡g	Relationship information (R)	Required if applicable/Required if applicable			
‡h	Physical description (NR)	Required if applicable/Required if applicable			
‡i	Display text (NR)	Optional/Optional			
‡m	Material-specific details (NR)	Optional/Optional			
‡n	Note (R)	Optional/Optional			
‡o	Other item identifier (R)	Optional/Optional			
‡s	Uniform title (NR)	Required if applicable/Required if applicable			
‡t	Title (NR)	Required if applicable/Required if applicable			
‡w	Record control number (R)	Required if applicable/Required if applicable			
‡x	International Standard Serial Number (NR)	Required if applicable/Required if applicable			
‡у	CODEN designation (NR)	Optional/Optional			
<u></u> ‡7	Control subfield (NR)	Optional/Optional			

Definition

Information about a related subseries when the target item in the vertical relationship is a main series or a parent subseries. Use field 762 *in addition* to any other series information. Use separate 762 fields for each related subseries. See "76x-78x Linking Entry Fields–Introduction" for more information.

1st Indicator Note controller. A value that specifies whether or not a display note is to be generated from the field. These values could be used to control printing. However, field 762 does **not** print. Nevertheless, you should enter the values as if it does.

- **0 Display note.** A note is generated from the linking entry field or related record. Use to indicate that field 580 (Linking Entry Complexity Note) is **not** present.
- **1 Do not display note.** A note is **not** generated from the data in the linking entry field or from the related record. Use 1st indicator value *I* when the display constant associated with the linking field does **not** adequately describe the relationship. Use field 580 (Linking Entry Complexity Note) for the note.

2nd Indicator	Display constant controller. A value that controls the generation of a display constant preceding the data in the linking entry field.
	b Has subseries. A value that generates the display constant <i>Has subseries</i> :.
	8 No display constant generated. A value that specifies that a display constant is not generated. Use subfield ‡i when special introductory text is needed.
Printing	Field 762 does not print. Do not enter <i>Has subseries</i> : in field 762.

Input Standards					
Req	Required if applicable/Optional				
1st	Indicator Note control	bller			
0	Display note				
1	Do not display note				
2nd	I Indicator Display co	nstant controller			
Ø	Translation of				
8	No display constant g	enerated			
Sub	ofields (R=Repeatable N	NR=Nonrepeatable)	Input Standards		
‡a	Main entry heading (N	JR)	Required if applicable/Required if applicable		
‡b	Edition (NR)		Required if applicable/Required if applicable		
‡c	Qualifying information	n (NR)	Required if applicable Pre-AACR2 only/ Required if applicable Pre-AACR2 only		
‡d	Place, publisher and o	date of publication (NR)	Optional/Optional		
‡g	Relationship informati	ion (R)	Required if applicable/Required if applicable		
‡h	Physical description (NR)	Optional/Optional		
‡i	Display text (NR)		Optional/Optional		
‡k	Series data for related	d item (R)	Optional/Optional		
‡m	Material-specific deta	ils (NR)	Optional/Optional		
‡n	Note (R)		Optional/Optional		
‡o	Other item identifier (I	R)	Optional/Optional		
‡r	Report number (R)		Optional/Optional		
‡s	Uniform title (NR)		Required if applicable/Required if applicable		
‡t	Title (NR)		Required if applicable/Required if applicable		
‡u	Standard Technical R	eport Number (NR)	Optional/Optional		
‡w	Record control number	er (R)	Required if applicable/Required if applicable		
‡x	International Standard	d Serial Number (NR)	Required if applicable/Required if applicable		
‡y	CODEN designation ((NR)	Optional/Optional		
‡z	International Standard	d Book Number (R)	Optional/Optional		
‡ 7	Control subfield (NR)		Optional/Optional		
Definition		Information about the publication in its or horizontal relationship is a translation. Se Introduction" for more information.	iginal language when the target item in the e "76x-78x Linking Entry Fields–		
1st Indicator		Note controller. A value that specifies whether or not a display note is to be generated from the field. These values could be used to control printing. However, field 765 does not print. Nevertheless, you should enter the values as if it does.			
		0 Display note. A note is generated from the related record. Use to indicate that Note) is not present.	n the data in the linking entry field or from field 580 (Linking Entry Complexity		
field or from the relate constant associated wi		1 Do not display note. A note is not get field or from the related record. Use 1s constant associated with the linking fie relationship. Use field 580 (Linking Er	t indicator value <i>I</i> when the display Id does not adequately describe the		
2nd Indicator		Display constant controller. A value that constant preceding the data in the linking			

Printing

- **b** Translation of. A value that generates the display constant *Translation of*:.
- **8** No display constant generated. A value that specifies that a display constant is not generated. Use subfield ‡i when special introductory text is needed.

Field 765 does **not** print. Do **not** enter *Translation of*: in field 765.

Inp	ut Standards	
Opt	ional/Optional	
1st	Indicator Note controller	
0	Display note	
1	Do not display note	
2nc	Indicator Display constant controller	
Ø	Translated as	
8	No display constant generated	
Sul	ofields (R=Repeatable NR=Nonrepeatable)	Input Standards
‡a	Main entry heading (NR)	Required if applicable/Required if applicable
‡b	Edition (NR)	Required if applicable/Required if applicable
‡c	Qualifying information (NR)	Optional Pre-AACR2 only/Optional Pre- AACR2 only
‡d	Place, publisher and date of publication (NR)	Optional/Optional
‡g	Relationship information (R)	Required if applicable/Required if applicable
‡h	Physical description (NR)	Optional/Optional
‡i	Display text (NR)	Optional/Optional
‡k	Series data for related item (R)	Optional/Optional
‡m	Material-specific details (NR)	Optional/Optional
‡n	Note (R)	Optional/Optional
‡0	Other item identifier (R)	Optional/Optional
‡r	Report number (R)	Optional/Optional
‡s	Uniform title (NR)	Required if applicable/Required if applicable
‡t	Title (NR)	Required if applicable/Required if applicable
‡u	Standard Technical Report Number (NR)	Optional/Optional
‡w	Record control number (R)	Required if applicable/Required if applicable
‡x	International Standard Serial Number (NR)	Required if applicable/Required if applicable
‡y	CODEN designation (NR)	Optional/Optional
‡z	International Standard Book Number (R)	Optional/Optional
‡ 7	Control subfield (NR)	Optional/Optional

1st Indicator

when the target item in the horizontal relationship is the original or another translation. See "76x-78x Linking Entry Fields–Introduction" for more information.

Note controller. A value that specifies whether or not a display note is to be generated from the field. These values could be used to control printing. However, field 767 does not print. Nevertheless, you should enter the values as if it does.

- **0** Display note. A note is generated from the data in the linking entry field or from the related record. Use to indicate that field 580 (Linking Entry Complexity Note) is **not** present.
- **1** Do not display note. A note is not generated from the data in the linking entry field or from the related record. Use 1st indicator value *I* when the display constant associated with the linking field does not adequately describe the relationship. Use field 580 (Linking Entry Complexity Note) for the note.

2nd Indicator	Display constant controller. A value that controls the generation of a display constant preceding the data in the linking entry field.
	b Translated as. A value that generates the display constant <i>Translated as</i> :.
	8 No display constant generated. A value that specifies that a display constant is not generated. Use subfield <i>‡</i> i when special introductory text is needed.
Printing	Field 767 does not print. Do not enter Translated as: in field 767.

Input Standards					
Optional/Optional					
1st Indicator Note cont	1st Indicator Note controller				
0 Display note					
1 Do not display note					
2nd Indicator Display of	constant controller				
b Has supplement					
8 No display constant					
Subfields (R=Repeatable		Input Standards			
‡a Main entry heading	(NR)	Required if applicable/Required if applicable			
tb Edition (NR)		Required if applicable/Required if applicable			
‡c Qualifying information		Required if applicable Pre-AACR2 only/ Required if applicable Pre-AACR2 only			
•	d date of publication (NR)	Optional/Optional			
tg Relationship information		Required if applicable/Required if applicable			
th Physical description	(NR)	Optional/Optional			
ti Display text (NR)		Optional/Optional			
‡k Series data for relat		Optional/Optional			
tm Material-specific def	alis (NR)	Optional/Optional			
‡n Note (R)		Optional/Optional			
 ‡o Other item identifier ‡r Report number (R) 	(R)	Optional/Optional Optional/Optional			
		Required if applicable/Required if applicable			
‡s Uniform title (NR) ‡t Title (NR)		Required if applicable/Required if applicable			
	Report Number (NR)	Optional/Optional			
tw Record control num		Required if applicable/Required if applicable			
	ard Serial Number (NR)	Required if applicable/Required if applicable			
ty CODEN designation		Optional/Optional			
	ard Book Number (R)	Optional/Optional			
‡7 Control subfield (NF		Optional/Optional			
Definition		special issues associated with the target item d and/or input as separate records. See "76x- p" for more information			
1st Indicator	Note controller. A value that specifies whether or not a display note is to be generated from the field. These values could be used to control printing. However, field 770 does not print. Nevertheless, you should enter the values as if it does.				
		rom the data in the linking entry field or from hat field 580 (Linking Entry Complexity			
	field or from the related record. Use constant associated with the linking	generated from the data in the linking entry e 1st indicator value <i>I</i> when the display field does not adequately describe the gentry Complexity Note) for the note.			
2nd Indicator	Display constant controller. A value constant preceding the data in the link	that controls the generation of a display ing entry field.			

- **b** Has supplement. A value that generates the display constant *Has supplement*.
- **8** No display constant generated. A value that specifies that a display constant is not generated. Use subfield *‡*i when special introductory text is needed.

Field 770 does not print. Do not enter Has supplement: in field 770.

Printing

Inp	ut Standards		
Rec	quired if applicable/Optic	onal	
1st	Indicator Note contr	oller	
0	Display note		
1	Do not display note		
2nc	d Indicator Display co	onstant controller	
Ø	Supplement to		
0	Parent		
8	No display constant	generated	
Sul	bfields (R=Repeatable	NR=Nonrepeatable)	Input Standards
‡a	Main entry heading (NR)	Required if applicable/Required if applicable
‡b	Edition (NR)		Required if applicable/Required if applicable
‡c	Qualifying informatio	n (NR)	Required if applicable Pre-AACR2 only/ Required if applicable Pre-AACR2 only
‡d	Place, publisher and	date of publication (NR)	Optional/Optional
‡g	Relationship informa	tion (R)	Optional/Optional
‡h	Physical description	(NR)	Optional/Optional
‡i	Display text (NR)		Optional/Optional
‡k	k Series data for related item (R)		Optional/Optional
‡m	Material-specific deta	ails (NR)	Optional/Optional
‡n	Note (R)		Optional/Optional
‡o	Other item identifier	(R)	Optional/Optional
‡r	Report number (R)		Optional/Optional
‡s	Uniform title (NR)		Required if applicable/Required if applicable
‡t	Title (NR)		Required if applicable/Required if applicable
‡u	Standard Technical I	Report Number (NR)	Optional/Optional
‡w	Record control numb	per (R)	Required if applicable/Required if applicable
‡x	International Standar	rd Serial Number (NR)	Required if applicable/Required if applicable
‡y	CODEN designation (NR)		Optional/Optional
‡z	z International Standard Book Number (R)		Optional/Optional
‡ 7	Control subfield (NR))	Optional/Optional
Def	finition	relationship is a single issue, sup	rent record when the target item in a vertical oplement or special issue of the parent item. See -Introduction" for more information.
1st	Indicator	1	becifies whether or not a display note is to be

Note controller. A value that specifies whether or not a display note is to be generated from the field. These values could be used to control printing. However, field 772 does **not** print. Nevertheless, you should enter the values as if it does.

- **0 Display note.** A note is generated from the data in the linking entry field or from the related record. Use to indicate that field 580 (Linking Entry Complexity Note) is **not** present.
- **1 Do not display note.** A note is **not** generated from the data in the linking entry field or from the related record. Use 1st indicator value *I* when the display constant associated with the linking field does **not** adequately describe the relationship. Use field 580 (Linking Entry Complexity Note) for the note.

2nd Indicator	Display constant controller. A value that controls the generation of a display constant preceding the data in the linking entry field.
	b Supplement to. A value that generates the display constant <i>Supplement to:</i> .
	0 Parent. A value that generates the display constant <i>Parent</i> :.
	8 No display constant generated. A value that specifies that a display constant is not generated. Use subfield ‡i when special introductory text is needed.
Printing	Field 772 does not print. Do not enter Supplement to: or Parent: in field 772.

773 Host Item Entry (R)

Input Standards

	uired if applicable/Required if applicable				
	Mandatory for "in" analytics/Mandatory for "in" analytics				
	1st Indicator Note controller				
0	Display note				
1	Do not display note				
	I Indicator Display constant controller				
Ю	In				
8	No display constant generated				
Sub	ofields (R=Repeatable NR=Nonrepeatable)	Input Standards			
‡a	Main entry heading (NR)	Required if applicable/Required if applicable			
‡b	Edition (NR)	Required if applicable/Required if applicable			
‡d	Place, publisher and date of publication (NR)	Required if applicable/Required if applicable			
‡g	Relationship information (R)	Required if applicable/Required if applicable			
‡h	Physical description (NR)	Optional/Optional			
‡i	Display text (NR)	Optional/Optional			
‡k	Series data for related item (R)	Required if applicable/Required if applicable			
‡m	Material-specific details (NR)	Optional/Optional			
‡n	Note (R)	Optional/Optional			
‡0	Other item identifier (R)	Optional/Optional			
‡p	Abbreviated title (NR)	Optional/Optional			
‡q	Enumeration and first page (NR)	Optional/Optional			
‡r	Report number (R)	Optional/Optional			
‡s	Uniform title (NR)	Required if applicable/Required if applicable			
‡t	Title (NR)	Mandatory/Mandatory			
‡u	Standard Technical Report Number (NR)	Optional/Optional			
‡w	Record control number (R)	Required if applicable/Required if applicable			
‡x	International Standard Serial Number (NR)	Required if applicable/Required if applicable			
‡у	CODEN designation (NR)	Optional/Optional			
‡z	International Standard Book Number (R)	Optional/Optional			
‡ 3	Materials specified (NR)	Optional/Optional			
<u></u> ‡7	Control subfield (NR)	Optional/Optional			

Definition Information about the host item for the constituent unit in a vertical relationship described in the record. Field 773 enables the user to locate the physical piece that contains the component part or subunit being described. Include in field 773 only those data elements necessary to assist in the identification of the host item (e.g., links to the bibliographic record describing the item and/or descriptive data that identify the host item). For host items that are serial or multivolume in nature, use subfield ±g to point to the exact location of the component part within the bibliographic item. See "76x-78x Linking Entry Fields-Introduction" for more information. **1st Indicator** Note controller. A value that specifies whether or not a display note is to be generated from the field. **0** Display note. A note is generated from the data in the linking entry field or from the related record. Use to indicate that field 580 (Linking Entry Complexity Note) is **not** present.

	1 Do not display note. A note is not generated from the data in the linking entry field or from the related record. Use 1st indicator value <i>I</i> when the display constant associated with the linking field does not adequately describe the relationship. Use field 580 (Linking Entry Complexity Note) for the note.
2nd Indicator	Display constant controller. A value that controls the generation of a display constant preceding the data in the linking entry field.
	b In. A value that generates the display constant <i>In</i> :.
	8 No display constant generated. A value that specifies that a display constant is not generated. Use subfield <i>‡</i> i when special introductory text is needed.
Printing	Field 773 prints as a note if the 1st indicator value is 0. Subfields ±h, ±m, ±n, ±r, ±u, ±w, ±x, ±y, ±z and ±7 do not print.
	Field 773 prints as the first note. The print program supplies <i>In</i> at the beginning of the note. The program also supplies parentheses around the contents of subfield $\pm k$ and brackets around the contents of subfield $\pm s$.
	The print program supplies space-dash-space () between all subfields after subfield ‡t, i.e., between ‡t and ‡b, between ‡b and ‡d, etc.).
	 773 0 ‡7 nnam ‡t Great cases of Interpol. ‡b 1st ed. ‡d Pleasantville, N.Y.: Reader's Digest Association, c1982. ‡w (OCoLC)8451518
	Prints in AACR2 records as:
	In Great cases of Interpol 1st ed Pleasantville, NY : Reader's Digest Association, c1982.
	Non-ISBD records. Field 773 prints in the series position after the physical description. If a physical description is not present, field 773 prints as a separate paragraph after the title area. In addition, the program supplies parentheses around the entire note.
	Printing with field 580. Use field 580 to print notes if information in 773 cannot generate an intelligible note or if the display constant <i>In</i> is inappropriate. If you use field 580, use value <i>1</i> for the 1st indicator in field 773.

774 Constituent Unit Entry (R)

Inpu	It Standards		
Required if applicable/Optional			
1st I	ndicator Note controller		
0	Display note		
1	Do not display note		
2nd	Indicator Display constant controller		
Ø	Constituent unit		
8	No display constant generated		
Sub	fields (R=Repeatable NR=Nonrepeatable)	Input Standards	
‡a	Main entry heading (NR)	Required if applicable/Required if applicable	
‡b	Edition (NR)	Required if applicable/Required if applicable	
‡c	Qualifying information (NR)	Required if applicable Pre-AACR2 only/	
		Required if applicable Pre-AACR2 only	
‡d	Place, publisher and date of publication (NR)	Optional/Optional	
‡g	Relationship information (R)	Required if applicable/Required if applicable	
‡h	Physical description (NR)	Optional/Optional	
‡i	Display text (NR)	Optional/Optional	
‡k	Series data for related item (R)	Optional/Optional	
‡m	Material-specific details (NR)	Optional/Optional	
‡n	Note (R)	Optional/Optional	
‡o	Other item identifier (R)	Optional/Optional	
‡r	Report number (R)	Optional/Optional	
‡s	Uniform title (NR)	Required if applicable/Required if applicable	
‡t	Title (NR)	Required if applicable/Required if applicable	
‡u	Standard Technical Report Number (NR)	Optional/Optional	
‡w	Record control number (R)	Required if applicable/Required if applicable	
‡x	International Standard Serial Number (NR)	Required if applicable/Required if applicable	
‡y	CODEN designation (NR)	Optional/Optional	
‡z	International Standard Book Number (R)	Optional/Optional	
‡ 7	Control subfield (NR)	Optional/Optional	
Definition Information about a constituent unit associated with a larger bibliographic unit. The constituent unit may be part of a single bibliographic item, a multipart item or a			

	constituent unit may be part of a single bibliographic item, a multipart item or a collection. The constituent item may or may not be described in a separate bibliographic record. When a note is generated from this field, it is displayed with an introductory phrase that is generated as a display constant based on the 2nd indicator value. See "76x-78x Linking Entry Fields–Introduction" for more information.	
1st Indicator	Note controller. A value that specifies whether or not a display note is to be generated from the field. These values could be used to control printing. However, field 774 does not print. Nevertheless, you should enter the values as if it does.	
	0 Display note. A note is generated from the data in the linking entry field or from the related record. Use to indicate that field 580 (Linking Entry Complexity Note) is not present.	
	1 Do not display note. A note is not generated from the data in the linking entry field or from the related record. Use 1st indicator value <i>I</i> when the display	

constant associated with the linking field does not adequately describe the relationship. Use field 580 (Linking Entry Complexity Note) for the note.
 2nd Indicator
 Display constant controller. A value that controls the generation of a display constant preceding the data in the linking entry field.
 b Constituent unit. A value that generates the display constant *Constituent unit:*.
 8 No display constant generated. A value that specifies that a display constant is not generated. Use subfield ‡i when special introductory text is needed.
 Printing
 Field 774 does not print. Do not enter *Constituent unit:* in field 774.

Inp	ut Standards	
Req	uired if applicable/Optional	
1st	Indicator Note controller	
0	Display note	
1	Do not display note	
2nd	I Indicator Display constant controller	
р	Other edition available	
8	No display constant generated	
Sub	ofields (R=Repeatable NR=Nonrepeatable)	Input Standards
‡a	Main entry heading (NR)	Required if applicable/Required if applicable
‡b	Edition (NR)	Required if applicable/Required if applicable
‡c	Qualifying information (NR)	Required if applicable Pre-AACR2 only/
		Required if applicable Pre-AACR2 only
‡d	Place, publisher and date of publication (NR)	Optional/Optional
‡e	Language code (NR)	Optional/Optional
‡f	Country code (NR)	Optional/Optional
‡g	Relationship information (R)	Required if applicable/Required if applicable
‡h	Physical description (NR)	Optional/Optional
‡i	Display text (NR)	Optional/Optional
‡k	Series data for related item (R)	Optional/Optional
‡m	Material-specific details (NR)	Optional/Optional
‡n	Note (R)	Optional/Optional
‡o	Other item identifier (R)	Optional/Optional
‡r	Report number (R)	Optional/Optional
‡s	Uniform title (NR)	Required if applicable/Required if applicable
‡t	Title (NR)	Required if applicable/Required if applicable
‡u	Standard Technical Report Number (NR)	Optional/Optional
‡w	Record control number (R)	Required if applicable/Required if applicable
‡x	International Standard Serial Number (NR)	Required if applicable/Required if applicable
‡y	CODEN designation (NR)	Optional/Optional
‡z	International Standard Book Number (R)	Optional/Optional
<u></u> ‡7	Control subfield (NR)	Optional/Optional

Definition

Information about the other available editions in a horizontal relationship with the work. Use for the following types of editions:

- Language editions. When a serial is issued simultaneously in more than one language by the same publisher, rather than an edition issued by another publisher, use field 775.
- **Regular-print editions.** When the serial being cataloged is a regular-print reprint, use field 775 for the original entry.
- **Other editions.** Use field 775 for other editions of the target item. These editions will generally bear the same title as the target item, but have edition information that distinguishes them.

See "76x-78x Linking Entry Fields–Introduction" for more information.

1st Indicator	Note controller. A value that specifies whether or not a display note is to be generated from the field. These values could be used to control printing. However, field 775 does not print. Nevertheless, you should enter the values as if it does.	
	0 Display note. A note is generated from the data in the linking entry field or from the related record. Use to indicate that field 580 (Linking Entry Complexity Note) is not present.	
	1 Do not display note. A note is not generated from the data in the linking entry field or from the related record. Use 1st indicator value <i>I</i> when the display constant associated with the linking field does not adequately describe the relationship. Use field 580 (Linking Entry Complexity Note) for the note.	
2nd Indicator	Display constant controller. A value that controls the generation of a display constant preceding the data in the linking entry field.	
	b Other edition available. A value that generates the display constant <i>Other edition available:</i> .	
	8 No display constant generated. A value that specifies that a display constant is not generated. Use subfield <i>‡</i> i when special introductory text is needed.	
Printing	Field 775 does not print. Do not enter Other edition available: in field 775.	

Inp	ut Standards	
Opti	onal/Optional	
1st	Indicator Note controller	
0	Display note	
1	Do not display note	
2nd	Indicator Display constant controller	
Ø	Available in another form	
8	No display constant generated	
Sub	ofields (R=Repeatable NR=Nonrepeatable)	Input Standards
‡a	Main entry heading (NR)	Required if applicable/Required if applicable
‡b	Edition (NR)	Required if applicable/Required if applicable
‡c	Qualifying information (NR)	Required if applicable /Required if applicable
‡d	Place, publisher and date of publication (NR)	Optional/Optional
‡g	Relationship information (R)	Required if applicable/Required if applicable
‡h	Physical description (NR)	Required if applicable/Required if applicable
‡i	Display text (NR)	Optional/Optional
‡k	Series data for related item (R)	Optional/Optional
‡m	Material-specific details (NR)	Required if applicable/Required if applicable
‡n	Note (R)	Required if applicable/Required if applicable
‡0	Other item identifier (R)	Optional/Optional
‡r	Report number (R)	Required if applicable/Required if applicable
‡s	Uniform title (NR)	Required if applicable/Required if applicable
‡t	Title (NR)	Required if applicable/Required if applicable
‡u	Standard Technical Report Number (NR)	Required if applicable/Required if applicable
‡w	Record control number (R)	Required if applicable/Required if applicable
‡x	International Standard Serial Number (NR)	Required if applicable/Required if applicable
‡y	CODEN designation (NR)	Optional/Optional
‡z	International Standard Book Number (R)	Optional/Optional
‡ 7	Control subfield (NR)	Optional/Optional

	horizontal relationship. See "76x-78x Linking Entry Fields–Introduction" for more information.
1st Indicator	Note controller. A value that specifies whether or not a display note is to be generated from the field. These values could be used to control printing. However, field 776 does not print. Nevertheless, you should enter the values as if it does.
	0 Display note. A note is generated from the data in the linking entry field or from the related record.
	1 Do not display note. A note is not generated from the data in the linking entry field or from the related record. Use 1st indicator value <i>I</i> when the display constant associated with the linking field does not adequately describe the relationship.
2nd Indicator	Display constant controller. A value that controls the generation of a display constant preceding the data in the linking entry field.
	b Available in another form. A value that generates the display constant <i>Available in other form:</i> (for non-serials) or <i>Issued in other form:</i> (for serials).

8 No display constant generated. A value that specifies that a display constant is not generated. Use subfield ‡i when special introductory text is needed.

Printing Field 776 does **not** print. Do **not** enter *Available in other form:* or *Issued in other form:* in field 776.

Inp	ut Standards	
Rec	uired if applicable/Optional	
1st	Indicator Note controller	
0	Display note	
1	Do not display note	
2nc	Indicator Display constant controller	
Ø	Issued with	
8	No display constant generated	
Sul	ofields (R=Repeatable NR=Nonrepeatable)	Input Standards
‡a	Main entry heading (NR)	Required if applicable/Required if applicable
‡b	Edition (NR)	Required if applicable/Required if applicable
‡c	Qualifying information (NR)	Required if applicable. Pre-AACR2 only/ Required if applicable. Pre-AACR2 only
‡d	Place, publisher and date of publication (NR)	Optional/Optional
; ‡g	Relationship information (R)	Required if applicable/Required if applicable
±h	Physical description (NR)	Optional/Optional
‡i	Display text (NR)	Optional/Optional
‡k	Series data for related item (R)	Optional/Optional
‡m	Material-specific details (NR)	Optional/Optional
‡n	Note (R)	Optional/Optional
‡o	Other item identifier (R)	Optional/Optional
‡s	Uniform title (NR)	Required if applicable/Required if applicable
‡t	Title (NR)	Required if applicable/Required if applicable
‡w	Record control number (R)	Required if applicable/Required if applicable
‡x	International Standard Serial Number (NR)	Required if applicable/Required if applicable
‡y	CODEN designation (NR)	Optional/Optional
‡ 7	Control subfield (NR)	Optional/Optional

	for <i>bound with</i> notes (field 501 ["With" Note]). See "76x-78x Linking Entry Fields–Introduction" for more information.
1st Indicator	Note controller. A value that specifies whether or not a display note is to be generated from the field. These values could be used to control printing. However, field 777 does not print. Nevertheless, you should enter the values as if it does.
	0 Display note. A note is generated from the data in the linking entry field or from the related record. Use to indicate that field 580 (Linking Entry Complexity Note) is not present.
	1 Do not display note. A note is not generated from the data in the linking entry field or from the related record. Use 1st indicator value <i>I</i> when the display constant associated with the linking field does not adequately describe the relationship. Use field 580 (Linking Entry Complexity Note) for the note.
2nd Indicator	Display constant controller. A value that controls the generation of a display constant preceding the data in the linking entry field.
	b Issued with. A value that generates the display constant <i>Issued with</i> :

8 No display constant generated. A value that specifies that a display constant is not generated. Use subfield ‡i when special introductory text is needed.
Printing Field 777 does not print. Do not enter *Issued with:* in field 777.

Inp	ut Standards	
Rec	uired if applicable/Optional	
1st	Indicator Note controller	
0	Display note	
1	Do not display note	
2nc	Indicator Type of relationship	
0	Continues	
1	Continues in part	
2	Supersedes	
3	Supersedes in part	
4	Formed by the union of and	
5	Absorbed	
6	Absorbed in part	
7	Separated from	
Sul	ofields (R=Repeatable NR=Nonrepeatable)	Input Standards
‡a	Main entry heading (NR)	Required if applicable/Required if applicable
‡b	Edition (NR)	Required if applicable/Required if applicable
‡c	Qualifying information (NR)	Required if applicable Pre-AACR2 only/ Required if applicable Pre-AACR2 only
‡d	Place, publisher and date of publication (NR)	Optional/Optional
‡g	Relationship information (R)	Required if applicable/Required if applicable
‡h	Physical description (NR)	Optional/Optional
‡i	Display text (NR)	Optional/Optional
‡k	Series data for related item (R)	Optional/Optional
‡m	Material-specific details (NR)	Optional/Optional
‡n	Note (R)	Optional/Optional
‡o	Other item identifier (R)	Optional/Optional
‡r	Report number (R)	Optional/Optional
‡s	Uniform title (NR)	Required if applicable/Required if applicable
‡t	Title (NR)	Required if applicable/Required if applicable
‡u	Standard Technical Report Number (NR)	Optional/Optional
‡w	Record control number (R)	Required if applicable/Required if applicable
‡x	International Standard Serial Number (NR)	Required if applicable/Required if applicable
‡y	CODEN designation (NR)	Optional/Optional
‡z	International Standard Book Number (R)	Optional/Optional
‡7	Control subfield (NR)	Optional/Optional

Definition	Information about the immediate predecessor of the target item in a chronological relationship. Repeat field 780 if there is more than one predecessor entry. When a note is generated from this field, it is displayed with an introductory phrase that is generated as a display constant based on the 2nd indicator value. See "76x-78x Linking Entry Fields–Introduction" for more information.
1st Indicator	Note controller. A value that specifies whether or not a display note is to be generated from the field.
	0 Display note. A note is generated from the data in the linking entry field or from the related record. Use to indicate that field 580 (Linking Entry Complexity Note) is not present.

	1 Do not display note. A note is not generated from the data in the linking entry field or from the related record. Use 1st indicator value <i>I</i> when the display constant associated with the linking field does not adequately describe the relationship. Use field 580 (Linking Entry Complexity Note) for the note.
2nd Indicator	Type of relationship. The relationship between the target item and the preceding entry. These values control the generation of a display constant for a note.
	0 Continues. The target item <i>continues</i> the preceding entry. Use to generate the display constant <i>Continues</i> :.
	 130 0 Hospitals (Chicago, Ill. : 1936) 780 00 American Hospital Association. ‡t Bulletin of the American Hospital Association ‡w (OCoLC)1777831
	Prints as:
	Continues: American Hospital Association. Bulletin of the American Hospital Association.
	1 Continues in part. The target item <i>continues in part</i> the preceding entry. Use to generate the display constant <i>Continues in part</i> :.
	245 00 Annales scientifiques. ‡p Mathématiques.780 01 ‡t Annales scientifiques ‡w (OCoLC)6179013
	Prints as:
	Continues in part: Annales scientifiques.
	2 Supersedes. The target item <i>supersedes</i> the preceding entry. Use to generate the display constant <i>Supersedes</i> . Use for serials pre-AACR2 cataloging only.
	245 00 Hespéris tamuda. 780 02 ‡t Hespéris ‡w (OCoLC)1752037
	Prints as:
	Supersedes: Hespéris.
	3 Supersedes in part. The target item <i>supersedes in part</i> the preceding entry. Use to generate the display constant <i>Supersedes in part</i> . Use for serials pre-AACR2 cataloging only.
	245 02 L'Elevage porcin.780 03 ‡t Elevage
	Prints as:
	Supersedes in part: Elevage.
	4 Formed by the union of and The target item has been formed by the union of one or more titles. Use to generate the display constant <i>Formed by the union of: and:</i>
	 245 00 Annales geophysicae. 580 Merger of: Annales de géophysique and: Annali de geofisica. 780 14 ‡t Annales de géophysique. ‡x 0003-4029 ‡w (OCoLC)1481255 ‡w (DLC) 52016346

780 14 ‡t Annali de geofísica ‡w (OCoLC)1847060 ‡w (DLC)gs 49000041 [Note is displayed from field 580 (Linking Entry Complexity Note)]

- **5 Absorbed**. The title in hand *absorbed* the preceding entry. Use to generate the display constant *Absorbed*:.
 - 245 04 The American journal of international law.
 - 780 05 American Society of International Law. ‡t Proceedings ‡g 1971

Prints as:

Absorbed: American Society of International Law. Proceedings, 1971.

6 Absorbed in part. The title in hand *absorbed in part* the preceding entry. Use to generate the display constant *Absorbed in part*:.

245 00 International flight information manual.780 06 ‡t Graphic notices and supplemental data ‡w (OCoLC)4276671

Prints as:

Absorbed in part: Graphic notices and supplemental data.

- **7** Separated from. The title in hand *separated from* the preceding entry. Use to generate the display constant *Separated from*:.
 - 110 2 British Columbia Provincial Museum.
 - 245 10 Two-year review.
 - 780 07 British Columbia. Ministry of Provincial Secretary and Government ‡t Annual report ‡x 0226-0883 ‡w (OCoLC)6270443 ‡w (DLC) 80649039

Prints as:

Separated from: British Columbia. Ministry of Provincial Secretary and Government Services. Annual report.

PrintingField 780 prints as a note if the 1st indicator value is 0. Subfield ‡i prints as input.
Subfields ‡h, ‡m, ‡n, ‡o, ‡r, ‡u, ‡w, ‡y, ‡z and ‡7 do not print. The printing
program supplies display constants for field 780. The 2nd indicator determines the
display constant.

Pre-AACR2 records. The print program supplies *ISSN* before the number in subfield ‡x.

780 00 ‡t Behavior science notes ‡x 0005-7886

Prints in pre-AACR2 records as:

Continues: Behavior science notes ISSN 0005-7886

Printing of merged serials. If you use 2nd indicator value 4, the record must have two 780 fields. The first 780 field prints following *Formed by the union of,* the second field 780 prints following *and:*

780 04 ‡t Advances in pharmacology ‡w (OCoLC)1779105

780 04 ‡t Advances in chemotherapy ‡w (OCoLC)1461166

Prints as:

Formed by the union of: Advances in pharmacology and: Advances in chemotherapy.

More than two serials merging. If three or more serials were united, enter each 780 field with 1st indicator *1* and 2nd indicator *4*. Use field 580 for the necessary notes.

Inp	ut Standards	
Req	uired if applicable/Optional	
1st	Indicator Note controller	
0	Display note	
1	Do not display note	
2nd	Indicator Type of relationship	
0	Continued by	
1	Continued in part by	
2	Superseded by	
3	Superseded in part by	
4	Absorbed by	
5	Absorbed in part by	
6	Split into and	
7	Merged with to form	
8	Changed back to	
Sub	ofields (R=Repeatable NR=Nonrepeatable)	Input Standards
‡a	Main entry heading (NR)	Required if applicable/Required if applicable
‡b	Edition (NR)	Required if applicable/Required if applicable
‡c	Qualifying information (NR)	Required if applicable Pre-AACR2 only/
		Required if applicable Pre-AACR2 only
‡d	Place, publisher and date of publication (NR)	Optional/Optional
‡g	Relationship information (R)	Required if applicable/Required if applicable
‡h	Physical description (NR)	Optional/Optional
‡i	Display text (NR)	Optional/Optional
‡k	Series data for related item (R)	Optional/Optional
‡m	Material-specific details (NR)	Optional/Optional
‡n	Note (R)	Optional/Optional
‡0	Other item identifier (R)	Optional/Optional
‡r	Report number (R)	Optional/Optional
‡s	Uniform title (NR)	Required if applicable/Required if applicable
‡t	Title (NR)	Required if applicable/Required if applicable
‡u	Standard Technical Report Number (NR)	Optional/Optional
‡w	Record control number (R)	Required if applicable/Required if applicable
‡x	International Standard Serial Number (NR)	Required if applicable/Required if applicable
‡у	CODEN designation (NR)	Optional/Optional
‡z	International Standard Book Number (R)	Optional/Optional
‡ 7	Control subfield (NR)	Optional/Optional

Definition	Information about the immediate successor of the target item in a chronological relationship. Repeat field 785 if there is more than one succeeding entry. When a note is generated from this field, it is displayed with an introductory phrase that is generated as a display constant based on the 2nd indicator value. See "76x-78x Linking Entry Fields–Introduction" for more information.
1st Indicator	Note controller. A value that specifies whether or not a display note is to be generated from the field.

0 Display note. A note is generated from the data in the linking entry field or from the related record. Use to indicate that field 580 (Linking Entry Complexity Note) is **not** present.

1 Do not display note. A note is **not** generated from the data in the linking entry field or from the related record. Use 1st indicator value *I* when the display constant associated with the linking field does **not** adequately describe the relationship. Use field 580 (Linking Entry Complexity Note) for the note.

2nd Indicator Type of relationship. The relationship between the target item and the succeeding entry. Use the 2nd indicator values to control the generation of a display constant for a note.

- **0** Continued by. The target item *continued by* the succeeding entry. Use to generate the display constant *Continued by*:.
 - 245 00 Preliminary seismological bulletin.
 - 785 00 ‡t TEIC quarterly seismological bulletin ‡x 0741-1898 ‡w (DLC)sc 83007721

Prints as:

Continued by: TEIC quarterly seismological bulletin.

If subfield ‡g is included, field 580 (Linking Entry Complexity Note) is required.

- 130 0 Inside education (Albany, N.Y.)
- 580 Continued in 1983 by: Learning in New York (University of the State of New York).
- 785 10 ‡t Learning in New York (University of the State of New York) ‡g 1983

[Note is displayed from field 580 (Linking Entry Complexity Note)].

- **1** Continued in part by. The target item *continued in part by* the succeeding entry. Use to generate the display constant *Continued in part by*:.
 - 245 04 The Southeastern college art review and newsletter.
 - 785 01 Southeastern College Art Conference. ‡t SECAC newsletter

Prints as:

Continued in part by: Southeastern College Art Conference. SECAC newsletter.

2 Superseded by. The target item *superseded by* the succeeding entry. Use to generate the display constant *Superseded by*:. Use for serials pre-AACR2 cataloging only.

245 00 Bulletin of the Vancouver Medical Association.785 02 British Columbia medical journal. ±x 0007-0556

Prints as:

Superseded by: British Columbia medical journal. ISSN 0007-0556

3 Superseded in part by. The target item *superseded in part* by the succeeding entry. Use to generate the display constant *Superseded in part by:*. Use for serials pre-AACR2 cataloging only.

4 Absorbed by. The target item has been *absorbed by* the succeeding entry. Use to generate the display constant *Absorbed by*:.

245 04 The Annalist : **‡**b a magazine of finance, commerce, and economics. 785 04 **‡**t Business week **‡**g Oct. 1940 **‡**x 0007-7135 **‡**w (DLC) 31006225

Prints as:

Absorbed by: Business week, Oct. 1940.

5 Absorbed in part by. The target item has been *absorbed in part* by the succeeding entry. Use to generate the display constant *Absorbed in part by:*.

245 04 The Metal worker, plumber, and steam fitter. 785 05 ±t Sheet metal worker ±x 0096-9249 ±w (OCoLC)2054610

Prints as:

Absorbed in part by: Sheet metal worker.

- 6 Split into _____ and ____. The target item has *split* into two or more succeeding entries. Use to generate the display constant Split into: _____ and: ____.
 - 245 00 Hospital practice.
 - 580 Split into: Hospital practice (Hospital ed.) and, Hospital practice (Office ed.)
 - 785 16 Hospital practice (Hospital ed.) ±x 8755-4542 ±w (DLC)sn 84001694

785 16 Hospital practice (Office ed.) ‡x 8750-2836 ‡w (OCoLC)10716242 [Note is displayed from field 580 (Linking Entry Complexity Note)].

- 7 Merged with _____ to form _____. The target item has *merged* with another title to form the succeeding entry. Use to generate the display constant *Merged with: to form:*
 - 245 10 Correctional services in Canada.
 - 580 Merged with: Services correctionnels au Canada. ISSN 0711-6810 to form Adult correctional services in Canada. ISSN 0715-2973.
 - 785 17 ‡t Services correctionnels au Canada. ‡x 0711-6810
 - 785 17 ‡t Adult correctional services in Canada.‡x 0715-2973

[Note is displayed from field 580 (Linking Entry Complexity Note)].

- 8 Changed back to. The target item has been *changed back to* an earlier form. Use to generate the display constant *Changed back to*:.
 - 245 10 Annual report / ‡c Department of City Planning, City of Los Angeles.
 - 785 08 Los Angeles (Calif.). Dept. of City Planning. ‡t Annual report of the Department of City Planning (1966) ‡w (DLC)sn 86032686

Prints as:

Changed back to: Los Angeles (Calif.). Dept. of City Planning. Annual report of the Department of City Planning (1966).

PrintingField 785 prints as a note if the 1st indicator value is 0. Subfield ‡i prints as input.
Subfields ‡h, ‡m, ‡n, ‡o, ‡r, ‡u, ‡w, ‡y, ‡z and ‡7 do not print. The printing
program supplies display constants for field 785. The 2nd indicator determines the
display constant.

Pre-AACR2 records. The print program supplies *ISSN* before the number in subfield ‡x.

785 00 ‡t Surface technology ‡x 0376-4583

Prints in pre-AACR2 records as:

Continued by: Surface technology ISSN 0376-4583

Split and merged serials. If you use 2nd indicator value 6 or 2nd indicator value 7, the record must have at least two 785 fields. The first 785 field prints following the first phrase of the display constant and the second field 785 prints following the second phrase of the display constant.

785 07 ‡t Advances in pharmacology ‡w (OCoLC)1779105

785 07 ‡t Advances in pharmacology and chemotherapy ‡x 0065-3144

Prints as:

Merged with: Advances in pharmacology to form: Advances in pharmacology and chemotherapy.

Three or more serials result from a split. Enter each 785 field with 1st indicator *1* and 2nd indicator *6*. Use field 580 for the necessary notes.

Three serials merge. If three or more serials were merged into one or if more than one serial results from a merge, enter each 785 field with 1st indicator *1* and 2nd indicator 7. Use field 580 for the necessary notes.

Inp	ut Standards	
Req	uired if applicable/Required if applicable	
1st	Indicator Note controller	
0	Display note	
1	Do not display note	
2nd	I Indicator Display constant controller	
Ø	Data source	
8	No display constant generated	
Sub	ofields (R=Repeatable NR=Nonrepeatable)	Input Standards
‡a	Main entry heading (NR)	Required if applicable/Required if applicable
‡b	Edition (NR)	Required if applicable/Required if applicable
‡c	Qualifying information (NR)	Required if applicable. Pre-AACR2 only/ Required if applicable. Pre-AACR2 only
‡d	Place, publisher and date of publication (NR)	Optional/Optional
‡g	Relationship information (R)	Required if applicable/Required if applicable
‡h	Physical description (NR)	Optional/Optional
‡i	Display text (NR)	Optional/Optional
‡j	Period of content (NR)	Optional/Optional
‡k	Series data for related item (R)	Optional/Optional
‡m	Material-specific details (NR)	Optional/Optional
‡n	Note (R)	Optional/Optional
‡o	Other item identifier (R)	Optional/Optional
‡p	Abbreviated title (NR)	Optional/Optional
‡r	Report number (R)	Required if applicable/Required if applicable
‡s	Uniform title (NR)	Required if applicable/Required if applicable
‡t	Title (NR)	Required if applicable/Required if applicable
‡u	Standard Technical Report Number (NR)	Optional/Optional
‡v	Source contribution (NR)	Required if applicable/Required if applicable
‡w	Record control number (R)	Required if applicable/Required if applicable
‡x	International Standard Serial Number (NR)	Required if applicable/Required if applicable
‡y	CODEN designation (NR)	Optional/Optional
‡z	International Standard Book Number (R)	Optional/Optional
‡ 7	Control subfield (NR)	Optional/Optional

	information about other files, printed sources or collection procedures. See "76x- 78x Linking Entry Fields–Introduction" for more information.
1st Indicator	Note controller. A value that specifies whether or not a display note is to be generated from the field. These values could be used to control printing. However, field 786 does not print. Nevertheless, you should enter the values as if it does.
	0 Display note. A note is generated from the data in the linking entry field or from

- **U Display note.** A note is generated from the data in the linking entry field or from the related record. Use to indicate that field 580 (Linking Entry Complexity Note) is **not** present.
- **1 Do not display note.** A note is **not** generated from the data in the linking entry field or from the related record. Use 1st indicator value *I* when the display constant associated with the linking field does **not** adequately describe the relationship. Use field 580 (Linking Entry Complexity Note) for the note.

2nd Indicator	Display constant controller. A value that controls the generation of a display constant preceding the data in the linking entry field.	
	b Data source. A value that generates the display constant <i>Data source</i> .	
	8 No display constant generated. A value that specifies that a display constant is not generated. Use subfield <i>‡</i> i when special introductory text is needed.	
Printing	Field 786 does not print. Do not enter <i>Data source:</i> in field 786.	

Input Standards									
Optional/Optional									
1st Indicator Note controller									
0 Display note									
1 Do not display note									
2nd Indicator Display constant controller									
b Related item									
8 No display constant	generated								
Subfields (R=Repeatable	NR=Nonrepeatable)	Input Standards							
ta Main entry heading	(NR)	Required if applicable/Required if applicable							
±b Edition (NR)		Required if applicable/Required if applicable							
‡c Qualifying informati	on (NR)	Required if applicable Pre-AACR2 only/ Required if applicable Pre-AACR2 only							
‡d Place, publisher an	d date of publication (NR)	Optional/Optional							
‡g Relationship inform	ation (R)	Required if applicable/Required if applicable							
‡h Physical description	n (NR)	Optional/Optional							
‡i Display text (NR)		Optional/Optional							
‡k Series data for relat		Optional/Optional							
‡m Material-specific de	tails (NR)	Optional/Optional							
‡n Note (R)		Optional/Optional							
to Other item identifier	· (NR)	Optional/Optional							
‡r Report number (R)		Optional/Optional							
ts Uniform title (NR)		Required if applicable/Required if applicable							
t Title (NR)		Required if applicable/Required if applicable							
	Report Number (NR)	Optional/Optional							
tw Record control num		Required if applicable/Required if applicable							
	ard Serial Number (NR)	Required if applicable/Required if applicable							
ty CODEN designation		Optional/Optional							
	ard Book Number (R)	Optional/Optional							
^{‡7} Control subfield (NF	()	Optional/Optional							
Definition	Information about a related item when 76x–78x fields. See "76x-78x Linking information.	the relationship does not fit any of the other g Entry Fields–Introduction" for more							
1st Indicator	Note controller. A value that specifies whether or not a display note is to be generated from the field. These values could be used to control printing. However, field 787 does not print. Nevertheless, you should enter the values as if it does.								
	0 Display note. A note is generated from the data in the linking entry field or from the related record. Use to indicate that field 580 (Linking Entry Complexity Note) is not present.								
	1 Do not display note. A note is not generated from the data in the linking entry field or from the related record. Use 1st indicator value <i>I</i> when the display constant associated with the linking field does not adequately describe the relationship. Use field 580 (Linking Entry Complexity Note) for the note.								
2nd Indicator	Display constant controller. A value constant preceding the data in the link	that controls the generation of a display ing entry field.							

- **b** Related item. A value that generates the display constant *Related item*:.
- **8** No display constant generated. A value that specifies that a display constant is not generated. Use subfield *‡*i when special introductory text is needed.

Field 787 does **not** print. Do **not** enter *Related item*: in field 787.

Printing

-	ional/Optional	
•	Indicator Type of personal name entry element	
0	Forename	
1	Surname	
3	Family name	
	d Indicator Type of added entry	
۳. ۳	No information provided	
2	Analytical entry	
	bfields (R=Repeatable NR=Nonrepeatable)	Input Standards
±a	Personal name (NR)	Mandatory/Mandatory
±b	Numeration (NR)	Optional/Optional
т- ‡С	Titles and other words associated with a name (R)	Optional/Optional
‡d	Dates associated with a name (NR)	Optional/Optional
te	Relator term (R)	Optional/Optional
‡f	Date of work (NR)	Optional/Optional
‡g	Miscellaneous information (NR)	Optional/Optional
‡h	Medium (NR)	Optional/Optional
‡j	Attribution qualifier (R)	Optional/Optional
‡k	Form subheading (R)	Optional/Optional
‡I	Language of a work (NR)	Optional/Optional
‡m	Medium of performance for music (R)	Optional/Optional
‡n	Number of part/section of a work (R)	Optional/Optional
‡o	Arranged statement for music (NR)	Optional/Optional
‡p	Name of part/section of a work (R)	Optional/Optional
‡q	Fuller form of name (NR)	Optional/Optional
‡r	Key for music (NR)	Optional/Optional
‡s	Version (NR)	Optional/Optional
‡t	Title of a work (NR)	Optional/Optional
‡u	Affiliation (NR)	Optional/Optional
‡x	International Standard Serial Number (NR)	Optional/Optional
‡ 3	Materials specified (NR)	Optional/Optional
‡ 4	Relator code (R)	Optional/Optional
‡ 5	Institution to which field applies (NR)	Optional/Optional

Definition	Nonstandard name added entries. Use for added entries not supported by cataloging rules (e.g., donor or gift information, theses advisor or variant form). Enter information in field 790 as you would in field 700 (Added Entry–Personal Name). Note: Alternatively, you may also use field 796 (Local Added Entry–Personal Name). Follow local practice.
Master record retention	Field 790 is not retained in the master record. However, it is retained in archive records, institution records, exported records, and OCLC-MARC records.
1st Indicator	Type of personal name entry element. The form of name. These values could be used to facilitate card filing arrangements. However, OCLC does not differentiate among forms of name for sorting cards.
	• Econome Use for the following types of names:

0 Forename. Use for the following types of names:

• Names structured as forenames (direct order)

790 0 Father Divine.

• Names that consist of initials in direct order

790 0 R. M. B.

• Characterizing phrases in direct order

790 0 Author of Allons au ciel.

• If a forename/surname status is in doubt, treat the name as a forename

790 0 Ram Gopal.

- **1** Surname. Use for the following types of names:
 - Names (real or pseudonyms) having any inverted order

790 1 Carroll, Lewis.

• Names known to be surnames but lacking forenames

790 1 Smith, ‡c Mrs.

• Names consisting of multiple entry elements that include articles or prepositions (e.g., De, La or Van)

790 1 Van Buren, Martin.

• Names of persons known under sobriquets and nicknames that have the structure of surnames

7901 Q., Mike.

3 Family name. Use for the name of a family, clan, dynasty, house or other such group. The name may be constructed in direct or inverted order.

790 3 Dunlop family.

- **2nd Indicator Type of added entry.** The type of added entry. The values distinguish between no information provided and an analytical entry. These indicators could be used to facilitate card filing arrangements. However, OCLC does not differentiate among types of added entries for sorting cards.
 - **b** No information provided. Either the added entry is not for an analytic or no information is provided as to whether the added entry is for an analytic.
 - 100 1 Gershkoff, Ira.
 - 245 14 The Boston driver's handbook : ‡b the big dig edition / ‡c Ira Gershkoff and Richard Trachtman.
 - 500 Rev. ed. of: Wild in the streets, c1982.
 - 790 1 Gershkoff, Ira. ‡t Wild in the streets.
 - **2** Analytical entry. The item contains the work that is represented by the added entry.
 - 100 1 Bouma, Jelle.
 - 245 10 Marcus Iunius Nypsus : ‡b Fluminis varatio, Limitis repositio : introduction, text, translation, and commentary / ‡c Jelle Bouma.
 - 790 12 Nypsus, Marcus Iunius. ‡t Fluminis varatio. ‡f 1993.
 - 790 12 Nypsus, Marcus Iunius. ‡t Limitis repositio. ‡f 1993.

Subfields		
‡a Personal name	A surname and/or forename; abbreviations, initials, letters, numbers or phrases used in place of a name; or a family name. Use subfield ‡c for parenthetical qualifying terms associated with the name. Use subfield ‡q for fuller forms of a name added as a qualifier. Enter a period after initials. Enter one space between initials.	
	790 1 Smith, W. Zachariah.	
‡b Numeration	A Roman numeral alone or a Roman numeral and a subsequent part of a forename. Use only in a forename heading (i.e., entries with 1st indicator value 0).	
	790 0 Gustaf ‡b II Adolf.	
tc Titles and other words associated with	Titles and other words associated with a name. These include qualifying information such as:	
a name	• A Roman numeral used with a surname	
	• Initials of an academic degree or denoting membership in an organization, e.g., F.L.A.	
	• Terms of address, e.g., Mrs.	
	• Titles designating rank, office or nobility, e.g., Sir	
	• Other words or phrases associated with a name, e.g., clockmaker or Saint	
	790 0 Joseph, ‡c Nez Perc'e Chief.	
	If the heading is a surname followed directly by a prefix without intervening forenames or forename initials, the prefix is contained in subfield ‡c to prevent its being processed as a forename in searching.	
	790 1 Walle-Lissnijder, ‡c van de.	
	If a heading consists of a surname with a title or associated words, enter the title following the surname and preceding any other element of the heading. Use subfield ‡q for fuller forms of names in parentheses.	
	790 1 Gatti de Gamond, ‡c Madame ‡q (Zóe Charlotte)	
	Multiple adjacent titles or words associated with a name are contained in a single subfield ‡c. Repeat subfield ‡c only when words associated with a name are separated by subelements contained in other subfields.	
	790 0 Thomas, ‡c Aquinas, Saint, ‡d 1225?-1274.	
	Use for other parenthetical additions to a name.	
	790 0 Taj Mahal ‡c (Musician)	
‡d Dates associated with a name	Birth, death or flourished dates used with a name. A qualifier used with the date (e.g., <i>b.</i> , <i>d.</i> , <i>ca.</i> , <i>fl.</i> , <i>cent.</i> or ?) is also contained in subfield ‡d.	
	790 1 Adams, Henry, ‡d 1838-1918.	
	The print program provides any necessary additional spaces after the hyphen.	
	790 1 Smith, John, ‡d 1924- ‡e defendant.	
	Prints as:	
	Smith, John 1924- defendant.	

‡e Relator term	A designation of function that describes the relationship between a name and a work (e.g. collector, comp., defendant, ed., ill., joint author or tr.). Put multiple relator terms in separate subfields.	
	790 1 Morgan, John Pierpont, ‡d 1837-1913, ‡e collector.	
	Relator codes, which also specify a relationship of a person to a work, are contained in subfield ‡4.	
‡f Date of work	The date of publication used with a title of a work in a name/title heading. A date added parenthetically to a title to distinguish between identical titles entered under the same name is not entered in a separate subfield, except for scores or sound recordings. For music, see subfield ‡n.	
	790 1 Freud, Sigmund, ‡d 18561939. ‡t Selections. ‡f 1978.	
‡g Miscellaneous information	Data not identified in another subfield. Unlikely to be used in field 790.	
‡h Medium	A media qualifier used with a title of a work in a name/title field.	
‡j Attribution qualifier	Attribution information when the responsibility is unknown, uncertain, fictitious or pseudonymous. Use for qualifiers that follow the name of a known artist for the work. Do not use subfield <i>‡</i> j for headings formulated according to AACR2.	
	7901 Reynolds, Joshua, ‡c Sir, ‡d 1723-1792, ‡j Pupil of	
‡k Form subheading	A form subheading. Use in the name or title portion. For example, <i>drama</i> , <i>in fiction</i> , <i>poetry</i> , <i>selections</i> , etc.	
	790 1 Sousa, John Philip, ‡d 1854-1932. ‡t Marches, ‡m band. ‡k Selections (Sousa American bicentennial collection) ; ‡v v. 1.	
‡I Language of a work	The name of the language or the term representing the language (e.g., Polyglot) of a work.	
	790 1 Poe, Edgar Allan, ‡d 1809-1849. ‡t Works. ‡l German. ‡f 1922. ‡s Rosl ; ‡v 1. Bd.	
‡m Medium of performance for music	Terms designating the medium of performance used in a uniform title for a work in a name/title field. Enter multiple adjacent elements in a single medium statement in the same subfield ‡m. Repeat subfield ‡m only when medium of performance statements are separated by subelements contained in other subfields.	
	790 1 Byrd, William, ‡d 1542 or 3-1623. ‡t Masses, ‡m voices (3)	
‡n Number of part/ section of a work	The number designation for a part/section of a work used with a title in a name/title field. Numbering is an indication of sequencing in any form (e.g., Book two, Part 1 or Supplement A). For music, use the opus, serial or thematic index number or a date used as a number in subfield \ddagger n. Enter multiple numberings for a part/section separated by a comma (usually alternative numberings) in a single subfield \ddagger n. Enter multiple numberings for a part/section separated by a period (usually numberings of subparts) in separate subfield \ddagger n's.	
	790 1 Haydn, Joseph, ‡d 1732-1809. ‡t Symphonies, ‡n H. I, 103.	
to Arranged statement for music	The abbreviation <i>arr</i> . used for a uniform title in a name/title field.	
Statement IOI music	790 1 Brahms, Johannes, ‡d 1833-1897. ‡t Variationen über ein Thema von Haydn ; ‡o arr.	

790 Local Added Entry–Personal Name (R) (cont.)

<pre>‡p Name of part/</pre>	A name designation of a part/section of a work in a name/title field.	
section of a work	790 1 Hindemith, Paul, ‡d 1895-1963. ‡t Nobilissima visione. ‡p Meditation ;‡o arr. ‡f 1977.	
‡q Fuller form of name	A more complete form or part of the name than is in subfield ‡a. Enter unused forenames or surnames if the name is necessary to resolve conflicts.	
	790 1 W. J. ‡q (William Jameson)	
‡r Key for music	A statement of key in which the music is written used in a uniform title for a work in a name/title field.	
	790 1 Beethoven, Ludwig van, ‡d 1770-1827. ‡t Sonatas, ‡m piano, ‡n no. 13, op. 27, no. 1, ‡r E major. ‡f 1986.	
‡s Version	The version, edition, etc., information used with a title of a work in a name/title field.	
	790 1 Shakespeare, William, ‡d 1564-1616. ‡t Works. ‡f 1981. ‡s Methuen.	
‡t Title of a work	A uniform title, a title page title of a work or a series title used in a name/title field.	
	790 1 Darnall, Jack. ‡t Edible wild plants of the planet Earth.	
‡u Affiliation	The affiliation or address of the name in subfield ‡ a.	
	790 1 Brown, B. F. ‡u Chemistry Dept., American University.	
‡x International Standard Serial	The International Standard Serial Number (ISSN) for a serial title given in the title portion of a name/title field. The ISSN is an agency-assigned data element.	
Number	The print program provides <i>ISSN</i> before the number in printed series statements. The ISSN does not print in the series tracing or added entry.	
‡3 Materials specified	The part of the described materials to which the field applies.	
‡4 Relator code	A three-character code that indicates the relationship of a name to a work. See <i>MARC Code Lists for Relators, Sources, Descriptive Conventions</i> (http://www.loc.gov/marc/relators/relahome.html). Put multiple relator codes in separate subfields.	
	790 1 Beecham, Thomas, ‡c Sir, ‡d 1879-1961. ‡4 cnd	
	Relator terms, which also specify a relationship of a person to a work, are contained in subfield ‡e.	
‡5 Institution to which field applies	A code of the institution or organization that holds the copy to which the field applies. Use for notes that do not apply to the universal description of the item. See <i>MARC Code List for Organizations</i> (http://www.loc.gov/marc/organizations/ orgshome.html) or <i>Symbols and Interlibrary Loan Policies in Canada</i> (http://www.nlc-bnc.ca/6/16/s16-202-e.html).	
	790 1 Kissinger, Henry, ‡d 1923- ‡5 DLC	
PrintingField 790 prints as a heading and tracing. Subfields \$		

-	ut Standards		
-	ional/Optional		
	•••	corporate name entry element	
0	Inverted name		
1	Jurisdiction name		
2	Name in direct orde		
	Indicator Type of	-	
Ø	No information prov	lided	
2	Analytical entry		la suit Otas da sela
	ofields (R=Repeatable		Input Standards
‡а +ь	•	jurisdiction name as entry element (NR)	Mandatory/Mandatory
‡b +o	Subordinate unit (R		Optional/Optional
‡C +d	Location of meeting		Optional/Optional Optional/Optional
‡d +o	Date of meeting or Relator term (R)	lieaty signing (R)	Optional/Optional
‡e ‡f	Date of work (NR)		Optional / Optional
-	Miscellaneous infor		Optional/Optional
‡g ‡h	Medium (NR)	mation (NTC)	Optional/Optional
+'' ‡k	Form subheading (I	R)	Optional/Optional
+\\ ‡l	Language of a work	-	Optional /Optional
+' ‡m	Medium of performa		Optional/Optional
±n	Number of part/sec		Optional/Optional
‡0	Arranged statemen		Optional/Optional
тэ ‡р	Name of part/section		Optional/Optional
‡r	Key for music (NR)		Optional/Optional
; ‡s	Version (NR)		Optional/Optional
±t	Title of a work (NR)		Optional/Optional
‡u	Affiliation (NR)		Optional/Optional
‡x		ard Serial Number (NR)	Optional/Optional
‡ 3	Materials specified	(NR)	Optional/Optional
‡ 4	Relator code (R)		Optional/Optional
‡ 5	Institution to which	field applies (NR)	Optional/Optional
Def	finition	in field 791 as you would in field 710 (ormation or variant form). Enter information
	ster record ention	Field 791 is not retained in the master record. However, it is retained in archive records, institution records, exported records, and OCLC-MARC records.	
1st	Indicator	Type of corporate name entry element. The form of name. These values could be used to facilitate card filing arrangements. However, OCLC does not differentiate among forms of name for sorting cards.	
		0 Inverted name. Pre-AACR2 headin	gs in inverted order.
		791 0 Little (Arthur D.) inc. [Pre-AACR2.]	

	1 Jurisdiction name. Jurisdictions may be ecclesiastical entities or the juris name under which you enter a corporate name, a city section or a title of (e.g. <i>France</i> or <i>New York (N.Y.)</i>). Corporate names containing a name of jurisdiction as an integral part of the name or qualified by a jurisdiction n identified by 1st indicator value 2.	
	791 1 Fulda (Germany : Ecclesiastical principality)	
	2 Name in direct order. Corporate names entered in direct order. These headings may also have a parenthetical qualifier or may be an acronym or initialism.	
	791 2 Berlitz Schools of Languages of America.	
2nd Indicator	Type of added entry. The type of added entry. The values distinguish between no information provided and an analytical entry. These indicators could be used to facilitate card filing arrangements. However, OCLC does not differentiate among types of added entries for sorting cards.	
	b No information provided. Either the added entry is not for an analytic or no information is provided as to whether the added entry is for an analytic.	
	 Gotshaw, F. Marco. Journeyman's guide to the National Electrical Code / ‡ c Furman Marco Gotshaw. National Fire Protection Association. ‡t National electrical code 	
	(1993)	
	2 Analytical entry. The item contains the work that is represented by the added entry.	
	 Fernandez, Perfecto V. Primer on labor law, 1982-92 / ‡c Perfecto V. Fernandez. Includes text of the Philippines labor relations law. Philippines. ‡t Labor code of the Philippines. ‡n Book 5, ‡p Labor relations. ‡f 1981. 	
Subfields		
‡a Corporate name or jurisdiction name as entry element	Name of a corporate body or the first entity when subordinate units are present; a jurisdiction name under which a corporate body, city section or title of a work is entered; or a jurisdiction name that is also an ecclesiastical entity.	
	791 2 Art Nouveau, Inc.	
	Enter parenthetical qualifying information, jurisdiction names or dates (other than the date of a meeting) in parenthesis in subfield ‡a.	
	791 1 Berlin (Germany)	
	Enter one space between an initial and a noninitial. Do not enter a space between initials.	
	791 2 F & H Denby.	
	791 2 W.H. Ross Foundation for the Study of Prevention of Blindness.	
‡b Subordinate unit	Corporate names or corporate subheadings that follow the name of the highest hierarchical unit (subfield ‡a). Enter each subordinate unit in a separate subfield ‡b.	
	791 2 Curtis Publishing Company. ‡b Research Dept.	

	Enter a date, number or place that follows a corporate name and is separated from the name by a comma in the same subfield.
	791 1 United States. ‡b Army. ‡b Corps, IV.
	Enter parenthetical qualifying information associated with the subordinate unit also in subfield ‡ b.
	791 1 United States. ‡ b President (1953-1961 : Eisenhower)
<pre>‡c Location of meeting</pre>	Place name or a name of an institution where a meeting was held. Use a single subfield <i>‡c</i> for multiple adjacent locations.
	791 2 Labour Party (Great Britain). [‡]b Conference [‡]n (71st : [‡]c Blackpool, Lancashire, England)
‡d Date of meeting or	The date a meeting was held or date a treaty was signed.
treaty signing	791 1 United States. ‡b Congress ‡n (87th, 2nd session : ‡d 1962)
‡e Relator term	A designation of function that describes the relationship between a name and a work (e.g., defendants). Put multiple relator terms in separate subfields.
	791 2 Eastman Kodak Company, ‡e defendant-appellant.
	Relator codes, which also specify a relationship of a corporate body to a work, are contained in subfield \$\$4.
‡f Date of work	The date of publication used with a title of a work in a name/title field.
	791 22 Catholic Church. ‡t Mass, 33rd Sunday of ordinary time (Chant). ‡f 1979.
	A date added parenthetically to a title to distinguish between identical titles entered under the same name is not entered in a separate subfield. Scores or sound recordings are an exception to this rule. See subfield ‡n.
	791 1 France. ‡t Constitution (1946)
‡g Miscellaneous information	Data not identified in other subfields. Use for subelements that are not more appropriately contained in subfields $\pm c$, $\pm d$ or $\pm n$.
	791 1 Great Britain. ‡t Treaties, etc. ‡g Ireland, ‡d 1985 Nov. 15.
‡h Medium	A media qualifier used with a title of a work in a name/title field.
‡k Form subheading	Standardized phrases added to a heading to gather records for certain kinds of materials. Form subheadings include: <i>Manuscript</i> ; <i>Protocols</i> , etc.; <i>Selections</i> .
	791 2 Daughters of the American Revolution. ‡ b Mary Clap Wooster Chapter (New Haven, Conn.). ‡ k Charters and regulations.
‡I Language of a work	The name of the language or the term representing the language (e.g., Polyglot) of a work.
	791 2 Biblioteca apostolica Vaticana. ‡k Manuscript. ‡n Vat. Lat. 2710. ‡l English.
‡m Medium of performance for music	Terms designating the medium of performance used in a uniform title for a work in a name/title heading. Unlikely to be used in field 791.

‡n Number of part/ section/meeting	The number of a meeting that is entered under a corporate name. Use also for a number designation for a part/section of a work used with a title in a name/title field. Numbering is an indication of sequencing in any form (e.g., Book two, Part 1 or Supplement A). For music, use the opus, serial or thematic index number or a date used as a number in subfield ‡n.	
	791 2 Corpus Christi College (University of Cambridge). <i>tb Library tk Manuscript. in 1957.</i>	
	Enter multiple numberings for a part/section separated by a comma (usually alternative numberings) in a single subfield ‡n. Enter multiple numberings for a part/section separated by a period (usually numberings of subparts) in separate subfield ‡n's	
	791 1 United States. ‡b Congress ‡n (87th, 2nd session : ‡d 1962)	
‡o Arranged statement for music	The abbreviation <i>arr</i> . used in a uniform title for a work in a name/title field. Unlikely to be used in field 791.	
‡p Name of part/ section of a work	A name designation of a part/section of a work. Use also for a name designation following the form subdivision <i>Manuscript</i> .	
	791 2 United States Strategic Bombing Survey. ‡t Reports. ‡p Pacific war. ‡p Indexes.	
‡r Key for music	The statement of key in which the music is written used in a uniform title for a work in a name/title field. Unlikely to be used in field 791.	
‡s Version	The version, edition, etc., information used with a title of a work in a name/title field.	
‡t Title of a work	A uniform title, title page title of a work or series title used in a name/title field.	
	791 1 California. [‡]b University. [‡]b University of Los Angeles. [‡]b Institute of Government and Public Affairs. [‡]t MR.	
‡u Affiliation	The affiliation or address of the name in subfield ‡a.	
	791 2 Industrial Environmental Research Laboratory. ‡u Research Triangle Park, N.C.	
‡x International Standard Serial	The International Standard Serial Number (ISSN) for a serial title given in the title portion of a name/title field. The ISSN is an agency-assigned data element.	
Number	The print program provides <i>ISSN</i> before the number in printed series statements. The ISSN does not print in the series tracing or added entry.	
‡3 Materials specified	The part of the described materials to which the field applies.	
‡4 Relator code	A three-character code that indicates the relationship of the entry to the item. More than one relator code may be used if the corporate name has more than one function. The code is given after the name portion in name/title fields. Put multiple relator codes in separate subfields. See <i>MARC Code Lists for Relators, Sources, Descriptive Conventions</i> (http://www.loc.gov/marc/relators/relahome.html).	
	791 1 United States. <i>tb</i> Energy Research and Development Administration.<i>t</i>4 fnd	
	Relator terms, which also specify a relationship of a corporate body to a work, are contained in subfield ‡e.	

‡5 Institution to which field applies	A code of the institution or organization that holds the copy to which the field applies. Use for notes that do not apply to the universal description of the item. See <i>MARC Code List for Organizations</i> (http://www.loc.gov/marc/organizations/ orgshome.html) or <i>Symbols and Interlibrary Loan Policies in Canada</i> (http:// www.nlc-bnc.ca/6/16/s16-202-e.html).	
	791 2 Bridgewater Library, ‡e former owner. ‡5 NjP	
Printing	Field 791 prints as a heading and tracing. Subfields $\pm u$, $\pm x$, ± 3 , ± 4 and ± 5 do not print. In the tracing paragraph, the print program supplies consecutive Roman numerals for added entry tracings.	

Inp	ut Standards		
Opt	ional/Optional		
1st	Indicator Type of me	eeting name entry element	
0	Inverted name		
1	Jurisdiction name		
2	Name in direct order		
2nc	Indicator Type of a	dded entry	
Ø	No information provid	ded	
2	Analytical entry		
Sub	ofields (R=Repeatable	NR=Nonrepeatable)	Input Standards
‡a	Meeting name or juri	sdiction name as entry element (NR)	Mandatory/Mandatory
‡c	Location of meeting	(NR)	Optional/Optional
‡d	Date of meeting (R)		Optional/Optional
‡e	Subordinate unit (R)		Optional/Optional
‡f	Date of a work (NR)		Optional/Optional
‡g	Miscellaneous inform	nation (NR)	Optional/Optional
‡h	Medium (NR)		Optional/Optional
‡k	Form subheading (R)	Optional/Optional
‡l	Language of a work	(NR)	Optional /Optional
‡n	Number of part/section	on/meeting (R)	Optional/Optional
‡p	Name of part/section	of a work (R)	Optional/Optional
‡q	Name of meeting foll	owing jurisdiction name entry element (NR)	Optional. Pre-AACR2 only/Optional. Pre- AACR2 only
‡s	Version (NR)		Optional/Optional
‡t	Title of a work (NR)		Optional/Optional
‡u	Affiliation (NR)		Optional/Optional
‡x		d Serial Number (NR)	Optional/Optional
±3	Materials specified (Optional/Optional
‡ 4	Relator code (R)		Optional/Optional
± 5	Institution to which field	eld applies (NR)	Optional/Optional
DefinitionNonstandard meeting name added entries. Use for added entrie cataloging rules (e.g., donor or gift information or variant form in field 792 as you would in field 711 (Added Entry–Meeting N Alternatively, you may also use field 798 (Local Added Entry– 		nation or variant form). Enter information dded Entry–Meeting Name). Note:	
Master record retention		Field 792 is not retained in the master records, institution records, exported records	
1st Indicator		Type of meeting name entry element. Tused to facilitate card filing arrangements among forms of name for sorting cards.	
		0 Inverted name. Pre-AACR2 headings	in inverted order.
		792 0 Smith (David Nichol) Mem	
		1 Jurisdiction name. Pre-AACR2 head	ings for a conference name entered under
			n names under which you enter a corporate
		792 1 Chicago. ‡q Cartography C	onference.
7:84			Bibliographic Formats and Standards

	2 Name in direct order. Conference names entered in direct order. These headings may also have a parenthetical qualifier or may be an acronym or initialism.
	792 2 Festival of Britain.
2nd Indicator	Type of added entry. The type of added entry. The values distinguish between no information provided and an analytical entry. These indicators could be used to facilitate card filing arrangements. However, OCLC does not differentiate among types of added entries for sorting cards.
	b No information provided. Either the added entry is not for an analytic or no information is provided as to whether the added entry is for an analytic.
	 245 00 Neoplatonism and gnosticism / ‡c Richard T. Wallis, editor, Jay Bregman, associate editor. 500 Papers presented at the 6th international conference of the International Society for Neoplatonic Studies, entitled International Conference on Neoplatonism and Gnosticism, held at University of Oklahoma, Mar. 18-21, 1984. 792 2 International Conference on Neoplatonism and Gnosticism ‡d (1984 : ‡c University of Oklahoma)
	2 Analytical entry. The item contains the work that is represented by the added entry.
	 245 22 International bilateral dialogues : \$\$\pm b\$ 1965-1991 : list of commissions, meetings, themes, and reports / \$\$\pm c\$ compiled by G"unther Gassman. Report / Fifth Forum on Bilateral Conversations. 792 22 Forum on Bilateral Conversations \$\$\pm n\$ (5th : \$\$\pm d\$ 1990 : \$\$\pm c\$ Budapest, Hungary). \$\$\pm t\$ Report. \$\$\$\pm f\$ 1991.
Subfields	
ta Meeting name or jurisdiction name as	Name of a meeting or a jurisdiction name under which a meeting is entered. Enter parenthetical qualifying information in subfield ‡a.
entry element	792 2 Theatertreffen Berlin (Festival)
‡c Location of meeting	Place name or a name of an institution where a meeting was held. Use a single subfield <i>‡c</i> for multiple adjacent locations.
	792 2 Expo 67 ‡d (Montréal, Québec)
	792 2 Festival of Britain ‡d (1951 : ‡c London, England)
td Date of meeting	The date a meeting was held.
	792 2 Biennale di Venezia ‡n (36th : ‡d 1972)
‡e Subordinate unit	A name of a subordinate unit entered under a meeting name.
	792 2 Mostly Mozart Festival. ‡e Orchestra.
‡f Date of a work	The date of publication used with a title of a work in a name/title field. Do not use subfield ‡f for dates added parenthetically to a meeting to distinguish between identical names.
	792 2 International Symposium on Quality Control (1974-)

792 Local Added Entry–Meeting Name (R) (cont.)

‡g Miscellaneous	Data not identified in other subfields.	
information	 792 2 National Conference on Physical Measurement of the Disabled, ‡n 2nd, ‡c Mayo Clinic ‡d 1981, ‡g Projected, not held. 	
‡h Medium	A media qualifier used with a title of a work in a name/title field.	
‡k Form subheading	A form subheading used with a title of a work in a name/title field. The term <i>Selections</i> is a form subheading used with meeting names.	
	792 2 Council of Trent, ‡n 2nd, ‡d (1545-1563). ‡t Canones et decreta. ‡l English. ‡k Selections. ‡f 1962.	
‡I Language of a work	The name of the language or the term representing the language (e.g., Polyglot) of a work.	
	792 2 Governor's Conference on Aging (N.Y.) ‡l English.	
‡n Number of part/ section/meeting	The number of a meeting. Also the number designation for a part/section of a work. Numbering is an indication of sequencing in any form (e.g., Book two, Part 1 or Supplement A).	
	792 2 Asian Games ‡n (9th : ‡d 1982 : ‡c Delhi, India)	
<pre>‡p Name of part/</pre>	A name designation of a part/section of a work in a name/title field.	
section of a work	792 2 International Conference on Gnosticism \$\$\pm\$d (1978 : \$\$\pm\$c New Haven, Conn.). \$\$\pm\$t Rediscovery of Gnosticism. \$\$\$p Modern writers.	
‡q Name of meeting following jurisdiction name entry element	The meeting name entered under a jurisdiction name contained in subfield ‡a. Pre-AACR2 headings only.	
ts Version	The version, edition, etc., information added to a title of a work in a name/title field. Unlikely to be used in field 792.	
t Title of a work	A uniform title, a title page title of a work or a series title used in a name/title field	
	792 2 Vatican Council ‡n (2nd : ‡d 1962-1965). ‡t Decretum de presbyterorum ministerio et vita.	
‡u Affiliation	The affiliation or address of the name in subfield ‡a.	
‡x International Standard Serial	The International Standard Serial Number (ISSN) for a serial title given in the title portion of a name/title field. The ISSN is an agency-assigned data element.	
Number	The print program provides <i>ISSN</i> before the number in printed series statements. The ISSN does not print in the series tracing or added entry.	
‡3 Materials specified	The part of the described materials to which the field applies.	
‡4 Relator code	A three-character code that indicates the relationship of a name to a work. The code is given after the name portion in name/title fields. Put multiple relator codes in separate subfields. See <i>MARC Code Lists for Relators, Sources, Descriptive Conventions</i> (http://www.loc.gov/marc/relators/relahome.html).	
	792 2 Festivals Debussy. ‡e Grand orchestre. ‡4 prf	
‡5 Institution to which field applies	A code of the institution or organization that holds the copy to which the field applies. Use for notes that do not apply to the universal description of the item. See <i>MARC Code List for Organizations</i> (http://www.loc.gov/marc/organizations/	

orgshome.html) or *Symbols and Interlibrary Loan Policies in Canada* (http://www.nlc-bnc.ca/6/16/s16-202-e.html).

792 2 International Conference on Cataloguing Principles ‡d (1961 : ‡c Paris, France). ‡e Organizing Committee. ‡5 NjP

Printing Field 792 prints as a heading and tracing. Subfields ±u, ±x, ±3, ±4 and ±5 do **not** print. In the tracing paragraph, the print program supplies consecutive Roman numerals for added entry tracings.

Input Standards			
Optional			
1st Indicator Nonfiling	characters		
0 No nonfiling characters			
1-9 Number of nonfiling characters present			
2nd Indicator Type of a	added entry		
Mo information prov	ided		
2 Analytical entry			
Subfields (R=Repeatable	NR=Nonrepeatable)	Input Standards	
‡a Uniform title (NR)		Mandatory/Mandatory	
‡d Date of treaty signin	g (R)	Optional/Optional	
‡f Date of a work (NR)		Optional/Optional	
‡g Miscellaneous inform	mation (NR)	Optional/Optional	
th Medium (NR)		Optional/Optional	
‡k Form subheading (F	R)	Optional/Optional	
‡I Language of a work	(NR)	Optional/Optional	
‡m Medium of performa		Optional/Optional	
‡n Number of part/sect	ion of a work (R)	Optional/Optional	
to Arranged statement	for music (NR)	Optional/Optional	
‡p Name of part/section	n of a work (R)	Optional/Optional	
‡r Key for music (NR)		Optional/Optional	
‡s Version (NR)		Optional/Optional	
t Title of a work (NR)		Optional/Optional	
‡x International Standard Serial Number (NR)		Optional/Optional	
‡3 Materials specified (NR)		Optional/Optional	
±5 Institution to which f	ield applies (NR)	Optional/Optional	
Definition	Nonstandard uniform title added entries. Use for added entries not supported by cataloging rules (e.g., donor or gift information or variant form). Enter information in field 793 as you would in field 730 (Added Entry–Uniform Title). Note: Alternatively, you may also use field 799 (Local Added Entry–Uniform Title). Follow local practice.		
Master record retention	Field 793 is not retained in the master record. However, it is retained in archive records, institution records, exported records, and OCLC-MARC records.		
1st Indicator	Nonfiling characters. The number of character positions associated with a definite or indefinite article (e.g., An or The) at the beginning of a title and that are disregarded in sorting and filing processes.		
	Current practice is to enter the ti	tle without articles and use 1st indicator value 0 .	
	0 No nonfiling characters. No Use value <i>0</i> if the title does n	initial article character positions are disregarded. of begin with an article.	

793 0 Collection africaine.

Diacritical marks or special characters at the beginning of a series statement field that does **not** begin with an initial article are **not** counted as nonfiling characters.

793 0 Ökonomische Studien ; ‡v Bd. 22.

	1-9 Number of nonfiling characters present. A field begins with a definite or indefinite article that is disregarded in sorting and filing processes. Enter the number of characters in the article, plus spaces, punctuation, diacritical marks and special characters that precede the first significant word.	
	Any diacritical mark or special character associated with the first filing character is not included in the count of nonfiling characters.	
2nd Indicator	Type of added entry. The type of added entry. The values distinguish between no information provided and an analytical entry. These indicators could be used to facilitate card filing arrangements. However, OCLC does not differentiate among types of added entries for sorting cards.	
	b No information provided. Either the added entry is not for an analytic or no information is provided as to whether the added entry is for an analytic.	
	 245 00 Chemical pricing patters : <i>t</i>b comparisons of annual high and low prices for 1,250 key chemicals and related process materials for the years of 1952 500 At head of title: Oil, paint and drug reporter. 793 0 Oil, paint and drug reporter. 	
	2 Analytical entry. The item contains the work that is represented by the added entry.	
	 100 1 Barwise, Jon. 245 14 The language of first-order logic : <i>‡</i>b including the Macintosh program Tarski's world 4.0 / <i>‡</i>c Jon Barwise and John Etchemendy. 793 02 Tarski's world. 	
Subfields		
‡a Uniform title	The uniform title. Enter parenthetical information added to make a title distinctive in subfield ‡a. Use subfield ‡d to record the date of signing added to a uniform title for a treaty.	
	793 0 Genesis (Anglo-Saxon poem)	
td Date of treaty	The date of signing for a treaty or other intergovernmental agreement.	
signing	793 0 Treaty of Utrecht ‡d (1713)	
‡f Date of a work	The date of publication used with a title of a work.	
	793 0 Bible. ‡l English. ‡s Anchor Bible. ‡f 1964.	
‡g Miscellaneous	Data not identified in other subfields.	
information	793 0 Bible. ‡g Manuscripts, Latin. ‡p N.T. ‡p Gospels (Lindisfarne gospels)	
‡h Medium	A media qualifier used with a title of a work in a name/title field.	
‡k Form subheading	Standardized phrases added to a heading to gather records for certain kinds of materials. Form subheadings include: <i>Manuscript</i> ; <i>Protocols, etc.</i> ; <i>Selections</i> .	
	793 0 Bible. ‡p O.T. ‡p Five Scrolls. ‡l Hebrew. ‡s Biblioteca apostolica vaticana. ‡k Manuscript. ‡n Urbiniti Hebraicus 1.	
‡I Language of a work	The name of the language or the term representing the language (e.g., Polyglot) of a work.	
	793 0 Lord's prayer. ‡l Polyglot.	

793 Local Added Entry–Uniform Title (R) (cont.)

‡m Medium of	Terms designating the medium of performance.	
performance for music	793 0 Concertos, ‡m violin, string orchestra, [Uniform title heading is used for a work of unknown authorship.]	
‡n Number of part/ section of a work	The number designation for a part/section of a work. Numbering is defined as an indication of sequencing in any form (e.g., Book two, Part 1 or Supplement A). Separate multiple numberings with a comma.	
	793 0 Notenbüchlein für Anna Magdalena Bach ‡n (1725)	
to Arranged	The abbreviation arr. used in a uniform title field.	
statement for music	793 0 God save the king; ‡o arr. ‡f 1982.	
tp Name of part/	A name designation of a part/section of a work.	
section of a work	793 0 Bible. ‡p O.T. ‡l Hebrew. ‡f 1990.	
‡r Key for music	The statement of key in which the music is written.	
	793 0 Concertos, ‡m violin, string orchestra, ‡r D major.	
‡s Version	The versions, edition, etc., information.	
	793 0 Bible. ‡l English. ‡s Roche. ‡k Selections. ‡f 1990.	
‡t Title of a work	The title page title of a work. Unlikely to be used in field 793	
‡x International Standard Serial	The International Standard Serial Number (ISSN) for a serial title given in the title portion of a name/title field. The ISSN is an agency-assigned data element.	
Number	The print program provides <i>ISSN</i> before the number in printed series statements. The ISSN does not print in the series tracing or added entry.	
‡3 Materials specified	The part of the described materials to which the field applies.	
‡5 Institution to which field applies	A code of the institution or organization that holds the copy to which the field applies. Use for notes that do not apply to the universal description of the item. See <i>MARC Code List for Organizations</i> (http://www.loc.gov/marc/organizations/ orgshome.html) or <i>Symbols and Interlibrary Loan Policies in Canad</i> a (http:// www.nlc-bnc.ca/6/16/s16-202-e.html).	
	793 0 Index librorum prohibitorum. ‡f 1570. ‡5 [MARC organization symbol]	
Printing	Field 793 prints as a heading and tracing. Subfields $\pm x$, ± 3 and ± 5 do not print. In the tracing paragraph, the print program supplies consecutive Roman numerals for added entry tracings.	

Inp	ut Standards	
•	ional/Optional	
1st	Indicator Type of personal name entry element	
0	Forename	
1	Surname	
3	Family name	
2nc	Indicator Type of added entry	
р	No information provided	
2	Analytical entry	
Sub	ofields (R=Repeatable NR=Nonrepeatable)	Input Standards
‡a	Personal name (NR)	Mandatory/Mandatory
‡b	Numeration (NR)	Optional/Optional
‡c	Titles and other words associated with a name (R)	Optional/Optional
‡d	Dates associated with a name (NR)	Optional/Optional
‡e	Relator term (R)	Optional/Optional
‡f	Date of work (NR)	Optional/Optional
‡g	Miscellaneous information (NR)	Optional/Optional
‡h	Medium (NR)	Optional/Optional
‡j	Attribution qualifier (R)	Optional/Optional
‡k	Form subheading (R)	Optional/Optional
‡I	Language of a work (NR)	Optional/Optional
‡m	Medium of performance for music (R)	Optional/Optional
‡n	Number of part/section of a work (R)	Optional/Optional
‡0	Arranged statement for music (NR)	Optional/Optional
‡p	Name of part/section of a work (R)	Optional/Optional
‡q	Fuller form of name (NR)	Optional/Optional
‡r	Key for music (NR)	Optional/Optional
‡s	Version (NR)	Optional/Optional
‡t	Title of a work (NR)	Optional/Optional
‡u	Affiliation (NR)	Optional/Optional
‡x	International Standard Serial Number (NR)	Optional/Optional
‡ 3	Materials specified (NR)	Optional/Optional
‡ 4	Relator code (R)	Optional/Optional
‡ 5	Institution to which field applies (NR)	Optional/Optional
‡ 9	Special entry (NR)	Optional/Optional

Master record

Nonstandard name added entries. Use for added entries **not** supported by cataloging rules (e.g., donor or gift information, theses advisor or variant form). Enter information in field 796 as you would in field 700 (Added Entry–Personal Name). **Note:** Alternatively, you may also use field 790 (Local Added Entry–Personal Name). Follow local practice. Field 796 is **not** retained in the master record. However, it is retained in archive

retentionrecords, institution records, exported records, and OCLC-MARC records.1st IndicatorType of personal name entry element. The form of name. These values could be
used to facilitate card filing arrangements. However, OCLC does not differentiate

among forms of name for sorting cards.

- **0** Forename. Use for the following types of names:
 - Names structured as forenames (direct order)

796 0 Father Divine.

• Names that consist of initials in direct order

796 0 R. M. B.

Characterizing phrases in direct order

796 0 Author of Allons au ciel.

• If a forename/surname status is in doubt, treat the name as a forename

796 0 Ram Gopal.

1 Surname. Use for the following types of names:

• Names (real or pseudonyms) having any inverted order

796 1 Carroll, Lewis.

• Names known to be surnames but lacking forenames

796 1 Smith, **‡**c Mrs.

• Names consisting of multiple entry elements that include articles or prepositions (e.g., De, La or Van)

796 1 Van Buren, Martin.

• Names of persons known under sobriquets and nicknames that have the structure of surnames

7961 Q., Mike.

3 Family name. Use for the name of a family, clan, dynasty, house or other such group. The name may be constructed in direct or inverted order.

796 3 Dunlop family.

- **2nd Indicator Type of added entry.** The type of added entry. The values distinguish between no information provided and an analytical entry. These indicators could be used to facilitate card filing arrangements. However, OCLC does not differentiate among types of added entries for sorting cards.
 - **b** No information provided. Either the added entry is not for an analytic or no information is provided as to whether the added entry is for an analytic.
 - 100 1 Gershkoff, Ira.
 - 245 14 The Boston driver's handbook : ‡b the big dig edition / ‡c Ira Gershkoff and Richard Trachtman.
 - 500 Rev. ed. of: Wild in the streets, c1982.
 - 796 1 Gershkoff, Ira. **‡**t Wild in the streets.

	2 Analytical entry. The item contains the work that is represented by the added entry.
	 Bouma, Jelle. Marcus Iunius Nypsus : <i>‡b</i> Fluminis varatio, Limitis repositio : introduction, text, translation, and commentary / <i>‡c</i> Jelle Bouma. Nypsus, Marcus Iunius. <i>‡t</i> Fluminis varatio. <i>‡f</i> 1993. Nypsus, Marcus Iunius. <i>‡t</i> Limitis repositio. <i>‡f</i> 1993.
Subfields	
‡a Personal name	A surname and/or forename; abbreviations, initials, letters, numbers or phrases used in place of a name; or a family name. Use subfield ‡c for parenthetical qualifying terms associated with the name. Use subfield ‡q for fuller forms of a name added as a qualifier. Enter a period after initials. Enter one space between initials.
	796 1 Smith, W. Zachariah.
tb Numeration	A Roman numeral alone or a Roman numeral and a subsequent part of a forename. Use only in a forename heading (i.e., entries with 1st indicator value θ).
	796 0 Gustaf ‡ b II Adolf.
‡ c Titles and other words associated with	Titles and other words associated with a name. These include qualifying information such as:
a name	 A Roman numeral used with a surname Initials of an academic degree or denoting membership in an organization, e.g., F.L.A. Terms of address, e.g., Mrs.
	• Titles designating rank, office or nobility, e.g., Sir
	• Other words or phrases associated with a name, e.g., clockmaker or Saint
	796 0 Joseph, ‡c Nez Perc'e Chief.
	If the heading is a surname followed directly by a prefix without intervening forenames or forename initials, the prefix is contained in subfield ‡c to prevent its being processed as a forename in searching.
	796 1 Walle-Lissnijder, ‡c van de.
	If a heading consists of a surname with a title or associated words, enter the title following the surname and preceding any other element of the heading. Use subfield ‡q for fuller forms of names in parentheses.
	796 1 Gatti de Gamond, ‡c Madame ‡q (Zóe Charlotte)
	Multiple adjacent titles or words associated with a name are contained in a single subfield ‡c. Repeat subfield ‡c only when words associated with a name are separated by subelements contained in other subfields.
	796 0 Thomas, ‡c Aquinas, Saint, ‡d 1225?-1274.
	Use for other parenthetical additions to a name.
	796 0 Taj Mahal ‡c (Musician)

796 Local Added Entry–Personal Name (R) (cont.)

‡d Dates associated with a name	Birth, death or flourished dates used with a name. A qualifier used with the date (e.g., <i>b.</i> , <i>d.</i> , <i>ca.</i> , <i>fl.</i> , <i>cent.</i> or ?) is also contained in subfield ‡d.		
	796 1 Adams, Henry, ‡ d 1838-1918.		
	The print program provides any necessary additional spaces after the hyphen.		
	796 1 Smith, John, ‡d 1924- ‡e defendant.		
	Prints as:		
	Smith, John 1924- defendant.		
‡e Relator term	A designation of function that describes the relationship between a name and a work (e.g. collector, comp., defendant, ed., ill., joint author or tr.). Put multiple relator terms in separate subfields.		
	796 1 Morgan, John Pierpont, ‡d 1837-1913, ‡e collector.		
	Relator codes, which also specify a relationship of a person to a work, are contained in subfield \$\$4.		
‡f Date of work	The date of publication used with a title of a work in a name/title heading. A date added parenthetically to a title to distinguish between identical titles entered under the same name is not entered in a separate subfield, except for scores or sound recordings. For music, see subfield ‡n.		
	796 1 Freud, Sigmund, ‡d 18561939. ‡t Selections. ‡f 1978.		
‡g Miscellaneous information	Data not identified in another subfield. Unlikely to be used in field 796.		
‡h Medium	A media qualifier used with a title of a work in a name/title field.		
‡j Attribution qualifier	Attribution information when the responsibility is unknown, uncertain, fictitious or pseudonymous. Use for qualifiers that follow the name of a known artist for the work. Do not use subfield ‡ j for headings formulated according to AACR2.		
	7961 Reynolds, Joshua, ‡c Sir, ‡d 1723-1792, ‡j Pupil of		
‡k Form subheading	A form subheading. Use in the name or title portion. For example, <i>drama</i> , <i>in fiction</i> , <i>poetry</i> , <i>selections</i> , etc.		
	796 1 Sousa, John Philip, ‡d 1854-1932. ‡t Marches, ‡m band. ‡k Selections (Sousa American bicentennial collection); ‡v v. 1.		
‡I Language of a work	The name of the language or the term representing the language (e.g., Polyglot) of a work.		
	796 1 Poe, Edgar Allan, ‡d 1809-1849. ‡t Works. ‡l German. ‡f 1922. ‡s Rosl ; ‡v1. Bd.		
‡m Medium of performance for music	Terms designating the medium of performance used in a uniform title for a work in a name/title field. Enter multiple adjacent elements in a single medium statement in the same subfield ‡m. Repeat subfield ‡m only when medium of performance statements are separated by subelements contained in other subfields.		
	796 1 Byrd, William, ‡d 1542 or 3-1623. ‡t Masses, ‡m voices (3)		
‡n Number of part/ section of a work	The number designation for a part/section of a work used with a title in a name/title field. Numbering is an indication of sequencing in any form (e.g., Book two, Part 1		

796 Local Added Entry–Personal Name (R) (cont.)

	or Supplement A). For music, use the opus, serial or thematic index number or a date used as a number in subfield ‡n. Enter multiple numberings for a part/section separated by a comma (usually alternative numberings) in a single subfield ‡n. Enter multiple numberings for a part/section separated by a period (usually numberings of subparts) in separate subfield ‡n's.	
	796 1 Haydn, Joseph, ‡d 1732-1809. ‡t Symphonies, ‡n H. I, 103.	
to Arranged	The abbreviation arr. used for a uniform title in a name/title field.	
statement for music	796 1 Brahms, Johannes, ‡d 1833-1897. ‡t Variationen über ein Thema von Haydn; ‡o arr.	
<pre>‡p Name of part/</pre>	A name designation of a part/section of a work in a name/title field.	
section of a work	Hindemith, Paul, ‡d 1895-1963. ‡t Nobilissima visione. ‡p Meditation;‡o arr. ‡f 1977.	
‡q Fuller form of name	A more complete form or part of the name than is in subfield ‡a. Enter unused forenames or surnames if the name is necessary to resolve conflicts.	
	796 1 W. J. ‡q (William Jameson)	
‡r Key for music	A statement of key in which the music is written used in a uniform title for a work in a name/title field.	
	796 1 Beethoven, Ludwig van, ‡d 1770-1827. ‡t Sonatas, ‡m piano, ‡n no. 13, op. 27, no. 1, ‡r E major. ‡f 1986.	
‡s Version	The version, edition, etc., information used with a title of a work in a name/title field.	
	796 1 Shakespeare, William, ‡d 1564-1616. ‡t Works. ‡f 1981. ‡s Methuen.	
t Title of a work	A uniform title, a title page title of a work or a series title used in a name/title field.	
	796 1 Darnall, Jack. ‡t Edible wild plants of the planet Earth.	
‡u Affiliation	The affiliation or address of the name in subfield ‡a.	
	796 1 Brown, B. F. ‡u Chemistry Dept., American University.	
‡x International Standard Serial	The International Standard Serial Number (ISSN) for a serial title given in the title portion of a name/title field. The ISSN is an agency-assigned data element.	
Number	Note: The print program provides <i>ISSN</i> before the number in printed series statements. The ISSN does not print in the series tracing or added entry.	
‡3 Materials specified	The part of the described materials to which the field applies.	
‡4 Relator code	A three-character code that indicates the relationship of a name to a work. Put multiple relator codes in separate subfields. See <i>MARC Code Lists for Relators, Sources, Descriptive Conventions</i> (http://www.loc.gov/marc/relators/relahome.html).	
	796 1 Beecham, Thomas, ‡c Sir, ‡d 1879-1961. ‡4 cnd	
	Relator terms, which also specify a relationship of a person to a work, are contained in subfield ‡e.	

‡5 Institution to which field applies	A code of the institution or organization that holds the copy to which the field applies. Use for notes that do not apply to the universal description of the item. See <i>MARC Code List for Organizations</i> (http://www.loc.gov/marc/organizations/ orgshome.html) or <i>Symbols and Interlibrary Loan Policies in Canada</i> (http:// www.nlc-bnc.ca/6/16/s16-202-e.html).	
	796 1 Kissinger, Henry, ‡ d 1923- ‡ 5 DLC	
‡9 Special entry	This subfield is user defined.	
Printing	Field 796 prints as a heading and tracing. Subfields $\pm u$, $\pm x$, ± 3 , ± 4 and ± 5 do not print. In the tracing paragraph, the print program supplies consecutive Roman numerals for added entry tracings.	

Inp	ut Standards	
Opti	ional/Optional	
1st	Indicator Type of corporate name entry element	
0	Inverted name	
1	Jurisdiction name	
2	Name in direct order	
2nc	Indicator Type of added entry	
Ø	No information provided	
2	Analytical entry	
Sub	ofields (R=Repeatable NR=Nonrepeatable)	Input Standards
‡a	Corporate name or jurisdiction name as entry element (NR)	Mandatory/Mandatory
‡b	Subordinate unit (R)	Optional/Optional
‡c	Location of meeting (NR)	Optional/Optional
‡d	Date of meeting or treaty signing (R)	Optional/Optional
‡e	Relator term (R)	Optional/Optional
‡f	Date of work (NR)	Optional / Optional
‡g	Miscellaneous information (NR)	Optional/Optional
‡h	Medium (NR)	Optional/Optional
‡k	Form subheading (R)	Optional/Optional
‡l	Language of a work (NR)	Optional /Optional
‡m	Medium of performance for music (R)	Optional/Optional
‡n	Number of part/section/meeting (R)	Optional/Optional
‡o	Arranged statement for music (NR)	Optional/Optional
‡p	Name of part/section of a work (R)	Optional/Optional
‡r	Key for music (NR)	Optional/Optional
‡s	Version (NR)	Optional/Optional
‡t	Title of a work (NR)	Optional/Optional
‡u	Affiliation (NR)	Optional/Optional
‡x	International Standard Serial Number (NR)	Optional/Optional
‡ 3	Materials specified (NR)	Optional/Optional
‡ 4	Relator code (R)	Optional/Optional
‡ 5	Institution to which field applies (NR)	Optional/Optional
‡ 9	Special entry (NR)	Optional/Optional

Definition	Nonstandard corporate added entries. Use for added entries not supported by cataloging rules (e.g., donor or gift information or variant form). Enter information in field 797 as you would in field 710 (Added Entry–Corporate Name). Note: Alternatively, you may also use field 791 (Local Added Entry–Corporate Name). Follow local practice.	
Master record retention	Field 797 is not retained in the master record. However, it is retained in archive records, institution records, exported records, and OCLC-MARC records.	
1st Indicator	Type of corporate name entry element. The form of name. These values could be used to facilitate card filing arrangements. However, OCLC does not differentiate among forms of name for sorting cards.	
	0 Inverted name. Pre-AACR2 headings in inverted order.	
	797 0 Little (Arthur D.) inc. [Pre-AACR2.]	

	1 Jurisdiction name. Jurisdictions may be ecclesiastical entities or the jurisdiction name under which you enter a corporate name, a city section or a title of a work (e.g. <i>France</i> or <i>New York (N.Y.)</i>). Corporate names containing a name of a jurisdiction as an integral part of the name or qualified by a jurisdiction name are identified by 1st indicator value 2.
	797 1 Fulda (Germany : Ecclesiastical principality)
	2 Name in direct order. Corporate names entered in direct order. These headings may also have a parenthetical qualifier or may be an acronym or initialism.
	797 2 Berlitz Schools of Languages of America.
2nd Indicator	Type of added entry. The type of added entry. The values distinguish between no information provided and an analytical entry. These indicators could be used to facilitate card filing arrangements. However, OCLC does not differentiate among types of added entries for sorting cards.
	b No information provided. Either the added entry is not for an analytic or no information is provided as to whether the added entry is for an analytic.
	 100 1 Gotshaw, F. Marco. 245 10 Journeyman's guide to the National Electrical Code / ‡ c Furman Marco Gotshaw. 797 2 National Fire Protection Association. ‡t National electrical code (1993)
	2 Analytical entry. The item contains the work that is represented by the added entry.
	 Fernandez, Perfecto V. Frimer on labor law, 1982-92 / the Perfecto V. Fernandez. Includes text of the Philippines labor relations law. Philippines. the Labor code of the Philippines. the Book 5, the Labor relations. the transport of the Philippines. the Philip
Subfields	
‡a Corporate name or jurisdiction name as entry element	Name of a corporate body or the first entity when subordinate units are present; a jurisdiction name under which a corporate body, city section or title of a work is entered; or a jurisdiction name that is also an ecclesiastical entity.
	797 2 Art Nouveau, Inc.
	Enter parenthetical qualifying information, jurisdiction names or dates (other than the date of a meeting) in parenthesis in subfield ‡a.
	797 1 Berlin (Germany)
	Enter one space between an initial and a noninitial. Do not enter a space between initials.
	797 2 F & H Denby.
	797 2 W.H. Ross Foundation for the Study of Prevention of Blindness.
‡b Subordinate unit	Corporate names or corporate subheadings that follow the name of the highest hierarchical unit (subfield ‡a). Enter each subordinate unit in a separate subfield ‡b.
	797 2 Curtis Publishing Company. ‡ b Research Dept.

	Enter a date, number or place that follows a corporate name and is separated from the name by a comma in the same subfield.
	797 1 United States. ‡b Army. ‡b Corps, IV.
	Enter parenthetical qualifying information associated with the subordinate unit also in subfield ‡ b.
	797 1 United States. ‡ b President (1953-1961 : Eisenhower)
<pre>‡c Location of meeting</pre>	Place name or a name of an institution where a meeting was held. Use a single subfield <i>‡c</i> for multiple adjacent locations.
	797 2 Labour Party (Great Britain). ‡b Conference ‡n (71st : ‡c Blackpool, Lancashire, England)
‡d Date of meeting or	The date a meeting was held or date a treaty was signed.
treaty signing	797 1 United States. ‡b Congress ‡n (87th, 2nd session : ‡d 1962)
‡e Relator term	A designation of function that describes the relationship between a name and a work (e.g., defendants). Put multiple relator terms in separate subfields.
	797 2 Eastman Kodak Company, ‡e defendant-appellant.
	Relator codes, which also specify a relationship of a corporate body to a work, are contained in subfield \$\$4.
‡f Date of work	The date of publication used with a title of a work in a name/title field. A date added parenthetically to a title to distinguish between identical titles entered under the same name is not entered in a separate subfield, except for scores or sound recordings. See subfield ‡n.
	797 1 France. ‡t Constitution (1946)
‡g Miscellaneous information	Data not identified in other subfields. Use for subelements that are not more appropriately contained in subfields <i>‡</i> c, <i>‡</i> d or <i>‡</i> n.
	797 1 Great Britain. ‡t Treaties, etc. ‡g Ireland, ‡d 1985 Nov. 15.
‡h Medium	A media qualifier used with a title of a work in a name/title field.
‡k Form subheading	Standardized phrases added to a heading to gather records for certain kinds of materials. Form subheadings include: <i>Manuscript</i> ; <i>Protocols</i> , etc.; <i>Selections</i> .
	797 2 Daughters of the American Revolution. ‡b Mary Clap Wooster Chapter (New Haven, Conn.). ‡k Charters and regulations.
‡I Language of a work	The name of the language or the term representing the language (e.g., Polyglot) of a work.
	797 2 Biblioteca apostolica Vaticana. ‡k Manuscript. ‡n Vat. Lat. 2710. ‡l English.
‡m Medium of performance for music	Terms designating the medium of performance used in a uniform title for a work in a name/title heading. Unlikely to be used in field 797.
‡n Number of part/ section/meeting	The number of a meeting that is entered under a corporate name. Use also for a number designation for a part/section of a work used with a title in a name/title field. Numbering is an indication of sequencing in any form (e.g., Book two, Part 1 or

	Supplement A). For music, use the opus, serial or thematic index number or a date used as a number in subfield ‡n.	
	797 2 Corpus Christi College (University of Cambridge). ‡b Library ‡k Manuscript. ‡n 1957.	
	Enter multiple numberings for a part/section separated by a comma (usually alternative numberings) in a single subfield ‡n. Enter multiple numberings for a part/section separated by a period (usually numberings of subparts) in separate subfield ‡n's	
	797 1 United States. ‡b Congress ‡n (87th, 2nd session : ‡d 1962)	
‡o Arranged statement for music	The abbreviation <i>arr</i> . used in a uniform title for a work in a name/title field. Unlikely to be used in field 797.	
<pre>‡p Name of part/ section of a work</pre>	A name designation of a part/section of a work. Use also for a name designation following the form subdivision <i>Manuscript</i> .	
	797 2 United States Strategic Bombing Survey. ‡t Reports. ‡p Pacific war ‡p Indexes.	
‡r Key for music	The statement of key in which the music is written used in a uniform title for a work in a name/title field. Unlikely to be used in field 797.	
‡s Version	The version, edition, etc., information used with a title of a work in a name/title field.	
t Title of a work	A uniform title, title page title of a work or series title used in a name/title field.	
	797 1 California. ‡b University. ‡t University of Los Angeles. ‡b Institute of Government and Public Affairs. ‡t MR.	
‡u Affiliation	The affiliation or address of the name in subfield ‡a.	
	797 2 Industrial Environmental Research Laboratory. ‡u Research Triangle Park, N.C.	
‡x International Standard Serial	The International Standard Serial Number (ISSN) for a serial title given in the title portion of a name/title field. The ISSN is an agency-assigned data element.	
Number	The print program provides <i>ISSN</i> before the number in printed series statements. The ISSN does not print in the series tracing or added entry.	
‡3 Materials specified	The part of the described materials to which the field applies.	
‡4 Relator code	A three-character code that indicates the relationship of the entry to the item. More than one relator code may be used if the corporate name has more than one function. The code is given after the name portion in name/title fields. Put multiple relator codes in separate subfields. See <i>MARC Code Lists for Relators, Sources, Descriptive Conventions</i> (http://www.loc.gov/marc/relators/relahome.html).	
	797 1 United States. <i>‡b</i> Energy Research and Development Administration.<i>‡4</i> fnd	
	Relator terms, which also specify a relationship of a corporate body to a work, are contained in subfield ‡e.	
‡5 Institution to which field applies	A code of the institution or organization that holds the copy to which the field applies. Use for notes that do not apply to the universal description of the item. See	

	MARC Code List for Organizations (http://www.loc.gov/marc/organizations/ orgshome.html) or Symbols and Interlibrary Loan Policies in Canada (http:// www.nlc-bnc.ca/6/16/s16-202-e.html).	
	797 2 Bridgewater Library, ‡e former owner. ‡5 NjP	
‡9 Special entry	This subfield is user defined.	
Printing	Field 797 prints as a heading and tracing. Subfields $\pm u$, $\pm x$, ± 3 , ± 4 and ± 5 do not print. In the tracing paragraph, the print program supplies consecutive Roman numerals for added entry tracings.	

Inp	ut Standards		
Opti	Optional/Optional		
1st	1st Indicator Type of meeting name entry element		
0	Inverted name		
1	Jurisdiction name		
2	Name in direct order		
2nd	Indicator Type of added entry		
Ø	No information provided		
2	Analytical entry		
Sub	ofields (R=Repeatable NR=Nonrepeatable)	Input Standards	
‡a	Meeting name or jurisdiction name as entry element (NR)	Mandatory/Mandatory	
‡c	Location of meeting (NR)	Optional/Optional	
‡d	Date of meeting (R)	Optional/Optional	
‡e	Subordinate unit (R)	Optional/Optional	
‡f	Date of a work (NR)	Optional/Optional	
‡g	Miscellaneous information (NR)	Optional/Optional	
‡h	Medium (NR)	Optional/Optional	
‡k	Form subheading (R)	Optional/Optional	
‡l	Language of a work (NR)	Optional /Optional	
‡n	Number of part/section/meeting (R)	Optional/Optional	
‡p	Name of part/section of a work (R)	Optional/Optional	
‡q	Name of meeting following jurisdiction name entry element (NR)	Optional. Pre-AACR2 only/Optional. Pre- AACR2 only	
‡s	Version (NR)	Optional/Optional	
‡t	Title of a work (NR)	Optional/Optional	
‡u	Affiliation (NR)	Optional/Optional	
‡x	International Standard Serial Number (NR)	Optional/Optional	
‡ 3	Materials specified (NR)	Optional/Optional	
‡ 4	Relator code (R)	Optional/Optional	
‡ 5	Institution to which field applies (NR)	Optional/Optional	
‡ 9	Special entry (NR)	Optional/Optional	
DefinitionNonstandard meeting name added entries. Use for added entries not supported by cataloging rules (e.g., donor or gift information or variant form). Enter information			

Demition	 cataloging rules (e.g., donor or gift information or variant form). Enter information in field 798 as you would in field 711 (Added Entry–Meeting Name). Note: Alternatively, you may also use field 792 (Local Added Entry–Meeting Name). Follow local practice.
Master record retention	Field 798 is not retained in the master record. However, it is retained in archive records, institution records, exported records, and OCLC-MARC records.
1st Indicator	Type of meeting name entry element. The form of name. These values could be used to facilitate card filing arrangements. However, OCLC does not differentiate among forms of name for sorting cards.
	0 Inverted name. Pre-AACR2 headings in inverted order.
	798 0 Smith (David Nichol) Memorial Seminar

798 0 Smith (David Nichol) Memorial Seminar.

	1 Jurisdiction name. Pre-AACR2 headings for a conference name entered under ecclesiastical entities or the jurisdiction names under which you enter a corporate name, a city section or a title of a work.
	798 1 Chicago. ‡q Cartography Conference.
	2 Name in direct order. Conference names entered in direct order. These headings may also have a parenthetical qualifier or may be an acronym or initialism.
	798 2 Festival of Britain.
2nd Indicator	Type of added entry. The type of added entry. The values distinguish between no information provided and an analytical entry. These indicators could be used to facilitate card filing arrangements. However, OCLC does not differentiate among types of added entries for sorting cards.
	b No information provided. Either the added entry is not for an analytic or no information is provided as to whether the added entry is for an analytic.
	245 00 Neoplatonism and gnosticism / ‡c Richard T. Wallis, editor, Jay Bregman, associate editor.
	500 Papers presented at the 6th international conference of the International Society for Neoplatonic Studies, entitled International Conference on Neoplatonism and Gnosticism, held at University of Oklahoma, Mar. 18-21, 1984.
	 798 2 International Conference on Neoplatonism and Gnosticism ‡d (1984 : ‡c University of Oklahoma)
	2 Analytical entry. The item contains the work that is represented by the added entry.
	 245 22 International bilateral dialogues : \$\$\$\$ 1965-1991 : list of commissions, meetings, themes, and reports / \$\$\$\$\$\$\$\$ compiled by Günther Gassman. Report / Fifth Forum on Bilateral Conversations. 708 22 Forum on Bilateral Conversations \$
	798 22 Forum on Bilateral Conversations ‡n (5th : ‡d 1990 : ‡c Budapest, Hungary). ‡t Report. ‡f 1991.
Subfields	
‡a Meeting name or jurisdiction name as entry element	Name of a meeting or a jurisdiction name under which a meeting is entered. Enter parenthetical qualifying information in subfield ‡a. Enter parenthetical qualifying information in parenthesis in subfield ‡a.
	798 2 Expo 67 ‡c (Montréal, Qu'ebec)
<pre>‡c Location of meeting</pre>	Place name or a name of an institution where a meeting was held. Use a single subfield <i>‡c</i> for multiple adjacent locations.
	798 2 Festival of Britain ‡d (1951 : ‡c London, England)
td Date of meeting	The date a meeting was held.
	798 2 Biennale di Venezia ‡n (36th : ‡d 1972)
te Subordinate unit	A name of a subordinate unit entered under a meeting name.
	798 2 Mostly Mozart Festival. ‡e Orchestra.

‡f Date of a work	The date of publication used with a title of a work in a name/title field. Do not use subfield ‡f for dates added parenthetically to a meeting to distinguish between identical names.	
	798 2 International Symposium on Quality Control (1974-)	
‡g Miscellaneous	Data not identified in other subfields.	
information	 798 2 National Conference on Physical Measurement of the Disabled, ‡n 2nd, ‡c Mayo Clinic ‡d 1981, ‡g Projected, not held. 	
‡h Medium	A media qualifier used with a title of a work in a name/title field.	
‡k Form subheading	A form subheading used with a title of a work in a name/title field. The term <i>Selections</i> is a form subheading used with meeting names.	
	798 2 Council of Trent, ‡n 2nd, ‡d (1545-1563). ‡t Canones et decreta. ‡l English. ‡k Selections. ‡f 1962.	
‡I Language of a work	The name of the language or the term representing the language (e.g., Polyglot) of a work.	
	798 2 Governor's Conference on Aging (N.Y.) ‡l English.	
‡n Number of part/ section/meeting	The number of a meeting. Also the number designation for a part/section of a work. Numbering is an indication of sequencing in any form (e.g., Book two, Part 1 or Supplement A).	
	798 2 Asian Games ‡n (9th : ‡d 1982 : ‡c Delhi, India)	
tp Name of part/	A name designation of a part/section of a work in a name/title field.	
section of a work	798 2 International Conference on Gnosticism \$\$\pm\$d (1978 : \$\$\pm\$c New Haven, Conn.). \$\$\pm\$t Rediscovery of Gnosticism. \$\$\pm\$p Modern writers.	
‡q Name of meeting following jurisdiction name entry element	The meeting name entered under a jurisdiction name contained in subfield ‡a. Pre-AACR2 headings only.	
ts Version	The version, edition, etc., information added to a title of a work in a name/title field. Unlikely to be used in field 798.	
‡t Title of a work	A uniform title, a title page title of a work or a series title used in a name/title field	
	798 2 Vatican Council ‡n (2nd : ‡d 1962-1965). ‡t Decretum de presbyterorum ministerio et vita.	
tu Affiliation	The affiliation or address of the name in subfield ‡a.	
‡x International Standard Serial	The International Standard Serial Number (ISSN) for a serial title given in the title portion of a name/title field. The ISSN is an agency-assigned data element.	
Number	The print program provides <i>ISSN</i> before the number in printed series statements. The ISSN does not print in the series tracing or added entry.	
‡3 Materials specified	The part of the described materials to which the field applies.	
‡4 Relator code	A three-character code that indicates the relationship of the name to a work. The code is given after the name portion in name/title fields. Put multiple relator codes in separate subfields. See <i>MARC Code Lists for Relators, Sources, Descriptive Conventions</i> (http://www.loc.gov/marc/relators/relahome.html).	
	798 2 Festivals Debussy. ‡e Grand orchestre. ‡4 prf	

‡5 Institution to which field applies	A code of the institution or organization that holds the copy to which the field applies. Use for notes that do not apply to the universal description of the item. See <i>MARC Code List for Organizations</i> (http://www.loc.gov/marc/organizations/ orgshome.html) or <i>Symbols and Interlibrary Loan Policies in Canada</i> (http:// www.nlc-bnc.ca/6/16/s16-202-e.html).	
	798 2 International Conference on Cataloguing Principles ‡d (1961 : ‡c Paris, France). ‡e Organizing Committee. ‡5 NjP	
±9 Special entry	This subfield is user defined.	
Printing	Field 798 prints as a heading and tracing. Subfields $\pm u$, $\pm x$, ± 3 , ± 4 and ± 5 do not print. In the tracing paragraph, the print program supplies consecutive Roman numerals for added entry tracings.	

Inp	ut Standards		
Opt	Optional/Optional		
1st	Indicator Nonfiling characters		
0	0 No nonfiling characters		
1-9	Number of nonfiling characters present		
2nc	Indicator Type of added entry		
Ø	No information provided		
2	Analytical entry		
Sul	ofields (R=Repeatable NR=Nonrepeatable)	Input Standards	
‡a	Uniform title (NR)	Mandatory/Mandatory	
‡d	Date of treaty signing (R)	Optional/Optional	
‡f	Date of a work (NR)	Optional/Optional	
‡g	Miscellaneous information (NR)	Optional/Optional	
‡h	Medium (NR)	Optional/Optional	
‡k	Form subheading (R)	Optional/Optional	
‡l	Language of a work (NR)	Optional/Optional	
‡m	Medium of performance for music (R)	Optional/Optional	
‡n	Number of part/section of a work (R)	Optional/Optional	
‡o	Arranged statement for music (NR)	Optional/Optional	
‡p	Name of part/section of a work (R)	Optional/Optional	
‡r	Key for music (NR)	Optional/Optional	
‡s	Version (NR)	Optional/Optional	
‡t	Title of a work (NR)	Optional/Optional	
‡x	International Standard Serial Number (NR)	Optional/Optional	
‡ 3	Materials specified (NR)	Optional/Optional	
‡ 5	Institution to which field applies (NR)	Optional/Optional	
<u></u> ‡9	Special entry (NR)	Optional/Optional	

Definition

Definition	Nonstandard uniform title added entries. Use for added entries not supported by cataloging rules (e.g., donor or gift information or variant form). Enter information in field 799 as you would in field 730 (Added Entry–Uniform Title). Note: Alternatively, you may also use field 793 (Local Added Entry–Uniform Title). Follow local practice.
Master record retention	Field 799 is not retained in the master record. However, it is retained in archive records, institution records, exported records, and OCLC-MARC records.
1st Indicator	Nonfiling characters. The number of character positions associated with a definite or indefinite article (e.g., An or The) at the beginning of a title and that are disregarded in sorting and filing processes.
	Current practice is to enter the title without articles and use 1st indicator value θ .
	0 No nonfiling characters. No initial article character positions are disregarded. Use value θ if the title does not begin with an article.
	799 0 Collection africaine.
	Diacritical marks or special characters at the beginning of a series statement field that does not begin with an initial article are not counted as nonfiling characters.

799 0 Ökonomische Studien ; ‡v Bd. 22.

	1-9 Number of nonfiling characters present. A field begins with a definite or indefinite article that is disregarded in sorting and filing processes. Enter the number of characters in the article, plus spaces, punctuation, diacritical marks and special characters that precede the first significant word.	
	Any diacritical mark or special character associated with the first filing character is not included in the count of nonfiling characters.	
2nd Indicator	Type of added entry. The type of added entry. The values distinguish between no information provided and an analytical entry. These indicators could be used to facilitate card filing arrangements. However, OCLC does not differentiate among types of added entries for sorting cards.	
	b No information provided. Either the added entry is not for an analytic or no information is provided as to whether the added entry is for an analytic.	
	 245 00 Chemical pricing patters : <i>t</i>b comparisons of annual high and low prices for 1,250 key chemicals and related process materials for the years of 1952 500 At head of title: Oil, paint and drug reporter. 799 0 Oil, paint and drug reporter. 	
	2 Analytical entry. The item contains the work that is represented by the added entry.	
	 100 1 Barwise, Jon. 245 14 The language of first-order logic : <i>‡</i>b including the Macintosh program Tarski's world 4.0 / <i>‡</i>c Jon Barwise and John Etchemendy. 799 02 Tarski's world. 	
Subfields		
‡a Uniform title	The uniform title. Enter parenthetical information added to make a title distinctive in subfield ‡a. Use subfield ‡d to record the date of signing added to a uniform title for a treaty.	
	799 0 Genesis (Anglo-Saxon poem)	
td Date of treaty	The date of signing for a treaty or other intergovernmental agreement.	
signing	799 0 Treaty of Utrecht ‡d (1713)	
‡f Date of a work	The date of publication used with a title of a work.	
	799 0 Bible. ‡l English. ‡s Anchor Bible. ‡f 1964.	
‡g Miscellaneous	Data not identified in other subfields.	
information	799 0 Bible. ‡g Manuscripts, Latin. ‡p N.T. ‡p Gospels (Lindisfarne gospels)	
‡h Medium	A media qualifier used with a title of a work in a name/title field.	
‡k Form subheading	Standardized phrases added to a heading to gather records for certain kinds of materials. Form subheadings include: <i>Manuscript</i> ; <i>Protocols, etc.</i> ; <i>Selections</i> .	
	799 0 Bible. ‡p O.T. ‡p Five Scrolls. ‡l Hebrew. ‡s Biblioteca apostolica vaticana. ‡k Manuscript. ‡n Urbiniti Hebraicus 1.	
‡I Language of a work	The name of the language or the term representing the language (e.g., Polyglot) of a work.	
	799 0 Lord's prayer. ‡l Polyglot.	

799 Local Added Entry–Uniform Title (R) (cont.)

‡m Medium of performance for music	Terms designating the medium of performance.
	799 0 Concertos, ‡m violin, string orchestra.
	[Uniform title heading is used for a work of unknown authorship.]
‡n Number of part/ section of a work	The number designation for a part/section of a work. Numbering is defined as an indication of sequencing in any form (e.g., Book two, Part 1 or Supplement A). Separate multiple numberings with a comma.
	799 0 Notenbüchlein für Anna Magdalena Bach ‡n (1725)
‡o Arranged statement for music	The abbreviation arr. used in a uniform title field.
	799 0 God save the king; ‡o arr. ‡f 1982.
<pre>‡p Name of part/ section of a work</pre>	A name designation of a part/section of a work.
	799 0 Bible. ‡p O.T. ‡l Hebrew. ‡f 1990
‡r Key for music	The statement of key in which the music is written.
	799 0 Concertos, ‡m violin, string orchestra, ‡r D major.
‡s Version	The versions, edition, etc., information.
	799 0 Bible. ‡l English. ‡s Roche. ‡k Selections. ‡f 1990.
t Title of a work	The title page title of a work. Unlikely to be used in field 799
‡x International Standard Serial Number	The International Standard Serial Number (ISSN) for a serial title given in the title portion of a name/title field. The ISSN is an agency-assigned data element.
	The print program provides <i>ISSN</i> before the number in printed series statements. The ISSN does not print in the series tracing or added entry.
‡3 Materials specified	The part of the described materials to which the field applies.
‡5 Institution to which field applies	A code of the institution or organization that holds the copy to which the field applies. Use for notes that do not apply to the universal description of the item. See <i>MARC Code List for Organizations</i> (http://www.loc.gov/marc/organizations/ orgshome.html) or <i>Symbols and Interlibrary Loan Policies in Canada</i> (http:// www.nlc-bnc.ca/6/16/s16-202-e.html).
	799 0 Index librorum prohibitorum. ‡e fl570. ‡5 [MARC organization symbol]
‡9 Special entry	This subfield is user defined.
Printing	Field 799 prints as a heading and tracing. Subfields $\pm x$, ± 3 and ± 5 do not print. In the tracing paragraph, the print program supplies consecutive Roman numerals for added entry tracings.

7xx 700 710 711 720 730 740	Introduction 7:2 Added Entry–Personal Name 7:3 Added Entry–Corporate Name 7:9 Added Entry–Meeting Name 7:14 Added Entry–Uncontrolled Name 7:18 Added Entry–Uniform Title 7:20 Added Entry–Uncontrolled Related/Analytical Title 7:24
752	Added Entry-Hierarchical Place Name 7:27
753	System Details Access to Computer Files 7:29
754	Added Entry–Taxonomic Identification 7:30
76x-78x	Linking Entry Fields–Introduction 7:31
760	Main Series Entry 7:40
762	Subseries Entry 7:42
765	Original Language Entry 7:44
767	Translation Entry 7:46
770	Supplement/Special Issue Entry 7:48
772	Supplement Parent Entry 7:50
773	Host Item Entry 7:52
774	Constituent Unit Entry 7:54
775	Other Edition Entry 7:56
776	Additional Physical Form Entry 7:58
777	Issued With Entry 7:60
780 785	Preceding Entry 7:62
785 786	Succeeding Entry 7:66 Data Source Entry 7:70
787	Nonspecific Relationship Entry 7:72
790	Local Added Entry–Personal Name 7:74
790 791	Local Added Entry–Corporate Name 7:79
792	Local Added Entry–Meeting Name 7:84
793	Local Added Entry–Uniform Title 7:88
796	Local Added Entry–Personal Name 7:91
797	Local Added Entry–Corporate Name 7:97
798	Local Added Entry–Meeting Name 7:102
799	Local Added Entry–Uniform Title 7:106