

8xx Fields

Chapter Summary

8xx	Introduction	8:2
800	Series Added Entry–Personal Name	8:3
810	Series Added Entry–Corporate Name	8:5
811	Series Added Entry–Meeting Name	8:7
830	Series Added Entry–Uniform Title	8:9
84x-87x	Holdings Data Embedded in Bibliographic Records General Information	8:12
850	Holding Institution	8:13
851	Physical Location	8:14
852	Location	8:16
856	Electronic Location and Access	8:22
886	Foreign MARC Information Field	8:30
887	Non-MARC Information Field	8:32
891	Publication Pattern Data	8:33
896	Local Series Added Entry–Personal Name	8:38
897	Local Series Added Entry–Corporate Name	8:40
898	Local Series Added Entry–Meeting Name	8:42
899	Local Series Added Entry–Uniform Title	8:44

8xx Introduction

8xx fields

Use fields 800–830 for series added entries when the series added entry differs from the series statement or when the series statement is in a note. Use fields 800, 810 and 811 for series added entries in name/title form.

Use field 830 for series added entries in title form. See “4xx Introduction” for information on printing series information.

When adding a heading that is nonstandard and meaningful only for your institution, use the fields below, which are retained in institution records, but not in master records.

- 896 Local Series Added Entry–Personal Name (R)
- 897 Local Series Added Entry–Corporate Name (R)
- 898 Local Series Added Entry–Meeting Name (R)
- 899 Local Series Added Entry–Uniform Title (R)

Obsolete 4xx fields

Fields 400, 410, and 411 are obsolete. OCLC has run a database scan to convert them. Records containing these fields fail validation. You may find these fields in local systems in records used prior to this change.

Current cataloging

If you are inputting current cataloging, construct entries according to *Anglo-American Cataloguing Rules*, second edition (AACR2) and Library of Congress (LC) practice. Search the OCLC Authority File to verify forms of entry.

Use current LC-AACR2 or AACR2-compatible forms of names and uniform titles. If the current LC-AACR2 or AACR2-compatible form is unknown, construct the heading according to AACR2 and the *Library of Congress Rule Interpretations* (LCRIs).

Retrospective cataloging

If you are inputting retrospective cataloging, search the OCLC Authority File to verify forms of entry.

Use current LC-AACR2 or AACR2-compatible forms of names and uniform titles. If the current LC-AACR2 or AACR2-compatible form is unknown, you may enter the pre-AACR2 form, but you are encouraged to construct the heading according to AACR2 and the LCRIs.

See section 2.2, “Transcribing Pre-AACR2 Copy,” for more information.

800 Series Added Entry–Personal Name (R)

Input Standards

Required if applicable/Optional

1st Indicator Type of personal name entry element

- 0 Forename
- 1 Surname
- 3 Family name

2nd Indicator Undefined

- ▯ Undefined

Subfields (R=Repeatable NR=Nonrepeatable)

- ‡a Personal name (NR)
- ‡b Numeration (NR)
- ‡c Titles and other words associated with a name (R)
- ‡d Dates associated with a name (NR)
- ‡e Relator term (R)
- ‡f Date of a work (NR)
- ‡g Miscellaneous information (NR)
- ‡h Medium (NR)
- ‡j Attribution qualifier (R)
- ‡k Form subheading (R)
- ‡l Language of a work (NR)
- ‡m Medium of performance for music (R)
- ‡n Number of part/section of a work (R)
- ‡o Arranged statement for music (NR)
- ‡p Name of part/section of a work (R)
- ‡q Fuller form of name (NR)
- ‡r Key for music (NR)
- ‡s Version (NR)
- ‡t Title of a work (NR)
- ‡u Affiliation (NR)
- ‡v Volume/sequential designation (NR)
- ‡4 Relator code (R)

Input Standards

- Mandatory/Mandatory
- Required if applicable/Required if applicable
- Required if applicable/Required if applicable
- Required if applicable/Required if applicable
- Optional/Optional
- Required if applicable/Required if applicable
- Required if applicable/Required if applicable
- Do not use/Do not use
- Optional/Optional
- Required if applicable/Required if applicable
- Required if applicable/Required if applicable
- Required if applicable/Required if applicable
- Required if applicable/Required if applicable
- Required if applicable/Required if applicable
- Required if applicable/Required if applicable
- Required if applicable/Required if applicable
- Mandatory/Mandatory
- Optional/Optional
- Required if applicable/Required if applicable
- Optional/Optional

Definition

A name/title series added entry in which the author portion is a personal name. Use when the added entry form of a series is different from that in the corresponding series statement. Field 800 is usually justified by a series statement (field 490) or a general note (field 500) relating to the series. For reproductions, it may be justified by a series statement in field 533 (Reproduction Note), subfield ‡f. Use for the following types of personal names:

- Names of persons capable of authorship
- Phrases having the structure of forenames or surnames. Use this type of entry if a phrase characterizes an author and is the only clue to the author's identity
- Names of families

See the Input Standards table for a list of indicator values and subfields and field 100 for instructions and additional examples.

Examples

800 1 Armstrong, Louis, ‡d 1900-1971. ‡4 prf ‡t Louie Armstrong (Universal City Studios) ; ‡v 6.

800 Series Added Entry–Personal Name (R) (cont.)

- 800 1 Bach, Johann Sebastian, ‡d 1685-1750. ‡t Sonaten und Partiten, ‡m violin, ‡n BWV 1001-1006 (Temerson).
- 800 1 Berenholtz, Jim, ‡d 1957- ‡t Teachings of the feathered serpent ; ‡v bk. 1.
- 800 1 Donaldson, Stephen R. ‡t Chronicles of Thomas Covenant, the Unbeliever ; ‡v bk. 1.
- 800 1 Joyce, James, ‡d 1882-1941. ‡t James Joyce archive.
- 800 1 McCaffrey, Anne. ‡t Dragonriders of Pern.
- 800 1 Poe, Edgar Allan, ‡d 1809-1849. ‡t Works. ‡l German. ‡f 1922. ‡s Rosl ; ‡v 1. Bd.
- 800 1 Shakespeare, William, ‡d 1564-1616. ‡t Works. ‡f 1984. ‡s Cambridge University Press.
- 800 1 Sousa, John Philip, ‡d 1854-1932. ‡t Marches, ‡m band. ‡k Selections (Sousa American bicentennial collection) ; ‡v v. 1.

1st Indicator

Type of personal name entry element

0 Forename

1 Surname

3 Family name

2nd Indicator

Undefined

⚭ Undefined

Printing

Field 800 prints as a heading and tracing. Subfields ‡u and ‡4 do **not** print. See “4xx Introduction” for more information.

810 Series Added Entry—Corporate Name (R)

Input Standards

Required if applicable/Optional

1st Indicator Type of corporate name entry element

- 0 Inverted name
- 1 Jurisdiction name
- 2 Name in direct order

2nd Indicator Undefined

- Ⓝ Undefined

Subfields (R=Repeatable NR=Nonrepeatable)

- ‡a Corporate name or jurisdiction name as entry element (NR)
- ‡b Subordinate unit (R)
- ‡c Location of meeting (NR)
- ‡d Date of meeting or treaty signing (R)
- ‡e Relator term (R)
- ‡f Date of work (NR)
- ‡g Miscellaneous information (NR)
- ‡h Medium (NR)
- ‡k Form subheading (R)
- ‡l Language of a work (NR)
- ‡m Medium of performance for music (R)
- ‡n Number of part/section/meeting (R)
- ‡o Arranged statement for music (NR)
- ‡p Name of part/section of a work (R)
- ‡r Key for music (NR)
- ‡s Version (NR)
- ‡t Title of a work (NR)
- ‡u Affiliation (NR)
- ‡v Volume/sequential designation (NR)
- ‡4 Relator code (R)

Input Standards

- Mandatory/Mandatory
- Required if applicable/Required if applicable
- Required if applicable/Required if applicable
- Required if applicable/Required if applicable
- Optional/Optional
- Required if applicable/Required if applicable
- Required if applicable/Required if applicable
- Do not use/Do not use
- Required if applicable/Required if applicable
- Required if applicable /Required if applicable
- Required if applicable/Required if applicable
- Required if applicable/Required if applicable
- Required if applicable/Required if applicable
- Required if applicable/Required if applicable
- Mandatory/Mandatory
- Optional/Optional
- Required if applicable/Required if applicable
- Optional/Optional

Definition

A name/title series added entry in which the author portion is a corporate name. Use when the added entry form of a series is different from that in the corresponding series statement. An 810 field is usually justified by a series statement (field 490) or a general note (field 500) relating to the series. For reproductions, it may be justified by a series statement in field 533 (Reproduction Note), subfield ‡f.

Corporate names are the names of agencies, associations, businesses, firms, governments, institutions, nonprofit enterprises, performing groups, etc. Use for the following types of corporate names:

- Organized bodies entered directly under their own names
- Organized bodies entered under names of political jurisdictions
- Political jurisdictions standing alone
- Special corporate names, such as names of abbeys, cathedrals, churches, denominations, monasteries, missions, musical groups, parishes, priories, programs, studies and vessels (e.g., Catholic Church, Dire Straits (Musical group), Monasterio Las Descalzas (Lima, Peru), New York Philharmonic, or Writers' Program)

810 Series Added Entry–Corporate Name (R) (cont.)

- Names of conferences, conventions, exhibitions, expeditions, festivals and meetings entered indirectly, that is, under the name of a corporate body (e.g., Labour Party (Great Britain). Conference)

See the Input Standards table for a list of indicator values and subfields and field 110 for instructions and additional examples.

Examples

810 1 United States. ‡b Dept. of the Army. ‡t Field manual.

810 2 Central Institute of Indian Languages. ‡t CIIL linguistic atlas series ; ‡v 1.

810 2 John Bartholomew and Son. ‡t Bartholomew world travel series ; ‡v 10.

1st Indicator

Type of corporate name entry element

0 Inverted name

1 Jurisdiction name

2 Name in direct order

2nd Indicator

Undefined

‡ Undefined

Printing

Field 810 prints as a heading and tracing. Subfields ‡u and ‡4 do **not** print. See “4xx Introduction” for more information.

811 Series Added Entry–Meeting Name (R)

Input Standards

Required if applicable/Optional

1st Indicator Type of meeting name entry element

- 0 Inverted name
- 1 Jurisdiction name
- 2 Name in direct order

2nd Indicator Undefined

- ⓑ Undefined

Subfields (R=Repeatable NR=Nonrepeatable)

- ‡a Meeting name or jurisdiction name as entry element (NR)
- ‡c Location of meeting (NR)
- ‡d Date of meeting (NR)
- ‡e Subordinate unit (R)
- ‡f Date of a work (NR)
- ‡g Miscellaneous information (NR)
- ‡h Medium (NR)
- ‡j Relator term (R)
- ‡k Form subheading (R)
- ‡l Language of a work (NR)
- ‡n Number of part/section/meeting (R)
- ‡p Name of part/section of a work (R)
- ‡q Name of meeting following jurisdiction name entry element (NR)
- ‡s Version (NR)
- ‡t Title of a work (NR)
- ‡u Affiliation (NR)
- ‡v Volume number/sequential designation (NR)
- ‡4 Relator code (R)

Input Standards

- Mandatory/Mandatory
- Required if applicable/Required if applicable
- Required if applicable/Required if applicable
- Required if applicable/Required if applicable
- Required if applicable/Required if applicable
- Required if applicable/Required if applicable
- Do not use/Do not use
- Optional/Optional
- Required if applicable/Required if applicable
- Required if applicable /Required if applicable
- Required if applicable/Required if applicable
- Required if applicable/Required if applicable
- Optional. Pre-AACR2 only/Optional. Pre-AACR2 only
- Required if applicable/Required if applicable
- Mandatory/Mandatory
- Optional/Optional
- Required if applicable/Required if applicable
- Optional/Optional

Definition

A name/title series added entry in which the author portion is a meeting or conference name. Use when the added entry form of a series is different from that in the corresponding series statement. An 811 field is usually justified by a series statement (field 490) or a general note (field 500) relating to the series. For reproductions, it may be justified by a series statement in field 533 (Reproduction Note), subfield ‡f. Series added entries for meetings entered subordinately to a corporate body are recorded in field 810.

Conference or meeting names are the names of athletic contests, conferences, exhibitions, expositions, festivals, meetings and scientific expeditions. See “4xx Introduction” for more information.

See the Input Standards table for a list of indicator values and subfields and field 111 for instructions and additional examples.

Examples

- 811 2 Conference of Latin Americanist Geographers. ‡t Publication series ; ‡v v. 1.
- 811 2 Delaware Symposium on Language Studies. ‡t Delaware symposia on language studies ; ‡v 4.

811 Series Added Entry–Meeting Name (R) (cont.)

811 2 International Congress of Nutrition ‡n (11th : ‡d 1978 : ‡c Rio de Janeiro, Brazil). ‡t Nutrition and food science ; ‡v v. 1.

811 2 Vatican Council ‡n (2nd : ‡d 1962–1965). ‡t Decretum de presbyterorum ministerio et vita.

1st Indicator

Type of meeting name entry element.

0 Inverted name

1 Jurisdiction name

2 Name in direct order

2nd Indicator

Undefined

‡ Undefined

Printing

Field 811 prints as a heading and tracing. Subfields ‡u and ‡4 do **not** print. See “4xx Introduction” for more information.

830 Series Added Entry–Uniform Title (R)

Input Standards

Required if applicable/Optional

1st Indicator Undefined

␣ Undefined

2nd Indicator Nonfiling characters

0 No nonfiling characters

1-9 Number of nonfiling characters present

Subfields (R=Repeatable NR=Nonrepeatable)

‡a Uniform title (NR)

‡d Date of treaty signing (R)

‡f Date of a work (NR)

‡g Miscellaneous information (NR)

‡h Medium (NR)

‡k Form subheading (R)

‡l Language of a work (NR)

‡m Medium of performance for music (R)

‡n Number of part/section of a work (R)

‡o Arranged statement for music (NR)

‡p Name of part/section of a work (R)

‡r Key for music (NR)

‡s Version (NR)

‡t Title of a work (NR)

‡v Volume number/sequential designation (NR)

Input Standards

Mandatory/Mandatory

Required if applicable/Required if applicable

Required if applicable/Required if applicable

Required if applicable/Required if applicable

Do not use/Do not use

Required if applicable/Required if applicable

Required if applicable/Required if applicable

Required if applicable/Required if applicable

Required if applicable/Required if applicable

Required if applicable/Required if applicable

Required if applicable/Required if applicable

Required if applicable/Required if applicable

Required if applicable/Required if applicable

Required if applicable/Required if applicable

Required if applicable/Required if applicable

Definition

A title series added entry in which the entry of the series is under a uniform title. Use when the added entry form of a series title is different from that in the corresponding series statement. An 830 field is usually justified by a series statement (field 490) or a general note (field 500) relating to the series. For reproductions, it may be justified by a series statement in field 533 (Reproduction Note), subfield ‡f. Use for the following types of uniform titles:

- Anonymous works
- Composite manuscripts or manuscript groups
- Concordats
- Names of journals and newspapers
- Radio and television programs
- Motion pictures and videorecordings
- Treaties and inter-governmental agreements

See “4xx Introduction” for more information.

1st Indicator

Undefined. The 1st indicator position is undefined and contains a blank (␣).

␣ Undefined

2nd Indicator

Nonfiling characters. The number of character positions associated with a definite or indefinite article (e.g., An or The) at the beginning of a title and that are disregarded in sorting and filing processes.

Current practice is to enter the title without articles and use 2nd indicator value 0.

830 Series Added Entry–Uniform Title (R) (cont.)

0 No nonfiling characters. No initial article character positions are disregarded. Use value 0 if the title does **not** begin with an article.

830 0 Collection africaine

Diacritical marks or special characters at the beginning of a series statement field that does **not** begin with an initial article are **not** counted as nonfiling characters.

830 0 Ökonomische Studien ; ‡v Bd. 22

1-9 Number of nonfiling characters present. A field begins with a definite or indefinite article that is disregarded in sorting and filing processes. Enter the number of characters in the article, plus spaces, punctuation, diacritical marks and special characters that precede the first significant word.

Any diacritical mark or special character associated with the first filing character is **not** included in the count of nonfiling characters.

Subfields

‡a Uniform title The uniform title. Enter parenthetical information added to make a title distinctive in subfield ‡a. Use subfield ‡d to record the date of signing added to a uniform title for a treaty.

830 0 Imago (Series)

‡d Date of treaty signing The date of signing for a treaty or other intergovernmental agreement.

830 0 Convention for the Protection of Human Rights and Fundamental Freedoms ‡d (1950). ‡k Protocols, etc., ‡d 1963 Sept. 16.

‡f Date of a work The date of publication used with a title of a work.

830 0 Bible. ‡l English. ‡s Anchor Bible. ‡f 1964.

‡g Miscellaneous information Data **not** identified in other subfields.

‡h Medium Do **not** use.

‡k Form subheading Standardized phrases added to a heading to gather records for certain kinds of materials. Form subheadings include: *Manuscript*; *Protocols*, etc.; *Selections*.

830 0 Koran. ‡l English. ‡k Selections.

‡l Language of a work The name of the language or the term representing the language (e.g., Polyglot) of a work.

830 0 Treaty on the Non-proliferation of Nuclear Weapons ‡d (1968). ‡l Spanish. ‡f 1977.

‡m Medium of performance for music Terms designating the medium of performance.

830 0 Concertos, ‡m violin, string orchestra.
[Uniform title heading is used for a work of unknown authorship.]

‡n Number of part/section of a work The number designation for a part/section of a work. Numbering is defined as an indication of sequencing in any form (e.g., Book two, Part 1 or Supplement A). Separate multiple numberings with a comma.

830 0 Denkmäler deutscher Tonkunst. ‡n 1. Folge (1957) ; ‡v Bd. 1.

830 Series Added Entry–Uniform Title (R) (cont.)

‡o Arranged statement for music	The abbreviation <i>arr.</i> used in a uniform title field. 830 0 God save the king; ‡o arr. ‡f 1982.
‡p Name of part/section of a work	A name designation of a part/section of a work. 830 0 Acta Universitatis Carolinae. ‡p Iuridica. ‡p Monographia.
‡r Key for music	The statement of key in which the music is written. 830 0 Concertos, ‡m violin, string orchestra, ‡r D major.
‡s Version	The versions, edition, etc., information. 830 0 Bible. ‡p N.T. ‡l Korean. ‡s Ross version.
‡t Title of a work	The title page title of a work. Unlikely to be used in field 830.
‡v Volume number/sequential designation	The volume number or other sequential designation used in conjunction with the series statement. 830 0 Serie Mariano Azvela ; ‡v 2.
Printing	Field 830 prints as a heading and tracing. See “4xx Introduction” for more information.

84x-87x Holdings Data Embedded in Bibliographic Records

General Information

84x–87x fields

841	Holdings Coded Data Values (NR)
843	Reproduction Note (R)
845	Terms Governing Use and Reproduction (R)
853	Captions and Pattern–Basic Bibliographic Unit (R)
854	Captions and Pattern–Supplementary Material (R)
855	Captions and Pattern–Indexes (R)
863	Enumeration and Chronology–Basic Bibliographic Unit (R)
864	Enumeration and Chronology–Supplementary Material (R)
865	Enumeration and Chronology–Indexes (R)
866	Textual Holdings–Basic Bibliographic Unit (R)
867	Textual Holdings–Supplementary Material (R)
868	Textual Holdings–Indexes (R)
876	Item Information–Basic Bibliographic Unit (R)
877	Item Information–Supplementary Material (R)
878	Item Information–Indexes (R)

Definition

Holdings data information embedded in the bibliographic record. The 84x–87x fields are holdings fields. Holdings data elements included in the bibliographic record are captions and patterns, enumeration and chronology, textual holdings and item information. The 84x–87x fields are just listed here. For full descriptions of these fields, see *MARC 21 Format for Holdings Data* (<http://www.loc.gov/marc/holdings/echdhome.html>). The holdings format should be consulted for field descriptions and information concerning the inclusion of fields 841–845, 853–855, 863–868 and 876–878.

Note: OCLC is **not** defining fields 842 (Textual Physical Form Designator) and 844 (Name of Unit) because they cannot be embedded in bibliographic records.

Guidelines

Field 852 does **not** remain in the master record. It is retained in archive records, institution records, exported records and OCLC-MARC records.

Do **not** input holdings data in these fields without first consulting your local system administrator. Detailed holdings information can also be entered in local holdings records. Information about local holdings records can be found on the Local Holdings Maintenance documentation page (<http://www.oclc.org/support/documentation/localholdings/default.htm>).

Printing

The 84x–87x field block does **not** print.

850 Holding Institution (R)

Input Standards

LC and CONSER use only/LC and CONSER use only

1st Indicator Undefined

␣ Undefined

2nd Indicator Undefined

␣ Undefined

Subfields (R=Repeatable NR=Nonrepeatable)

‡a Holding institution (R)

Input Standards

Mandatory/Mandatory

Definition The MARC code or the name of the institution holding an item.

1st Indicator **Undefined.** The 1st indicator position is undefined and contains a blank (␣).

␣ **Undefined**

2nd Indicator **Undefined.** The 2nd indicator position is undefined and contains a blank (␣).

␣ **Undefined**

Subfields

‡a Holding institution The MARC code or the name of the institution holding an item. For U.S. institutions, the source is the *MARC Code List for Organizations* (<http://www.loc.gov/marc/organizations/orgshome.html>). For Canadian institutions, the codes are formulated by adding the prefix *Ca* to codes found in *Symbols and Interlibrary Loan Policies in Canada* (<http://www.nlc-bnc.ca/6/16/s16-202-e.html>).

850 AAP ‡a CU ‡a DLC ‡a MiU

Printing Field 850 does **not** print.

851 Physical Location (R)

Input Standards

Optional/Optional

1st Indicator Undefined

↳ Undefined

2nd Indicator Undefined

↳ Undefined

Subfields (R=Repeatable NR=Nonrepeatable)

‡a Name, custodian or owner (NR)

‡b Institutional division (NR)

‡c Street address (NR)

‡d Country (NR)

‡e Location of units (NR)

‡f Item number (NR)

‡g Repository location code (NR)

‡3 Materials specified (NR)

Input Standards

Mandatory/Mandatory

Mandatory/Mandatory

Optional/Optional

Optional/Optional

Optional/Optional

Optional/Optional

Optional/Optional

Optional/Optional

Definition

This field contains detailed information on the location of the holdings. In contrast to field 850, field 851 allows the recording of the full name and address of the holding institution and specific data about the exact location of the item.

The custodian and the owner of a work are usually the same and are recorded in field 851 for these kinds of items:

- Original or historical graphic material
- Three-dimensional artifacts
- Naturally occurring objects

When an item is not at the owner's address, the name of the current custodian is recorded in subfield ‡a and the owner's name and address are recorded in field 561. If a work was originally commissioned/installed at one site but was subsequently moved to another location, the name of the present site is recorded in subfield ‡b and the name of the original site is recorded in field 561.

1st Indicator

Undefined.

↳ **Undefined**

2nd Indicator

Undefined.

↳ **Undefined**

Subfields

‡a Name, custodian or owner

The name of the person or corporation with whom the item is currently located, frequently the owner. When the item is not located at the owner's address, the name of the current custodian is recorded in subfield ‡a and the owner's name is recorded in field 561.

851 National Archives and Records Service ‡b Genealogical Research
Recording ‡c Pennsylvania Ave. at 8th St., N.W., Washington, DC ‡d
USA ‡g dcu

‡b Institutional division

The name of the institutional division, or a subordinate unit where the item is currently located. If an item was originally commissioned/installed at one site but

851 Physical Location (R) (cont.)

was subsequently moved to another location, the name of the current site is recorded in this subfield; the name of the original site is recorded in field 561.

851 National Geographic Society ‡b Personnel Dept. ‡c 17th and M St., N.W., Washington, DC ‡d USA

‡c Street address The street address of the current location.

851 Smithsonian Institution ‡b National Museum of American Art ‡c 8th and G Streets, N.W., Washington, DC 20561 ‡d USA ‡g dcu

‡d Country The name of the country of the current location.

851 National Gallery of Art ‡c 6th and Constitution Avenues, N.W., Washington, DC 20565 ‡d USA

‡e Location of units The specific location of the item.

‡f Item number The item number, if any.

851 Library of Congress ‡b Manuscript Division ‡c James Madison Building, 1st and Independence Ave. S.E., Washington, DC ‡d USA ‡g dcu ‡f 4016

‡g Repository location code The two or three character code for the country, Canadian province, or US state of the repository holding the originals or duplicates of the material. See *MARC Code List for Countries* (<http://www.loc.gov/marc/countries/cntrhome.html>).

851 Library of Congress ‡b Manuscript Division ‡c James Madison Building, 1st and Independence Ave. S.E., Washington, DC ‡d USA ‡g dcu

‡3 Materials specified The part of the described materials to which the field applies.

851 ‡3 Correspondence ‡a Jefferson County Historical Society ‡b Manuscript Division

Printing Field 851 does **not** print.

852 Location (R) (cont.)

Field 852 does **not** remain in the master record. It is retained in archive records, institution records, exported records and OCLC-MARC records.

1st Indicator

Shelving scheme. The scheme used to shelve a bibliographic item in the collections of the reporting organization.

Ⓛ No information provided. Shelving scheme information is **not** provided.

0 Library of Congress classification. The item is shelved by a Library of Congress classification number. Use subfield **‡h** to indicate this number. The source of this number is either *Library of Congress Classification* schedules or *LC Classification–Additions and Changes*.

1 Dewey Decimal classification. The item is shelved by a Dewey Decimal classification number. Use subfield **‡h** to indicate this number. The source of this number is *Dewey Decimal Classification and Relative Index*, the *Abridged Dewey Decimal Classification and Relative Index*, or the *DC&: Dewey Decimal Classification Additions, Notes and Decisions*.

2 National Library of Medicine classification. The item is shelved by a U.S. National Library of Medicine classification number. Use subfield **‡h** to indicate this number. The source of this number is the *National Library of Medicine Classification* schedules QS–QZ and W or the *Library of Congress Classification* schedules used by the National Library of Medicine.

3 Superintendent of Documents classification. The item is shelved by a U.S. Superintendent of Documents classification number. Use subfield **‡h** to indicate this number. The source of this number is the U.S. Government Printing Office's *Superintendent of Documents Classification System*.

4 Shelving control number. The item is shelved by a shelving control number (subfield **‡j**).

5 Title. The item is shelved by a title (subfield **‡l**).

6 Shelved separately. The part of the item is shelved separately because the parts are classed separately.

7 Source specified in subfield **‡2.** The item is shelved by a classification number in a scheme other than that specified by one of the other defined values and for which an identifying MARC code is given in subfield **‡2**. The source of the code is *MARC Code Lists for Relators, Sources, Descriptive Conventions* (<http://www.loc.gov/marc/relators/relahome.html>).

8 Other scheme. The shelving scheme is known, but is **not** specified.

2nd Indicator

Shelving order. The value that indicates whether an item is shelved under a primary or alternative numbering scheme. The distinction is necessary when an item carries two numbering schemes. The numbering scheme may be an alphabetical, numerical or chronological designation.

Ⓛ No information provided. The shelving order is **not** provided.

0 Not enumeration. The item is **not** shelved by enumeration.

1 Primary enumeration. The item is shelved by its primary enumeration. Use value *1* also when the item has only one numbering scheme.

2 Alternative enumeration. The item carries two numbering schemes and is shelved by the secondary scheme.

852 Location (R) (cont.)

Subfields

‡a Location

The MARC code of the holding institution or the name of the institution or person from which access is given. For U.S. institutions, the source of the code is *MARC Code List for Organizations* (<http://www.loc.gov/marc/organizations/orgshome.html>). For Canadian institutions, the codes are formulated by adding the prefix *Ca* to codes found in *Symbols and Interlibrary Loan Policies in Canada* (<http://www.nlc-bnc.ca/6/16/s16-202-e.html>).

A sublocation within an organization is contained in subfield ‡b. To differentiate between subfields ‡a and ‡b, use subfield ‡a for the name to be addressed in external communication and subfield ‡b for the name within the institution.

If the bibliographic item is physically located somewhere other than the location identified in subfield ‡a, use subfield ‡x or ‡z to identify the physical location. If the item is owned by an institution or individual other than the one identified in subfield ‡a, use subfield ‡x or ‡z or field 561 (Ownership and Custodial History) to identify the actual owner.

852 CLU

‡b Sublocation or collection

The name of the organizational division of the organization identified in subfield ‡a or the name of the collection in which the item is located or from which it is available. Use a full name or a standardized abbreviated or coded form.

Repeat subfield ‡b to indicate the organizational hierarchy of the sublocation. Repeat field 852 for each sublocation when multiple copies of an item having the same call number are housed in various sublocations or when parts of a copy are split among several locations.

852 0 CaABA ‡b Manuscript Division

‡c Shelving location

The physical location of the item within the collection. Use also for the physical location within a sublocation (e.g., oversize shelving or reference alcove).

852 81 CaABA ‡b Main ‡c mezzanine stacks

‡e Address

The complete address and country information for the principal location identified in subfield ‡a. Subfield ‡e may be repeated to separate the parts of an address.

852 National Geographic Society ‡b Personnel Dept. ‡e 17th & M St., N.W., Washington, DC, USA

‡f Coded location qualifier

A two- or three-character code that identifies the specific issues of the item that are housed in a location different from that of the main holdings of the same item. A two-character code is composed of a Qualifier Type code and a Unit Type code. A three-character code is composed of a Qualifier Type code, the Number of Units and a Unit Type code. Use the following codes:

Qualifier Type		Number of Units	Unit Type			
			Time		<i>Part</i>	
p	Previous	1–9	w	Week(s)	e	Editions
l	Latest		m	Month(s)	i	Issues
			y	Year(s)	s	Supplement(s)

852 Location (R) (cont.)

The **Qualifier Type** identifies whether it is the latest or previous time or part unit that is housed in a different location. Use *p* to indicate that the previous, **not** including the current, time or part units is housed in a different location. Use *l* to indicate that the latest, including the current, time or part units is housed in a different location.

The **Number of Units** identifies the number of time or part units that are housed in a different location. When a number is **not** required to identify the specific units, the number of units may be omitted. If the number of time or parts units exceeds 9, use subfield \ddagger g.

The **Unit Type** identifies either the time or part unit that is housed in a different location.

If the location qualifier cannot be expressed in coded form, use \ddagger g.

852 01 DLC \ddagger b MRR Ref \ddagger f l2y

[The Library of Congress houses the item in its Serial Division area except for the latest two years which are in the Main Reading Room Reference collection.]

\ddagger g Noncoded location qualifier A textual description that identifies the specific units of an item that are housed in a location different from that of the main holdings of the same item when the location qualifier cannot be expressed in coded form in subfield \ddagger f.

852 81 CEDA-HA \ddagger b Ref \ddagger g holographic issue

[Only this special issue is housed in Reference.]

\ddagger h Classification part The classification part of the call number used as the shelving scheme for an item. Use subfield \ddagger i to identify a Cutter, date or term that is added to the classification to distinguish one item from any other item assigned the same classification. Use subfield \ddagger k to identify a call number prefix.

852 81 FrPALP \ddagger h Per \ddagger i REF

\ddagger i Item part A Cutter, date or term that is added to the classification recorded in subfield \ddagger h to distinguish one item from any other item assigned the same classification. Use subfield \ddagger m to identify a call number suffix.

852 01 CtY \ddagger b Main \ddagger h LB201 \ddagger i .M63

\ddagger j Shelving control number A shelving control number used as the shelving scheme for an item. The 1st indicator value is 4.

852 4 DLC \ddagger b MicRR \ddagger j Microfilm 82/528 MicRR

\ddagger k Call number prefix A term that precedes a call number. Use before subfields \ddagger h or \ddagger i.

852 81 ViBlbV \ddagger b Main Lib \ddagger b MRR \ddagger k Ref \ddagger h HF5531.A1 \ddagger i N4273

\ddagger l Shelving form of title The title used to shelve an item. The 1st indicator value is 5.

852 51 OCo \ddagger b 0108 \ddagger l NYT MAG

\ddagger m Call number suffix A term that follows a call number. Use after subfields \ddagger h or \ddagger i.

852 DLC \ddagger b c-G&M \ddagger h G3820 \ddagger i .H62 \ddagger m Vault

852 Location (R) (cont.)

- ‡n Country code** A two- or three-character MARC country code for the principal location identified in subfield ‡a. See *MARC Code List for Countries* (<http://www.loc.gov/marc/countries/cntrhome.html>).
- 852 National Archives and Records Service ‡b Genealogical Research Recording ‡e Pennsylvania Ave. at 8th St., N.W., Washington, D.C. USA ‡n dcu
- ‡p Piece designation** An identification of a single piece when the holdings information does **not** contain subfield ‡p in an 863–865 (Enumeration and Chronology) field. See 84x-87x Holdings Data Embedded in Bibliographic Records General Information. Use an accession number or a bar code number, for example, as identification.
- Use an uppercase *B* or *U* before the piece designation number to specify whether the piece is bound or unbound. When no piece designation exists, use a double slash (//) in subfield ‡p to indicate that the field relates to a piece.
- 852 81 CtY ‡h M ‡i S:55 ‡p1100064014 ‡x accession no.: 90/84370
- ‡q Piece physical condition** A description of any unusual characteristic of the physical condition of the piece when the holdings information does **not** contain subfield ‡q in an 863–865 (Enumeration and Chronology) field. See 84x-87x Holdings Data Embedded in Bibliographic Records General Information
- Do **not** use subfield ‡q for physical condition information resulting from a formal review for making preservation decisions. Use field 583 (Action Note).
- 852 Oco ‡b Main ‡c oversize shelving ‡q child's graffiti on end papers
- ‡s Copyright article-fee code** A copyright article-fee code.
- ‡t Copy number** A copy number or a range of copy numbers that have the same location and call number when the holdings information does **not** contain subfield ‡t in an 863–865 (Enumeration and Chronology) field. See 84x-87x Holdings Data Embedded in Bibliographic Records General Information
- 852 CSf ‡b Sci ‡t1
- ‡u Uniform Resource Identifier** The Uniform Resource Identifier (URI), for example a URL or URN, provides electronic access data in a standard syntax. The URI links to the repository that holds the item (regardless of whether the item is analog or digital). This information may also be recorded as an organization code or text in subfield ‡a (Location) and (if applicable) subfield ‡b (Sublocation). Repeat subfield ‡u if the digital object has multiple identifiers (URIs).
- Substituting hexadecimal notation for diacritics and special characters in Uniform Resource Identifiers.** When recording a URI in subfield ‡u, you may enter most of the spacing characters listed below as either characters or their hexadecimal equivalents. Consult the table below.
- Note:** Do not confuse the spacing characters listed below with their long-valid non-spacing counterparts. Use of the spacing characters will be limited almost exclusively to URLs.

852 Location (R) (cont.)

Entry method	Name	Character	Alternative entry (hex value)
Enter as character or hex value	Spacing circumflex/circumflex accent	^	%5E
	Spacing underscore/low line ¹	_	%5F
	Spacing grave/grave accent	`	%60
	Spacing tilde/tilde	~	%7E
Enter as hex value only	vertical bar	n/a	%7C

¹ Because the Spacing Underscore may cause problems with MARC output, users may prefer to continue entering it with the hexadecimal value %5F.

- ‡x Nonpublic note** A note pertaining to the location of the item that is in a form **not** adequate for public display.
852 MH ‡c Current issues in R.R. ‡x 1-54 on order in Mfiche
- ‡z Public note** A note pertaining to the location of the item that is in a form adequate for public display.
852 01 DLC ‡b Ser Div ‡h A123 ‡i .B456 ‡z Signed by author
- ‡2 Source of classification or shelving scheme** A MARC code that identifies the source from which the classification or shelving was assigned. Use when 1st indicator value is 7. The source of the MARC code is *MARC Code Lists for Relators, Sources, Descriptive Conventions* (<http://www.loc.gov/marc/relators/relahome.html>).
852 70 PBm ‡h PY F532.17/4 ‡2 padocs
- ‡3 Materials specified** The part of the described materials to which the field applies.
852 0 ‡3 Correspondence ‡a Jefferson County Historical Society ‡b Manuscript Division
- ‡8 Sequence number** Data that sequences related holdings records. See *MARC 21 Format for Holdings Data* (<http://www.loc.gov/marc/holdings/echdhome.html>).
- Printing** Field 852 does **not** print. Location information and call numbers recorded in field 852 do **not** affect printing. Use field 049 and fields 050–099 for data that you want to print on catalog cards.

856 Electronic Location and Access (R)

Input Standards

Optional/Optional

1st Indicator Access method

- ⌀ No information provided
- 0 E-mail
- 1 FTP
- 2 Remote login (Telnet)
- 3 Dial-up
- 4 HTTP (Hypertext Transfer Protocol)
- 7 Method specified in subfield ‡2

2nd Indicator Relationship

- ⌀ No information provided
- 0 Resource
- 1 Version of resource
- 2 Related resource
- 8 No display constant generated

Subfields (R=Repeatable NR=Nonrepeatable)

- ‡a Host name (R)
- ‡b Access number (R)
- ‡c Compression information (R)
- ‡d Path (R)
- ‡f Electronic name (R)
- ‡h Processor of request (R)
- ‡i Instruction (R)
- ‡j Bits per second (NR)
- ‡k Password (NR)
- ‡l Logon (NR)
- ‡m Contact for access assistance (R)
- ‡n Name of location of host (NR)
- ‡o Operating system (NR)
- ‡p Port (NR)
- ‡q Electronic format type (NR)
- ‡r Settings (NR)
- ‡s File size (R)
- ‡t Terminal emulation (R)
- ‡u Uniform Resource Identifier (R)
- ‡v Hours access method available (R)
- ‡w Record control number (R)
- ‡x Nonpublic note (R)
- ‡y Link text (R)
- ‡z Public note (R)
- ‡2 Access method (NR)
- ‡3 Materials specified (NR)

Input Standards

- Required if applicable/Required if applicable
- Required if applicable/Required if applicable
- Required if applicable/Required if applicable
- Required if applicable/Required if applicable
- Required if applicable/Required if applicable
- Required if applicable/Required if applicable
- Optional/Optional
- Required if applicable/Required if applicable
- Required if applicable/Required if applicable
- Required if applicable/Required if applicable
- Optional/Optional
- Required if applicable/Required if applicable
- Required if applicable/Required if applicable
- Required if applicable/Required if applicable
- Required if applicable/Required if applicable
- Optional/Optional
- Optional/Optional
- Optional/Optional
- Optional/Optional
- Required if applicable/Required if applicable
- Required if applicable/Required if applicable

Definition

The information required to locate and access an electronic item. Use field 856 in a bibliographic record for a resource when that resource or a subset of it is available electronically. In addition, use field 856 to locate and access an electronic version of

856 Electronic Location and Access (R) (cont.)

a non-electronic resource described in the bibliographic record or a related electronic resource.

Repeat field 856 when the location data elements vary (the URI in subfield \ddot{u} or subfields \ddot{a} , \ddot{b} and \ddot{d} , when used) and when more than one access method is used. Repeat field 856 also when different portions of the item are available electronically, mirror sites are recorded, different formats/resolutions with different URIs are indicated and related items are recorded.

1st Indicator

Access method. The access method to the electronic resource. If the resource is available by more than one access method, repeat the field with data appropriate to each method. The methods defined are the main TCP/IP (Transmission Control Protocol/Internet Protocol) protocols.

When recording a URI in subfield \ddot{u} , the value corresponds to the access method (URI scheme) which is also the first element in the URI string.

b No information provided. No information about the access method is provided.

0 E-mail. Access to the resource is through e-mail. Include information on subscribing to an electronic journal or electronic forum through software intended to be used by an e-mail system.

856 0 \ddot{u} mailto:ejap@phil.indiana.edu \ddot{i} ejap subscription

1 FTP. Access to the resource is through File Transfer Protocol (FTP).

856 1 \ddot{u} ftp://path.net/pub/docs/urn2urc.ps

2 Remote login (Telnet). Access to the resource is through remote login (Telnet). You may include information in the subfields to enable users to connect to the resource electronically. (This is equivalent to a URI telnet: scheme.)

856 2 \ddot{u} telnet://pucc.princeton.edu \ddot{n} Princeton University, Princeton, N.J.

3 Dial-up. Access to the electronic resource is through a conventional telephone line (dial up). Use subfields to record information that may enable the user to connect to the resource.

856 3 locis.loc.gov \ddot{b} 140.147.254.3 \ddot{m} lonline@loc.gov \ddot{t} 3270 \ddot{t} line mode (e.g., vt100) \ddot{v} M-F 6:00 a.m.-21:30 p.m. USA EST, Sat 8:30-17:00 USA EST, Sun. 13:00-17:00 USA EST

4 HTTP (Hypertext Transfer Protocol). Access to the electronic resource is through Hypertext Transfer Protocol.

856 40 \ddot{u} http://jefferson.village.virginia.edu/pmc/contents.all.htm

7 Method specified in subfield $\ddot{2}$. Access to the resource is through a method other than the defined values and for which an identifying code is given in subfield $\ddot{2}$.

856 7 $\ddot{3}$ b&w film copy neg. \ddot{d} dag \ddot{f} 3d01926 $\ddot{2}$ file

2nd Indicator

Relationship. The relationship between the electronic resource at the location identified in field 856 and the item described in the record as a whole. Use subfield $\ddot{3}$ to provide further information about the relationship if it is **not** a one-to-one relationship.

856 Electronic Location and Access (R) (cont.)

b No information provided. No information is provided about the relationship of the electronic resource to the bibliographic item described by the record.

0 Resource. The electronic location in field 856 is for the same resource described by the record as a whole. In this case, the item represented by the bibliographic record is an electronic resource. If the data in field 856 relates to a constituent unit of the resource represented by the record, use subfield $\#3$ to specify the portion(s) to which the field applies. The display constant *Electronic resource:* may be provided.

245 10 Proceedings of the Seminar on Cataloging Digital Documents,
October 12-14, 1994 $\#h$ [electronic resource] / $\#c$ University of
Virginia Library, Charlottesville, and the Library of Congress
856 40 $\#u$ <http://lcweb.loc.gov/catdir/semdigdocs/seminar.html>

1 Version of resource. The location in field 856 is for an electronic version of the resource described by the record. In this case, the item represented by the bibliographic record is **not** electronic, but an electronic version is available. If the data in field 856 relates to a constituent unit of the resource represented by the record, use subfield $\#3$ to specify the portion(s) to which the field applies. The display constant *Electronic version:* may be provided.

245 00 American quarterly.
856 41 $\#u$ http://muse.jhu.edu/journals/american_quarterly/

2 Related resource. The location in field 856 is for an electronic resource related to the bibliographic item described by the record. In this case, the item represented by the bibliographic record is **not** the electronic resource itself. Use subfield $\#3$ to further characterize the relationship between the electronic item identified in field 856 and the item represented by the bibliographic record as a whole. The display constant *Related electronic resource:* may be provided.

Limit use to electronic resources that have a specific bibliographic relationship to the resource described in the body of the record. This would include links to such resources as a finding aid for an archival collection or the Web site of a musical group on a bibliographic record for a sound recording. This would **not**, however, include Web sites that have merely a general subject relationship to the resource.

245 00 $\#k$ Papers, $\#f$ 1932-1970 $\#g$ (bulk 1932-1965)
856 42 $\#3$ Finding aid $\#u$ <http://lcweb2.loc.gov/ammem/ead/jackson.sgm>
245 10 White blood cells $\#h$ [sound recording] / $\#c$ the White Stripes.
856 42 $\#3$ Song lyrics $\#u$ <http://www.whitestripes.com/discs/wbc.html>

8 No display constant generated. The value that specifies that a display constant is **not** generated.

Subfields

$\#a$ Host name

The fully qualified domain (host name) of the electronic location. Repeat subfield $\#a$ if there is more than one address for the same host.

856 1 harvarda.harvard.edu $\#a$ harvarda.bitnet

$\#b$ Access number

The access number associated with a host. Use for Internet Protocol (IP) numeric address for an Internet resource. Use for a telephone number if access is through a telephone line (dial up). This data may change frequently and may be generated by

856 Electronic Location and Access (R) (cont.)

the system, rather than statically stored. Repeat subfield **#b** if all the other information in the field applies.

856 2 anthrax.micro.umn.edu **#b** 128.101.95.23

#c Compression information

The information about the compression of a file. If a specific program is required to decompress the file, it is noted here. Repeat subfield **#c** if two compression programs are used. Enter the latest compression first.

856 1 maine.maine.edu **#c** Must be decompressed with PKUNZIP **#f** resource.zip

#d Path

The directory and subdirectory names in which the file is stored. Use subfield **#f** for the file name itself. Use subfield **#d** for a surrogate path to the host in which complete and current access information is stored.

856 1 wuarchive.wustl.edu **#d** /aii/admin/CAT.games **#f** mac-qubic.22.hqx

#f Electronic name

The electronic name of a file as it exists in the directory/subdirectory indicated in subfield **#d** on the host identified in subfield **#a**. Repeat subfield **#f** if a single logical file has been divided into parts and stored under different names. In this case, the separate parts should constitute a single bibliographic item. In all other cases, for a file that may be retrieved under different filenames, use multiple occurrences of field 856, each with its corresponding electronic name in subfield **#f**.

856 1 wuarchive.wustl.edu **#d** mirrors/info-mac/util **#f** color-system-icons.hqx

File names may include wildcard characters (e.g., * or ?). Use subfield **#z** to explain how the files are named.

#h Processor of request

The user name or processor of the request. Use for the data that precedes the *at sign* (@) in the host address.

856 0 uicvm.bitnet **#f** AN2 **#h** Listserv

#i Instruction

The instruction or command needed for the remote host to process a request.

856 0 uccvma.bitnet **#f** IR-L **#h** Listserv **#i** subscribe

#j Bits per second

The lowest and highest number of *bits* (binary units) of data that can be transmitted per second when connected to a host.

The syntax for recording the number of bits per second (BPS) is as follows:
<Lowest BPS>-<Highest BPS>

- If only the lowest is given: <Lowest BPS>-
- If only the highest is given : -<Highest BPS>

856 0 **#b** 1-202-707-2316 **#j** 2400-9600 **#n** Library of Congress, Washington, DC **#o** UNIX **#r** E-7-1

#k Password

The password required to access the electronic resource. An FTP site may require the user to enter an Internet Protocol address or may require a specific password. Electronically accessed catalogs may also require a password. Use for general passwords, **not** for security passwords. Omit subfield **#k** if a system that requires a password will accept anything entered as valid. Use subfield **#z** for password instructions.

856 1 harvarda.harvard.edu **#k** guest

856 Electronic Location and Access (R) (cont.)

- ‡l Logon** The characters needed to connect (e.g., *logon* or *login*) to an electronic resource or FTP site. An account number required for login may also be indicated. For many general-use File Transfer Protocol servers, access is gained by entering the string *anonymous*. Use to record general-use logon strings which do **not** require special security. Do **not** use for security passwords.
- 856 1 umnvm.bitnet ‡l anonymous
- ‡m Contact for access assistance** The contact person at the host specified in subfield ‡a. For addresses relating to the content of the resource itself (i.e., the item represented by the title recorded in field 245) rather than access assistance, use field 270. Also use field 270, if the address data is the same.
- 856 2 gopac.berkeley.edu ‡m Roy Tennant
- ‡n Name of location of host** The conventional name of the location of the host in subfield ‡a, including its physical (geographic) location.
- 856 2 pucc.princeton.edu ‡n Princeton University, Princeton, N.J.
- ‡o Operating system** The operating system used by the host specified in subfield ‡a. Conventions for the path and filenames may be dependent on the operating system of the host. For the operating system of the resource itself (i.e., the item represented by the title recorded in field 245), use field 753 subfield ‡c.
- 856 1 seq1.loc.gov ‡d /pub/soviet.archive ‡f k1 famine.bkg ‡n Library of Congress, Washington, DC ‡o UNIX
- ‡p Port** The part of the address that contains the process or service in the host.
- 856 2 madlab.sprl.umich.edu ‡n University of Michigan Weather Underground ‡p 3000
- ‡q Electronic format type** The electronic format type which is the data representation of the resource, e.g., text/html, ASCII (*American National Standard Code for Information Interchange*), executable application, JPEG image or Postscript file. It provides information to allow people or machines to make decisions about the usability of the encoded data (e.g., the hardware or software required to display or to execute the data). The electronic format type also determines the file transfer mode or how the data is transferred through the network.
- Usually, a text file can be transferred as character data, which generally restricts the text to characters in the ASCII character set (i.e., the basic Latin alphabet, digits 0–9, most punctuation marks and a few special characters). Text files with characters outside the ASCII set or non-textual data (e.g., computer programs or images) must be transferred using another binary mode. Electronic format type may be taken from enumerated lists such as registered Internet Media Types (MIME types).
- 856 40 ‡u http://www.cdc.gov/ncidod/EID/eid.htm ‡q text/html
- ‡r Settings** The settings used for transferring data.
- **Parity:** the parity checking technique used. Parity values are:
 - O for odd
 - E for even
 - M for mark
 - S for space
 - N for none

856 Electronic Location and Access (R) (cont.)

- **Number Data Bits:** the number of bits per character.
- **Number Stop Bits:** the number of bits to signal the end of a byte.

The syntax is as follows: <Parity>-<Number Data Bits>-<Number Stop Bits>

- If only the parity is given, the other elements of settings and their related hyphens are omitted: <Parity>
- If one of the other two elements is given, the hyphen for the missing element is recorded in its proper position:
 - <Parity>-<Number Data Bits>-
 - <Parity>--<Number Stop Bits>

856 3 **‡b** 1-202-707-2316 **‡j** 2400-9600 **‡n** Library of Congress, Washington,
DC **‡o** UNIX **‡r** E-7-1 **‡t** vt100 **‡z** Requires logon and password

‡s File size

The size of the file stored under the file name indicated in subfield **‡f**. Size is generally expressed in terms of 8-bit bytes (octets). Repeat subfield **‡s** and place it after the subfield **‡f** to which it applies, if needed. Do **not** enter this information for electronic journals since the field relates to the entire title, **not** to a particular issue.

856 0 **‡f** keptvm.bitnet **‡f** acadlist file1 **‡s** 34,989 bytes **‡f** acadlist file2 **‡s** 32,876
bytes **‡f** acadlist file3 **‡s** 23,987 bytes

‡t Terminal emulation

The emulation supported to specify a remote login. Use with 1st indicator value 2.

856 2 **‡t** maine.maine.edu **‡n** University of Maine **‡t** 3270

‡u Uniform Resource Identifier

The Uniform Resource Identifier (URI), for example a URL or URN, provides electronic access data in a standard syntax. Use for automated access to an electronic item using one of the Internet protocols or by resolution of a URN. The structure of field 856 allows for the creation of a URI from the concatenation of the other 856 subfields. Use subfield **‡u** instead of those separate subfields or in addition to them. Repeat subfield if digital object has multiple identifiers (URIs).

856 1 **‡u** ftp://path.net/pub/docs/urn2urc.ps

Substituting hexadecimal notation for diacritics and special characters in Uniform Resource Identifiers. When recording a URI in subfield **‡u**, you may enter most of the spacing characters listed below as either characters or their hexadecimal equivalents. Consult the table below.

Note: Do not confuse the spacing characters listed below with their long-valid non-spacing counterparts. Use of the spacing characters will be limited almost exclusively to URLs.

856 Electronic Location and Access (R) (cont.)

Entry method	Name	Character	Alternative entry (hex value)
Enter as character or hex value	Spacing circumflex/circumflex accent	^	%5E
	Spacing underscore/low line ¹	_	%5F
	Spacing grave/grave accent	`	%60
	Spacing tilde/tilde	~	%7E
Enter as hex value only	vertical bar	n/a	%7C

¹ Because the Spacing Underscore may cause problems with MARC output, users may prefer to continue entering it with the hexadecimal value %5F.

‡v Hours access method available

The hours that access to the electronic resource indicated in field 856 is available. For systems and services, use field 307, **not** subfield ‡v.

856 2 pac.carl.org ‡b 192.54.81.128 ‡m CARL Situation Room ‡m help@CARL.org ‡n CARL Systems, Inc., Denver, CO ‡v 24 hours

‡w Record control number

The system control number of the related record. Precede the number with a MARC code for the agency to which the control number applies. Enclose the MARC agency code in parentheses. The data in subfield ‡w links field 856 to the MARC record having the same data in a control number field. See *MARC Code List for Organizations* (<http://www.loc.gov/marc/organizations/orgshome.html>) or *Symbols and Interlibrary Loan Policies in Canada* (<http://www.nlc-bnc.ca/6/16/s16-202-e.html>).

‡x Nonpublic note

A note pertaining to the electronic location of the source identified in the field that is in a form **not** adequate for public display. A nonpublic note may contain processing information about the file at the location specified.

856 1 wuarchive.wustl.edu ‡c decompress with PKUNZIP.exe ‡d /mirrors2/win3/games ‡f atmoids.zip ‡x cannot verify because of transfer difficulty

‡y Link text

The link text that is used for display in place of the URI in subfield ‡u. When subfield ‡y is present, applications should use the contents of subfield ‡y as the link, instead of the content of subfield ‡u when linking to the destination in subfield ‡u. Subfield ‡u is independent of the 2nd indicator value.

856 4 ‡u http://fdl.fcla.edu:80/cgi-bin/cgiwrap/fdl/fdlcgi/ZKVIEWFA0000011/file2.pdf ‡y Electronic resource (PDF)

‡z Public note

A note pertaining to the electronic location of the source identified in the field that is in a form adequate for public display.

856 4 ‡u http://www.ref.oclc.org:2000 ‡z Address for accessing the journal using authorization number and password through OCLC FirstSearch Electronic Collections Online. Subscription to online journal required for access to abstracts and full text

856 Electronic Location and Access (R) (cont.)

‡2 Access method The code defined for use with 1st indicator value 7. Use subfield ‡2 to record access methods other than the four main TCP/IP protocols specified in the 1st indicator.

The data in this subfield corresponds with the access schemes specified in *Uniform Resource Locators* (URL), a product of the Uniform Resource Identifiers Working Group of the IETF.

The Internet Assigned Numbers Authority (IANA) maintains a registry of URL schemes and defines the syntax and use of new schemes.

LC includes an authoritative list based on that standard in the *MARC Code Lists for Relators, Sources, Descriptive Conventions* (<http://www.loc.gov/marc/relators/relahome.html>).

856 70 ‡u gopher://gopher.lib.virginia.edu:70/00/alpha/bmcr ‡2 gopher

‡3 Materials specified The part of the described materials to which the field applies.

856 0 ‡3 Finding aid to the Edgar F. Kaiser papers ‡a gopher.berkeley.edu ‡b 128.224.55 ‡k guest ‡l anonymous ‡m Reference Services, The Bancroft Library, University of California, Berkeley, CA 94720, tel. 510-642-6481 ‡n The Library, University of California, Berkeley ‡o UNIX ‡p 70 ‡q binary ‡s 2,394,394,444 ‡x The finding aid to the Kaiser papers is currently under revision. ‡z For further information about shipbuilding files, contact The Bancroft Library Reference

Printing Field 856 does **not** print, but you can repeat the electronic location and access information in field 538 to print it on cards.

886 Foreign MARC Information Field (R)

Input Standards

LC use only and OCLC use only/LC use only and OCLC use only

1st Indicator Type of field

- 0 Leader
- 1 Variable control fields (001–00z)
- 2 Variable data field (010–999 or zzz)

2nd Indicator Undefined

␣ Undefined

Subfields (R=Repeatable NR=Nonrepeatable)

- ‡a Tag of the foreign MARC field (NR)
- ‡b Content of the foreign MARC field (NR)
- ‡c–z Foreign MARC subfield (R)
- ‡2 Source of data (NR)
- ‡0–1 Foreign MARC subfield (R)
- ‡3–9 Foreign MARC subfield (R)

Input Standards

LC use only and OCLC use only/LC use only and OCLC use only

LC use only and OCLC use only/LC use only and OCLC use only

LC use only and OCLC use only/LC use only and OCLC use only

LC use only and OCLC use only/LC use only and OCLC use only

LC use only and OCLC use only/LC use only and OCLC use only

LC use only and OCLC use only/LC use only and OCLC use only

Definition

Data from foreign MARC records for which there are no corresponding MARC 21 or OCLC-MARC fields. LC and OCLC use field 886 when converting data from foreign MARC records into MARC 21 or OCLC-MARC formats when it is desirable to retain data for which there is no corresponding field or which cannot be accommodated in MARC 21 or OCLC-MARC formats for some other reason.

1st Indicator

Type of field. The type of foreign MARC field from which the data is converted.

0 Leader. Information from the foreign MARC Leader

1 Variable control fields (001–00z). Information from a foreign MARC variable control field.

2 Variable data field (010–999 or zzz). Information from a foreign MARC variable data field.

2nd Indicator

Undefined. The 2nd indicator position is undefined and contains a blank (␣).

␣ Undefined

Subfields

‡a Tag of the foreign MARC field

The 3-character tag number (001–999 or zzz) from the foreign record. Subfield ‡a must be the second subfield in the field, immediately after subfield ‡2 and before subfield ‡b. If the 1st indicator value is 0, then subfield ‡a is **not** present.

886 2 ‡2 unimrur ‡a 709 ‡b1␣ ‡a Napalkov (Litvak), Vladimir Nikolaevich: sm.

‡b Content of the foreign MARC field

Either the 24 characters of the leader, the entire content of the foreign MARC control field (001–00z) or the entire content (indicators, subfield codes and data) of the foreign MARC data fields (010–999 or zzz).

886 1 ‡2 intermrc ‡a 004 ‡b 10000a90001
[Field 004 (Corrected Fields) for INTERMARC record.]

886 Foreign MARC Information Field (R) (cont.)

⌘c–z Foreign MARC subfield The subfields and their content present in the original foreign MARC field. These subfields are prefaced with subfields ⌘2, ⌘a and ⌘b. These subfields are only used when the 1st indicator value is 2.

886 2 ⌘2 ukmarc ⌘a 690 ⌘b 00 ⌘a 00030 ⌘d Great Britain ⌘z 11030 ⌘a butterflies ⌘z 21030 ⌘a life cycles

[Field 690 (PRECIS String) for UK MARC record.]

⌘2 Source of data The MARC code of the format used as the source for the MARC record (e.g., Chinese MARC or UK MARC). See *MARC Code Lists for Relators, Sources, Descriptive Conventions* (<http://www.loc.gov/marc/relators/relahome.html>). Subfield ⌘2 is the first subfield in the field.

⌘0–1 Foreign MARC subfield The subfields and their content present in the original foreign MARC field. These subfields are prefaced with subfields ⌘2, ⌘a and ⌘b. These subfields are only used when the 1st indicator value is 2.

886 2 ⌘2 ukmarc ⌘a 690 ⌘b 00 ⌘a 00030 ⌘d Great Britain ⌘z 11030 ⌘a butterflies ⌘z 21030 ⌘a life cycles

[Field 690 (PRECIS String) for UK MARC record.]

⌘3–9 Foreign MARC subfield The subfields and their content present in the original foreign MARC field. These subfields are prefaced with subfields ⌘2, ⌘a and ⌘b. These subfields are only used when the 1st indicator value is 2.

886 2 ⌘2 ukmarc ⌘a 690 ⌘b 00 ⌘a 00030 ⌘d Great Britain ⌘z 11030 ⌘a butterflies ⌘z 21030 ⌘a life cycles

[Field 690 (PRECIS String) for UK MARC record.]

Printing Field 886 does **not** print.

887 Non-MARC Information Field (R)

Input Standards

Optional/Optional

1st Indicator Undefined

␣ Undefined

2nd Indicator Undefined

␣ Undefined

Subfields (R=Repeatable NR=Nonrepeatable)

‡a Tag of the foreign MARC field (NR)

‡2 Source of data (NR)

Input Standards

Mandatory/Mandatory

Optional/Optional

Definition

Data from non-MARC records for which there are no corresponding MARC 21 fields. Used for converting non-MARC records into the MARC 21 format.

1st Indicator

Undefined. The 1st indicator position is undefined and contains a blank (␣).

␣ **Undefined**

2nd Indicator

Undefined. The 2nd indicator position is undefined and contains a blank (␣).

␣ **Undefined**

Subfields

‡a Tag of the foreign MARC field

The entire content of the non-MARC data including any tags or element names as encoded in the non-MARC information.

887 <Box><eastlimit>0</eastlimit><westlimit>180</westlimit></Box> ‡2
[Code for schema or DTD reference]

887 <TextPublicationData>20000617</TextPublicationDate> ‡2 [Code for
schema or DTD reference]

‡2 Source of data

The source of the data, either a schema or DTD reference. See *MARC Code Lists for Relators, Sources, Descriptive Conventions* (<http://www.loc.gov/marc/relators/relahome.html>).

Printing

Field 887 does **not** print.

891 Publication Pattern Data (R)

Input Standards

Optional/Optional

1st Indicator Subfield ‡9 dependent

‡, 0-5 Subfield ‡9 dependent

2nd Indicator Subfield ‡9 dependent

‡, 0-5 Subfield ‡9 dependent

Subfields (R=Repeatable NR=Nonrepeatable)

	Input Standards
‡a First level of enumeration (NR)	Optional/Optional
‡b Second level of enumeration (NR)	Optional/Optional
‡c Third level of enumeration (NR)	Optional/Optional
‡d Fourth level of enumeration (NR)	Optional/Optional
‡e Fifth level of enumeration (NR)	Optional/Optional
‡f Sixth level of enumeration (NR)	Optional/Optional
‡g Alternative numbering scheme, first level of enumeration (NR)	Optional/Optional
‡h Alternative numbering scheme, second level of enumeration (NR)	Optional/Optional
‡i First level of chronology (NR)	Optional/Optional
‡j Second level of chronology (NR)	Optional/Optional
‡k Third level of chronology (NR)	Optional/Optional
‡l Fourth level of chronology (NR)	Optional/Optional
‡m Alternative numbering scheme, chronology (NR)	Optional/Optional
‡n Pattern note [Only valid for fields 853–855] (NR)	Optional./Optional
‡n Converted Gregorian year [Only valid for fields 863–865] (NR)	Optional./Optional
‡o Type of unit [Only valid for field 853] (R)	Optional/Optional
‡o Type of unit [Only valid for field 854] (R)	Optional/Optional
‡o Type of unit [Only valid for field 855] (R)	Optional/Optional
‡o Title of unit [Only valid for field 863] (R)	Optional/Optional
‡o Title of unit [Only valid for field 864] (R)	Optional/Optional
‡o Title of unit [Only valid for field 865] (R)	Optional/Optional
‡p Number of pieces of issuance [Only valid for fields 853–855] (NR)	Optional/Optional
‡p Piece designation [Only valid for fields 863–865] (NR)	Optional/Optional
‡u Bibliographic units per next higher level [Only valid for fields 853–855] (NR)	Optional/Optional
‡v Issuing date [Only valid for field 865] (R)	Optional/Optional
‡v Numbering continuity [Only valid for fields 853–855] (R)	Optional/Optional
‡w Frequency [Only valid for fields 853–855] (NR)	Optional/Optional
‡w Break indicator [Only valid for fields 863–865] (NR)	Optional/Optional
‡x Calendar change [Only valid for fields 853–855] (R)	Optional/Optional
‡y Regularity pattern [Only valid for fields 853–855] (R)	Optional/Optional
‡z Numbering scheme [Only valid in fields 853–855] (R)	Optional/Optional
‡z Public note [Only valid for fields 863–865] (R)	Optional/Optional
‡2 Source of caption abbreviation [Only valid in fields 853–855] (R)	Optional/Optional
‡3 Materials specified [Only valid in fields 853–855] (NR)	Optional/Optional
‡8 Field link and sequence number (NR)	Optional/Optional
‡9 Tag of the MARC holdings field (NR)	Mandatory/Mandatory

891 Publication Pattern Data (R) (cont.)

Definition	Information about the publication patterns for serials. Guidelines for the use of field 891 are available in the CONSER Guidelines for Input of Caption/Pattern and Holdings Data, 4.1. Use of the OCLC 891 field. Field 891 embeds the MARC holdings fields 853, 854, 855, 863, 864 and 865. Use subfield ‡9 to record the MARC holding field. Define all other indicators and subfields to correspond to the field recorded in subfield ‡9. Repeat field 891 for every MARC field embedded in subfield ‡9. For more information about the indicators and subfields, see <i>MARC 21 Format for Holdings Data</i> (http://www.loc.gov/marc/holdings/echdhome.html).
1st Indicator	Subfield ‡9 dependent. All indicator values have meaning only within the MARC field definition for the field recorded in subfield ‡9. ‡0, 0-5 Subfield ‡9 dependent. Indicator definition dependent on the field recorded in subfield ‡9.
2nd Indicator	Subfield ‡9 dependent. All indicator values have meaning only within the MARC field definition for the field recorded in subfield ‡9. ‡0, 0-5 Subfield ‡9 dependent. Indicator definition dependent on the field recorded in subfield ‡9.
Subfields	
‡a First level of enumeration	The highest level of enumeration.
‡b Second level of enumeration	The second level of enumeration.
‡c Third level of enumeration	The third level of enumeration.
‡d Fourth level of enumeration	The fourth level of enumeration.
‡e Fifth level of enumeration	The fifth level of enumeration.
‡f Sixth level of enumeration	The sixth level of enumeration.
‡g Alternative numbering scheme, first level of enumeration	The highest level of alternative numbering scheme.
‡h Alternative numbering scheme, second level of enumeration	The second level of alternative numbering scheme.
‡i First level of chronology	The highest level of chronology.
‡j Second level of chronology	The second level of chronology.
‡k Third level of chronology	The third level of chronology.

891 Publication Pattern Data (R) (cont.)

‡l Fourth level of chronology	The fourth level of chronology.
‡m Alternative numbering scheme, chronology	The alternative chronology scheme.
‡n Pattern note [Only valid for fields 853–855]	The explanatory note citing the specific year and issue used to prepare the regularity pattern coding expressed in the field. Only valid for fields 853–855.
‡n Converted Gregorian year [Only valid for fields 863–865]	The Gregorian-calendar conversion of a year that is recorded in a non-Gregorian scheme in a chronology-level subfield. Only valid for fields 863–865.
‡o Type of unit [Only valid for field 853]	The type of unit (e.g., annual buyer’s guide, subject index) in the enumeration hierarchy when it has no associated sequence numbering. When used, subfield ‡o immediately follows the caption to which it refers. Only valid for field 853.
‡o Type of unit [Only valid for field 854]	The type of unit (e.g., annual buyer’s guide, subject index) in the enumeration hierarchy when it has no associated sequence numbering. When used, subfield ‡o immediately follows the caption to which it refers. Only valid for field 854.
‡o Type of unit [Only valid for field 855]	The type of unit (e.g., annual buyer’s guide, subject index) in the enumeration hierarchy when it has no associated sequence numbering. When used, subfield ‡o immediately follows the caption to which it refers. Only valid for field 855.
‡o Title of unit [Only valid for field 863]	Title of unit (e.g., annual buyer’s guide, subject index) in the enumeration hierarchy when it has no associated sequence numbering. When used, subfield ‡o immediately follows the enumeration subfield to which it refers. When the title of unit applies to the bibliographic entity as a whole, rather than to a portion of its enumeration, field 844 (Name of unit) is used. Only valid for field 863.
‡o Title of unit [Only valid for field 864]	Title of unit (e.g., annual buyer’s guide, subject index) in the enumeration hierarchy when it has no associated sequence numbering. When used, subfield ‡o immediately follows the enumeration subfield to which it refers. When the title of unit applies to the bibliographic entity as a whole, rather than to a portion of its enumeration, field 844 (Name of unit) is used. Only valid for field 864.
‡o Title of unit [Only valid for field 865]	Title of unit (e.g., annual buyer’s guide, subject index) in the enumeration hierarchy when it has no associated sequence numbering. When used, subfield ‡o immediately follows the enumeration subfield to which it refers. When the title of unit applies to the bibliographic entity as a whole, rather than to a portion of its enumeration, field 844 (Name of unit) is used. Only valid for field 865.
‡p Number of pieces of issuance [Only valid for fields 853–855]	A numeric value that represents the number of physical parts or pieces received per issuance. This technique allows for describing the behavior of items issued in parts. Subfield ‡p is only coded in cases where the number of parts or pieces is different from the publishing frequency expressed in subfield ‡w. Place all codable frequency information in subfield ‡w. Only valid for fields 853–855.
‡p Piece designation [Only valid for fields 863–865]	An identification of a piece. The designation may be an identification number such as a bar code number or an accession number. Only valid for fields 863–865.

891 Publication Pattern Data (R) (cont.)

‡u Bibliographic units per next higher level [Only valid for fields 853–855]	Either a number that specifies the total number of parts that comprise the next higher level of enumeration or the code <i>var</i> or <i>und</i> . Use subfield ‡u with each level of enumeration expect the first level. Only valid for fields 853–855.
‡v Issuing date [Only valid for field 865]	Date of issuance of an index. Only valid for field 865.
‡v Numbering continuity [Only valid for fields 853–855]	A one-character code that indicates whether the enumeration has continuously incrementing numbers or whether the numbering restarts at the completion of a specific unit. Use subfield ‡v with each level of enumeration except the first level. Only valid for fields 853–855.
‡w Frequency [Only valid for fields 853–855]	A one-character alphabetic code or a number that indicates the publication frequency of the item. Only valid for fields 853–855.
‡w Break indicator [Only valid for fields 863–865]	A one-character code that indicates whether a break in the enumeration and chronology contained in multiple 863–865 fields is due either to published issue(s) lacking in the collection or to unpublished parts or a lack of continuity in the enumeration and chronology of the parts. Only valid for fields 863–865.
‡x Calendar change [Only valid for fields 853–855]	One or more two- or four-character numeric codes that indicate the chronological point at which the next higher level increments or changes. Only valid for fields 853–855.
‡y Regularity pattern [Only valid for fields 853–855]	Codes that describe the regularity of the publishing pattern codes in subfield ‡w. Only valid for fields 853–855.
‡z Numbering scheme [Only valid in fields 853–855]	A six-character code string designating the numbering schemes used on a publication. The codes allow for recording different numbering schemes at different levels of enumeration. Only valid for fields 853–855.
‡z Public note [Only valid for fields 863–865]	A note pertaining to all or part of the field that is in a form adequate for public display. Only valid for fields 863–865.
‡2 Source of caption abbreviation [Only valid in fields 853–855]	MARC code that identifies the source of the abbreviations used in the captions of the field. See <i>MARC Code Lists for Relators, Sources, Descriptive Conventions</i> (http://www.loc.gov/marc/relators/relahome.html). Only valid for fields 853–855.
‡3 Materials specified [Only valid in fields 853–855]	Information that specifies the range of volumes or dates to which the field applies. Only valid for fields 853–855.
‡8 Field link and sequence number	Information that identifies linked fields. Use subfield ‡8 also to propose a sequence for the relative order of display of the linked fields.
‡9 Tag of the MARC holdings field	Only valid contents are 853, 854, 855, 863, 864 and 865. Subfield ‡9 is always the first subfield in the field. Subfield definition is dependent on the field recorded in subfield ‡9. All subfield code values have meaning only within the MARC field definition for the field recorded in subfield ‡9.

891 Publication Pattern Data (R) (cont.)

Example

The following is a 853 field for a journal and the associated 863 field for the first issue:

891 00 †9 853 †8 1 †a v. †b no. †u 12 †v r †i (year) †j month †w m †x 01
891 30 †9 863 †8 1.1 †a 1 †b 1 †i 1987 †j 01

Printing

Field 891 does **not** print.

896 Local Series Added Entry–Personal Name (R)

Input Standards

Optional/Optional

1st Indicator Type of personal name entry element

- 0 Forename
- 1 Surname
- 3 Family name

2nd Indicator Undefined

- ▯ Undefined

Subfields (R=Repeatable NR=Nonrepeatable)

- ‡a Personal name (NR)
- ‡b Numeration (NR)
- ‡c Titles and other words associated with a name (R)
- ‡d Dates associated with a name (NR)
- ‡e Relator term (R)
- ‡f Date of a work (NR)
- ‡g Miscellaneous information (NR)
- ‡h Medium (NR)
- ‡j Attribution qualifier (R)
- ‡k Form subheading (R)
- ‡l Language of a work (NR)
- ‡m Medium of performance for music (R)
- ‡n Number of part/section of a work (R)
- ‡o Arranged statement for music (NR)
- ‡p Name of part/section of a work (R)
- ‡q Fuller form of name (NR)
- ‡r Key for music (NR)
- ‡s Version (NR)
- ‡t Title of a work (NR)
- ‡u Affiliation (NR)
- ‡v Volume/sequential designation (NR)
- ‡4 Relator code (R)
- ‡9 Special entry (NR)

Input Standards

Mandatory/Mandatory

Required if applicable/Required if applicable

Required if applicable/Required if applicable

Required if applicable/Required if applicable

Optional/Optional

Required if applicable/Required if applicable

Required if applicable/Required if applicable

Optional/Optional

Required if applicable/Required if applicable

Required if applicable/Required if applicable

Required if applicable/Required if applicable

Required if applicable/Required if applicable

Required if applicable/Required if applicable

Required if applicable/Required if applicable

Required if applicable/Required if applicable

Required if applicable/Required if applicable

Required if applicable/Required if applicable

Required if applicable/Required if applicable

Mandatory/Mandatory

Optional/Optional

Required if applicable/Required if applicable

Optional/Optional

Optional/Optional

Definition

A personal name/title used as a locally devised series added entry. Use when the added entry form of a series is different from that in the corresponding series statement. Field 896 is usually justified by a series statement (field 490) or a general note (field 500) relating to the series. For reproductions, it may be justified by a series statement in field 533 (Reproduction Note), subfield ‡f. Use for the following types of personal names:

- Names of persons capable of authorship
- Phrases having the structure of forenames or surnames. Use this type of entry if a phrase characterizes an author and is the only clue to the author's identity
- Names of families

See the Input Standards table for a list of indicator values and subfields and field 100 for instructions and additional examples.

896 Local Series Added Entry–Personal Name (R) (cont.)

- 896 1 Armstrong, Louis, †d 1900-1971. †4 prf †t Louie Armstrong (Universal City Studios) ; †v 6.
- 896 1 Bach, Johann Sebastian, †d 1685-1750. †t Sonaten und Partiten, †m violin, †n BWV 1001-1006 (Temerson).
- 896 1 Berenholtz, Jim, †d 1957- †t Teachings of the feathered serpent ; †v bk. 1.
- 896 1 Donaldson, Stephen R. †t Chronicles of Thomas Covenant, the Unbeliever ; †v bk. 1.
- 896 1 Joyce, James, †d 1882-1941. †t James Joyce archive.
- 896 1 McCaffrey, Anne. †t Dragonriders of Pern.
- 896 1 Poe, Edgar Allan, †d 1809-1849. †t Works. †l German. †f 1922. †s Rosl ; †v 1. Bd.
- 896 1 Shakespeare, William, †d 1564-1616. †t Works. †f 1984. †s Cambridge University Press.
- 896 1 Sousa, John Philip, †d 1854-1932. †t Marches, †m band. †k Selections (Sousa American bicentennial collection) ; †v v. 1.

1st Indicator

Type of personal name entry element

0 Forename

1 Surname

3 Family name

2nd Indicator

Undefined

␣ Undefined

Subfield note

†9 Special entry

This subfield is user defined.

Printing

Field 896 does **not** print.

897 Local Series Added Entry—Corporate Name (R)

Input Standards

Optional/Optional

1st Indicator Type of corporate name entry element

- 0 Inverted name
- 1 Jurisdiction name
- 2 Name in direct order

2nd Indicator Undefined

Ⓝ Undefined

Subfields (R=Repeatable NR=Nonrepeatable)

- ‡a Corporate name or jurisdiction name as entry element (NR)
- ‡b Subordinate unit (R)
- ‡c Location of meeting (NR)
- ‡d Date of meeting or treaty signing (R)
- ‡e Relator term (R)
- ‡f Date of work (NR)
- ‡g Miscellaneous information (NR)
- ‡h Medium (NR)
- ‡k Form subheading (R)
- ‡l Language of a work (NR)
- ‡m Medium of performance for music (R)
- ‡n Number of part/section/meeting (R)
- ‡o Arranged statement for music (NR)
- ‡p Name of part/section of a work (R)
- ‡r Key for music (NR)
- ‡s Version (NR)
- ‡t Title of a work (NR)
- ‡u Affiliation (NR)
- ‡v Volume/sequential designation (NR)
- ‡4 Relator code (R)
- ‡9 Special entry (NR)

Input Standards

- Mandatory/Mandatory
- Required if applicable/Required if applicable
- Required if applicable/Required if applicable
- Required if applicable/Required if applicable
- Optional/Optional
- Required if applicable/Required if applicable
- Required if applicable/Required if applicable
- Optional/Optional
- Required if applicable/Required if applicable
- Required if applicable/Required if applicable
- Required if applicable/Required if applicable
- Required if applicable/Required if applicable
- Required if applicable/Required if applicable
- Required if applicable/Required if applicable
- Required if applicable/Required if applicable
- Mandatory/Mandatory
- Optional/Optional
- Required if applicable/Required if applicable
- Optional/Optional
- Optional/Optional

Definition

A corporate name name/title used as a locally devised series added entry. Use when the added entry form of a series is different from that in the corresponding series statement. An 897 field is usually justified by a series statement (field 490) or a general note (field 500) relating to the series. For reproductions, it may be justified by a series statement in field 533 (Reproduction Note), subfield ‡f.

Corporate names are the names of agencies, associations, businesses, firms, governments, institutions, nonprofit enterprises, performing groups, etc. Use for the following types of corporate names:

- Organized bodies entered directly under their own names
- Organized bodies entered under names of political jurisdictions
- Political jurisdictions standing alone
- Special corporate names, such as names of abbeys, cathedrals, churches, denominations, monasteries, missions, musical groups, parishes, priories, programs, studies and vessels (e.g., Catholic Church, Dire Straits (Musical group), Monasterio Las Descalzas (Lima, Peru), New York Philharmonic, or Writers' Program)

897 Local Series Added Entry–Corporate Name (R) (cont.)

- Names of conferences, conventions, exhibitions, expeditions, festivals and meetings entered indirectly, that is, under the name of a corporate body (e.g., Labour Party (Great Britain). Conference)

See the Input Standards table for a list of indicator values and subfields and field 110 for instructions and additional examples.

897 1 United States. ‡b Dept. of the Army. ‡t Field manual.

897 2 Central Institute of Indian Languages. ‡t CIIL linguistic atlas series ; ‡v 1.

897 2 John Bartholomew and Son. ‡t Bartholomew world travel series ; ‡v 10.

1st Indicator

Type of corporate name entry element

0 Inverted name

1 Jurisdiction name

2 Name in direct order

2nd Indicator

Undefined

‡ Undefined

Subfield note

‡9 Special entry

This subfield is user defined.

Printing

Field 897 does not print.

898 Local Series Added Entry–Meeting Name (R)

Input Standards

Optional/Optional

1st Indicator Type of meeting name entry element

- 0 Inverted name
- 1 Jurisdiction name
- 2 Name in direct order

2nd Indicator Undefined

- Ⓝ Undefined

Subfields (R=Repeatable NR=Nonrepeatable)

- ‡a Meeting name or jurisdiction name as entry element (NR)
- ‡c Location of meeting (NR)
- ‡d Date of meeting (NR)
- ‡e Subordinate unit (R)
- ‡f Date of a work (NR)
- ‡g Miscellaneous information (NR)
- ‡h Medium (NR)
- ‡k Form subheading (R)
- ‡l Language of a work (NR)
- ‡n Number of part/section/meeting (R)
- ‡p Name of part/section of a work (R)
- ‡q Name of meeting following jurisdiction name entry element (NR)
- ‡s Version (NR)
- ‡t Title of a work (NR)
- ‡u Affiliation (NR)
- ‡v Volume number/sequential designation (NR)
- ‡4 Relator code (R)
- ‡9 Special entry (NR)

Input Standards

- Mandatory/Mandatory
- Required if applicable/Required if applicable
- Required if applicable/Required if applicable
- Required if applicable/Required if applicable
- Required if applicable/Required if applicable
- Required if applicable/Required if applicable
- Optional/Optional
- Required if applicable/Required if applicable
- Required if applicable/Required if applicable
- Required if applicable/Required if applicable
- Optional. Pre-AACR2 only/Optional. Pre-AACR2 only
- Required if applicable/Required if applicable
- Mandatory/Mandatory
- Optional/Optional
- Required if applicable/Required if applicable
- Optional/Optional
- Optional/Optional

Definition

A meeting or conference name/title used as a locally devised series added entry. Use when the added entry form of a series is different from that in the corresponding series statement. An 898 field is usually justified by a series statement (field 490) or a general note (field 500) relating to the series. For reproductions, it may be justified by a series statement in field 533 (Reproduction Note), subfield ‡f. Series added entries for meetings entered subordinately to a corporate body are recorded in field 810.

Conference or meeting names are the names of athletic contests, conferences, exhibitions, expositions, festivals, meetings and scientific expeditions. See “4xx Introduction” for more information.

See the Input Standards table for a list of indicator values and subfields and field 111 for instructions and additional examples.

898 2 Conference of Latin Americanist Geographers. ‡t Publication series ; ‡v v. 1.

898 2 Delaware Symposium on Language Studies. ‡t Delaware symposia on language studies ; ‡v 4.

898 Local Series Added Entry–Meeting Name (R) (cont.)

898 2 International Congress of Nutrition ‡n (11th : ‡d 1978 : ‡c Rio de Janeiro, Brazil). ‡t Nutrition and food science ; ‡v v. 1.

898 2 Vatican Council ‡n (2nd : ‡d 1962–1965). ‡t Decretum de presbyterorum ministerio et vita.

1st Indicator **Type of meeting name entry element.**

0 Inverted name

1 Jurisdiction name

2 Name in direct order

2nd Indicator **Undefined**

␣ Undefined

Subfield note

‡9 Special entry This subfield is user defined.

Printing Field 898 does not print.

899 Local Series Added Entry–Uniform Title (R)

Input Standards

Optional/Optional

1st Indicator Undefined

␣ Undefined

2nd Indicator Nonfiling characters

0 No nonfiling characters

1-9 Number of nonfiling characters present

Subfields (R=Repeatable NR=Nonrepeatable)

‡a Uniform title (NR)

‡d Date of treaty signing (R)

‡f Date of a work (NR)

‡g Miscellaneous information (NR)

‡h Medium (NR)

‡k Form subheading (R)

‡l Language of a work (NR)

‡m Medium of performance for music (R)

‡n Number of part/section of a work (R)

‡o Arranged statement for music (NR)

‡p Name of part/section of a work (R)

‡r Key for music (NR)

‡s Version (NR)

‡t Title of a work (NR)

‡v Volume number/sequential designation (NR)

‡9 Special entry (NR)

Input Standards

Mandatory/Mandatory

Required if applicable/Required if applicable

Required if applicable/Required if applicable

Required if applicable/Required if applicable

Optional/Optional

Required if applicable/Required if applicable

Required if applicable/Required if applicable

Required if applicable/Required if applicable

Required if applicable/Required if applicable

Required if applicable/Required if applicable

Required if applicable/Required if applicable

Required if applicable/Required if applicable

Required if applicable/Required if applicable

Required if applicable/Required if applicable

Required if applicable/Required if applicable

Optional/Optional

Definition

A uniform title used as a locally devised series added entry. Use when the added entry form of a series title is different from that in the corresponding series statement. An 899 field is usually justified by a series statement (field 490) or a general note (field 500) relating to the series. For reproductions, it may be justified by a series statement in field 533 (Reproduction Note), subfield ‡f. Use for the following types of uniform titles:

- Anonymous works
- Composite manuscripts or manuscript groups
- Concordats
- Names of journals and newspapers
- Radio and television programs
- Motion pictures and videorecordings
- Treaties and inter-governmental agreements

See “4xx Introduction” for more information.

1st Indicator

Undefined. The 1st indicator position is undefined and contains a blank (␣).

␣ Undefined

2nd Indicator

Nonfiling characters. The number of character positions associated with a definite or indefinite article (e.g., An or The) at the beginning of a title and that are disregarded in sorting and filing processes.

Current practice is to enter the title without articles and use 2nd indicator value 0.

899 Local Series Added Entry–Uniform Title (R) (cont.)

0 No nonfiling characters. No initial article character positions are disregarded. Use value *0* if the title does **not** begin with an article.

899 0 Collection africaine

Diacritical marks or special characters at the beginning of a series statement field that does **not** begin with an initial article are **not** counted as nonfiling characters.

899 0 Ökonomische Studien ; ‡v Bd. 22

1-9 Number of nonfiling characters present. A field begins with a definite or indefinite article that is disregarded in sorting and filing processes. Enter the number of characters in the article, plus spaces, punctuation, diacritical marks and special characters that precede the first significant word.

Any diacritical mark or special character associated with the first filing character is **not** included in the count of nonfiling characters.

Subfields

- ‡a Uniform title** The uniform title. Enter parenthetical information added to make a title distinctive in subfield ‡a. Use subfield ‡d to record the date of signing added to a uniform title for a treaty.
- 899 0 Imago (Series)
- ‡d Date of treaty signing** The date of signing for a treaty or other intergovernmental agreement.
- 899 0 Convention for the Protection of Human Rights and Fundamental Freedoms ‡d (1950). ‡k Protocols, etc., ‡d 1963 Sept. 16.
- ‡f Date of a work** The date of publication used with a title of a work.
- 899 0 Bible. ‡l English. ‡s Anchor Bible. ‡f 1964.
- ‡g Miscellaneous information** Data **not** identified in other subfields.
- ‡h Medium** A media qualifier used with a title of a work in a name/title field.
- ‡k Form subheading** Standardized phrases added to a heading to gather records for certain kinds of materials. Form subheadings include: *Manuscript*; *Protocols*, etc.; *Selections*.
- 899 0 Koran. ‡l English. ‡k Selections.
- ‡l Language of a work** The name of the language or the term representing the language (e.g., Polyglot) of a work.
- 899 0 Treaty on the Non-proliferation of Nuclear Weapons ‡d (1968). ‡l Spanish. ‡f 1977.
- ‡m Medium of performance for music** Terms designating the medium of performance.
- 899 0 Concertos, ‡m violin, string orchestra.
[Uniform title heading is used for a work of unknown authorship.]
- ‡n Number of part/section of a work** The number designation for a part/section of a work. Numbering is defined as an indication of sequencing in any form (e.g., Book two, Part 1 or Supplement A). Separate multiple numberings with a comma.
- 899 0 Denkm äler deutscher Tonkunst. ‡n 1. Folge (1957) ; ‡v Bd. 1.

899 Local Series Added Entry–Uniform Title (R) (cont.)

‡o Arranged statement for music	The abbreviation <i>arr.</i> used in a uniform title field. 899 0 God save the king; ‡o arr. ‡f 1982.
‡p Name of part/section of a work	A name designation of a part/section of a work. 899 0 Acta Universitatis Carolinae. ‡p Iuridica. ‡p Monographia.
‡r Key for music	The statement of key in which the music is written. 899 0 Concertos, ‡m violin, string orchestra, ‡r D major.
‡s Version	The versions, edition, etc., information. 899 0 Bible. ‡p N.T. ‡l Korean. ‡s Ross version.
‡t Title of a work	The title page title of a work. Unlikely to be used in field 899.
‡v Volume number/sequential designation	The volume number or other sequential designation used in conjunction with the series statement. 899 0 Serie Mariano Azvela ; ‡v 2.
‡9 Special entry	This subfield is user defined.
Printing	Field 899 does not print.

(cont.)

8xx	Introduction	8:2
800	Series Added Entry–Personal Name	8:3
810	Series Added Entry–Corporate Name	8:5
811	Series Added Entry–Meeting Name	8:7
830	Series Added Entry–Uniform Title	8:9
84x-87x	Holdings Data Embedded in Bibliographic Records General Information	8:12
850	Holding Institution	8:13
851	Physical Location	8:14
852	Location	8:16
856	Electronic Location and Access	8:22
886	Foreign MARC Information Field	8:30
887	Non-MARC Information Field	8:32
891	Publication Pattern Data	8:33
896	Local Series Added Entry–Personal Name	8:38
897	Local Series Added Entry–Corporate Name	8:40
898	Local Series Added Entry–Meeting Name	8:42
899	Local Series Added Entry–Uniform Title	8:44