



GENERAL NOTES

1. DO NOT INCLUDE TREE ROOT PRUNING IN PRICES, HOWEVER CONTRACTOR IS TO CO-ORDINATE THIS ACTIVITY WITH COUNCIL'S ARBORIST.
2. TREE SQUARE DIMENSIONS ARE TYPICAL AND MAY BE ALTERED TO MEET SPECIFIC ON GROUND REQUIREMENTS AS DIRECTED BY COUNCIL'S SUPERVISOR. IF THIS OCCURS CONTRACT PRICE WILL BE ADJUSTED ACCORDINGLY.
3. ALL DIMENSIONS IN MILLIMETERS.
4. TREES TO BE SUPPLIED BY OTHERS.
5. TREE SQUARE TO BE FILLED WITH A MINIMUM OF 50mm THICK (ON FOOTPATH) AND 100mm THICK (ON THE ROAD RESERVE) OF GRANITIC SAND MIXED WITH SOIL BOND AO1 BINDERS (SOIL BOND AUST PH: 0427442377) OR EQUIVALENT. THE MIXING RATIO IS 25 LITRES OF SOILBOND DILUTED WITH 25 LITRES OF WATER FOR EACH CUBIC METRE OF GRANITIC SAND AND MIX UNIFORMLY IN A CONCRETE MIXER.

Yarra Standard: YSD59
Drawing Title:
 TREE SURROUNDS

Scale: N.T.S
 Updated 20/12/07

